

PROTOCOL # 926-D					
HANDBAG & WALLET FOR MEN & WOMEN					
Performance Test	Test Method	Samples	Requirement		Rating (Section or exec. Summary which failed items can be referenced)
LABELING					
Labeling / Packaging Review	FPLA 16 CFR 500 & 19 CFR 134	All Samples	Should be legibly marked with the following information: Distributor's name, trademark or other means of identification of the manufacturer or packer & address (City, State & Zip) Product identification Net quantity of the contents in terms of weight, measure or numerical count (Metric & US Standard) or a combination so as to give accurate information and facilitate value comparison by the consumer (only applicable) Country of origin (if imported)		
Import Permit (For Natural Materials Only) If Applicable	US Department of Agriculture Animal and Plant Health Inspection Service (APHIS), Plant Protection and Quarantine (PPQ)	All	Product shall not have prohibited materials present per US Department of Agriculture, Animal and Plant Health Inspection Service (APHIS), Plant Protection and Quarantine (PPQ) Documentation and/ or proper permit(s) for specific product shall be supplied along with Testing Request form and samples. Permit information may be found at: https://www.aphis.usda.gov/wps/portal/aphis/home/ It is the vendor's responsibility for the compliance to relevant requirements.		
Adult Tracking Label: **If space limitations exist, contact Kohl's Quality Assurance & Product Integrity teams to discuss minimum required information quality. assurance@kohls.com	Kohl's Requirement	All	Can be included on packaging when necessary: Kohl's Assigned Factory Number Manufacture Date (Month/Year) UPC #		
PHYSICAL CHARACTERISTICS					
NONE					
CONSTRUCTION QUALITIES					
**Kohl's Workmanship Review	Visual Check / Actual Use	1 Sample	All components shall be provided as claimed and shall not be deformed or fractured. All hardware shall be provided All welds shall be smoothly finished and free from pits and splatter All components shall not contain any burrs or sharp edges (test by touch or sight) Product shall not contain any loose components or unsecured fastening where rigidity is required		
*Bursting Strength (Knits)	ASTM D3786	2 Samples	Min. 30 lbs.	Min. 40 lbs.	
Handle Strength 45° & 90°	ASTM D1683-11a	2 Samples	Min. 25 lbs.	Small Bag: < 450in³ 25lbs Large Bag: > 450in³ Min. 50 lbs.	
Reinforced Stress Points	ASTM D1683-11a	1 Sample	Min. 25 lbs. Min. 10 lbs. (Inner pockets without zipper)	Min. 35 lbs. Min. 15 lbs. (Inner pockets without zipper)	
*Pull Handle – Durability (Dynamic Impact) (Not applicable to handbag with Wristlet Handle)	Kohl's TM 49	1 Sample	Load the handbag with 10 lbs (tier 3 – 20lbs) loading and fix the handle / shoulder strap on the equipment. Release the handbag and allow the handbag to fall freely for 4” such that its fall is instantly arrested by the equipment acting on the handle. No damage to the handle/ handle attachments/ shoulder strap/ structural damage. Tier 1/ 2: 100 Cycles 10lbs Tier 3: Small Bag: <450in³ - 10lbs Large Bag: >450in³ - 20lbs **200 Cycles for both lg & small bags		
ZIPPER PERFORMANCE					
Operability (open/closed)	ASTM D2062-03(R2014)	1 Sample	Remains functional after 15 cycles	Remains functional after 50 cycles	
Cross Widthwise Strength	ASTM D2061-07(R2013)	1 Sample	Min. 50 lbs.	Min. 60 lbs.	
Scoop Pull (Applicable to Handbag Only)	ASTM D2061-07(2013)	1 Sample	Min. 10 lbs.	Min. 20 lbs.	
Top Stop	ASTM D2061-01(R2013)	1 Sample	Min. 20 lbs.	Min. 30 lbs.	
Bottom Stop	ASTM D2061-07(R2013)	1 Sample	Min. 20 lbs.	Min. 30 lbs.	
Slider Torque	ASTM D2061-07(R2013)	1 Sample	Min. 2 in-lbf.	Min. 4 in-lbf.	
Slider Pull	ASTM D2061-07(R2013)	1 Sample	Min. 5 lbs.	Min. 15 lbs.	
COLORFASTNESS					
**Dry Crocking	AATCC 8-13/ AATCC 116-13	1 Sample	Class 4.0 (textile) Class 3.0 (leather/suede/denim/inner lining)		
**Wet Crocking	AATCC 8-13/ AATCC 116-13	1 Sample	Class 3.0 (textile) Class 2.0 (leather/suede/denim/inner lining)		
#Claim Verification (If Claimed)	Visual Check / Actual Use	1 Sample	All designs and features must conform to actual claim		
ANALYTICAL					
**Lead In Scrapable Surface Coating	EPA SW 846 Method# 3050B/3051A /3052 (Mod.) CPSC-CH- E1003-09	1 Sample	≤ 90ppm (0.009% by weight) (CPSIA) ≤ 200 ppm (Not exceeding 0.020% by weight)		
**Lead In Accessible Substrate Material	EPA SW 846 Method# 3050B/3051A/3 052 (Mod.) CPSC-CH- E1001-08 and/or CPSC-CH- E1002-08	1 Sample	(CPSIA) Note: All components that could be touched by a person during normal and reasonably foreseeable use are considered to be accessible. Material exempted from testing: Textiles, natural & manufactured fibers and certain other materials as determined by CPSC (16 CFR 1500.91). All samples shall be reviewed against the requirements of California Proposition 65 to determine if additional testing or labeling is required.		
** CA Prop 65	Refer to Protocol 1300	All Samples			

Refer to protocol Hardlines Regulatory Supplement for additional State & Federal Regulations	Refer to Protocol 1800	All Samples	All samples shall be reviewed against the requirements of the Hardlines Regulatory Supplemental Protocol (State Regulation Only) to determine if additional testing or labeling is required	
----------------------------------------------------------------------------------------------	------------------------	-------------	---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--

REVISIONS

Protocol Version	Description of Change	Revised by / Date	Approved by / Date
926-A	Initial Release	Elizabeth Armstrong Feb 7, 2019	Elizabeth Armstrong Feb 7, 2019
926-B	Added import permit and adult tracking label req	Elizabeth Armstrong April 22, 2019	Elizabeth Armstrong April 22, 2019
926-C	Removed "data only" from adult tracking label req	Elizabeth Armstrong June 15, 2020	Elizabeth Armstrong June 15, 2020
926-D	Added 1800 Hardlines Regulatory Supplement for additional State & Federal Regulations	Isaac Grossman February 2025	Isaac Grossman February 2025