

Title: **COSMETIC BRUSHES**
 Protocol Number: **KOHL'S – 504-E Tier 1/Tier 2/Tier 3**

Test Property	Test Method	Samples	Test Principle / Requirements	Rating (Section or exec. Summary which failed items can be referenced)
---------------	-------------	---------	-------------------------------	---

LABELING				
Labeling / Packaging Review	FPLA 16 CFR 500 & 19 CFR 134	All Samples	Should be legibly marked with the following information: <ul style="list-style-type: none"> Distributor's name, trademark or other means of identification of the manufacturer or packer & address (City, State & Zip) Product identification Net quantity of the contents in terms of weight, measure or numerical count (Metric & US Standard) or a combination so as to give accurate information and facilitate value comparison by the consumer (if applicable) Country of origin (if imported) 	
Verify Label Claims	Visual Check	All Samples	The labeling must comply and valid with all claims.	

PHYSICAL CHARACTERISTICS				
None				

CONSTRUCTION QUALITIES				
Kohl's Workmanship Review	Visual Check / Actual Use	1 Sample	<ul style="list-style-type: none"> All components shall be provided as claimed and shall not be deformed or fractured. All hardware shall be provided All welds shall be smoothly finished and free from pits and splatter All components shall not contain any burrs or sharp edges (test by touch or sight) Product shall not contain any loose components or unsecured fastening where rigidity is required 	

In addition to this protocol, any products designed for, intended for or appealing primarily to children, requires additional testing per Kohls Testing Protocol #601.

Title: **COSMETIC BRUSHES**
 Protocol Number: **KOHL'S – 504-E Tier 1/Tier 2/Tier 3**

Test Property	Test Method	Samples	Test Principle / Requirements	Rating (Section or exec. Summary which failed items can be referenced)
---------------	-------------	---------	-------------------------------	---

PERFORMANCE				
Humidity Test	Kohl's TM 31	1 Sample	95% RH @ 100° F (38° C) for 24 Hours. No major visual change. No apparent rusting stain or corrosion on metal components.	
*Cross Cut Adhesion (Paint and coating on metal parts) (if applicable)	ASTM D3359 Test Method A	1 Sample	Cut 2 in. cross – hatch pattern on surface of plated item, plating must remain affixed. Trace peeling or removal along incision or at their intersection is accepted.	
Impact Resistance	16 CFR 1500.53	1 Sample	4 drops onto an impact medium from 3 feet height. All parts shall remain intact and functional. No loosening of fixed components. No visual defects. No accessible sharp edge or non-functional sharp point.	
Tuft/ Bristle Retention	Actual Use	1 Sample	The bristles /tuft shall withstand 3.5 lbf without pull out or adverse effect. Note: Brushes puff should be tested as well.	
Bristle Endurance	Actual Use	1 Sample	Shall withstand 50 simulated uses without excessive bristle loss.	
Brush Application	Actual Use	1 Sample	Shall provide suitable pick up of product for use.	
*Wood Moisture Content (If Applicable)	Std. Measure	1 Sample	Should not exceed 12% for wood based material only	
#Claim Verification (If Claimed)	Visual Check / Actual Use	1 Sample	All designs and features must conform to actual claim	Claim:

ANALYTICAL				
*Lead In Scrapable Surface Coating	CPSC-CH-E1003-09	1 Sample	≤90 ppm (0.009% by weight). (CPSA – 16 CFR 1303)	
CA Prop 65	Refer to Protocol 1300	1 Sample	All samples shall be reviewed against the requirements of California Proposition 65 to determine if additional testing or labeling is required	

In addition to this protocol, any products designed for, intended for or appealing primarily to children, requires additional testing per Kohls Testing Protocol #601.



KOHL'S TEST PROTOCOL

Approved: March 12, 2020

Title: **COSMETIC BRUSHES**
Protocol Number: **KOHL'S – 504-E Tier 1/Tier 2/Tier 3**

Test Property	Test Method	Samples	Test Principle / Requirements	Rating (Section or exec. Summary which failed items can be referenced)
---------------	-------------	---------	-------------------------------	---

ADDITIONAL NOTE :

*Please refer to Kohl's preferred third party labs for individual pricing and samples.

In addition to this protocol, any products designed for, intended for or appealing primarily to children, requires additional testing per Kohls Testing Protocol #601.



KOHL'S TEST PROTOCOL

Title: COSMETIC BRUSHES
Protocol Number: KOHL'S – 504- E Tier 1/Tier 2/Tier 3

Protocol Version	Description of Change	Revised by / Date	Approved by / Date
504 – A	Initial Release	Birkoff Chen February 24, 2014	Dana Leair February 25, 2014
504 – B	Rename Humidity Test in-house method	Zoe Yeung Mar 13, 2015	Elizabeth Armstrong March 19, 2015
504 – C	Updated Cross Cut Adhesion	Gigi Au May 25, 2016	
504-D	Had protocol reviewed by test lab for any updates since 2016, no changes needed	Elizabeth Armstrong Jan 6, 2020	Elizabeth Armstrong Jan 6, 2020
504-E	Removed antimicrobial testing	Elizabeth Armstrong March 12, 2020	Elizabeth Armstrong March 12, 2020