



**KOHL'S TEST PROTOCOL**

Approved: June 16<sup>th</sup> 2016

Title: **Cosmetic bag**  
 Protocol Number: **KOHL'S – 508A**

Test Property	Test Method	Samples	Test Principle / Requirements	Rating (Section or exec. Summary which failed items can be referenced)
---------------	-------------	---------	-------------------------------	---

<b>LABELING</b>				
Labeling / Packaging Review	FPLA 16 CFR 500 & 19 CFR 134	All Samples	Should be legibly marked with the following information: Distributor's name, trademark or other means of identification of the manufacturer or packer & address (City, State & Zip) Product identification Net quantity of the contents in terms of weight, measure or numerical count (Metric & US Standard) or a combination so as to give accurate information and facilitate value comparison by the consumer (if applicable) Country of origin (if imported)	
Leather and Imitation Leather	Visual Check	All Samples	Must conform to FTC Guides. Only the top grain leather can be labeled "Genuine" or "Top Grain" A disclosure of the percentage of leather fibers & non-leather substances in the composite or bonded leather	

<b>CONSTRUCTION QUALITIES</b>				
Kohl's Workmanship Review	Visual Check / Actual Use	1 Sample	<ul style="list-style-type: none"> <li>All components shall be provided as claimed and shall not be deformed or fractured.</li> <li>All hardware shall be provided</li> <li>All welds shall be smoothly finished and free from pits and splatter</li> <li>All components shall not contain any burrs or sharp edges (test by touch or sight)</li> <li>Product shall not contain any loose components or unsecured fastening where rigidity is required</li> </ul>	

<b>PERFORMANCE</b>				
Tear Strength (Textile) (Upper Surface of Main Shell/Back Shell/Bottom Shell/Major Outer Materials Only)	ASTM D1424	2 Samples	Min. 2.0 lbs.	
Seam Strength – Side	ASTM D1683	2 Samples	Min. 25 lbs. / in.	
Seam Strength – Bottom	ASTM D1683	2 Samples	Min. 25 lbs. / in.	
Zipper Performance:				
- Operability (open / closed)	ASTM D2062	1 Sample	Remains functional after 15 cycles	
- Cross Widthwise Strength	ASTM D2061	1 Sample	Min. 50 lbs.	
- Top Stop	ASTM D2061	1 Sample	Min. 20 lbs.	
- Bottom Stop	ASTM D2061	1 Sample	Min. 20 lbs.	
- Slider Torque	ASTM D2061	1 Sample	Min. 2 in-lbf.	
- Slider Pull	ASTM D2061	1 Sample	Min. 5 lbs.	
Reinforced Stress Points	ASTM D1683	1 Sample	Min. 25 lbs	



# KOHL'S TEST PROTOCOL

Approved: June 16<sup>th</sup> 2016

Title: **Cosmetic bag**  
Protocol Number: **KOHL'S – 508A**

Test Property	Test Method	Samples	Test Principle / Requirements	Rating (Section or exec. Summary which failed items can be referenced)
---------------	-------------	---------	-------------------------------	---

			Min. 10 lbs.(Inner pockets without zipper)	
*Resistance To Corrosion (Metal Components)	Kohl's TM 31	1 Sample	No major visual change, corrosion or staining after 24 hours @ 100° F (38° C) and 99% R.H.	
#Claim Verification (If Claimed)	Visual Check / Actual Use	1 Sample	All designs and features must conform to actual claim	Claim:

<b>COLORFASTNESS</b>				
Color fastness to water	AATCC 107	1 Sample	Color change: 4.0 Color stain: 3.0	
Dry Crocking	AATCC 8/116	1 Sample	Class 4.0 (textile) Class 3.0 (leather/suede/denim/inner lining)	
Wet Crocking	AATCC 8/116	1 Sample	Class 3.0 (textile) Class 2.0 (leather/suede/denim/inner lining)	

<b>ANALYTICAL</b>				
Lead In Scrapable Surface Coating	EPA SW 846 Method# 3050B/3051A /3052 (Mod.) CPSC-CH- E1003-09	1 Sample	≤ 90ppm (0.009% by weight) (CPSIA)	
CA Prop 65	Refer to Protocol 1300	All Samples	All samples shall be reviewed against the requirements of California Proposition 65 to determine if additional testing or labeling is required.	



**KOHL'S TEST PROTOCOL**

Approved: June 16<sup>th</sup> 2016

Title: **Cosmetic bag**  
Protocol Number: **KOHL'S – 508A**

Test Property	Test Method	Samples	Test Principle / Requirements	Rating (Section or exec. Summary which failed items can be referenced)
---------------	-------------	---------	-------------------------------	---

Protocol Version	Description of Change	Revised by / Date	Approved by / Date
June 21, 2016	Initial Release	June 21, 2016/Dana Leair	June 21, 2016 Dana/Leair