

Title: **EVENING PURSE**
 Protocol Number: **KOHL'S – 902-K Tier 1/Tier 2/Tier 3**

Test Property	Test Method	Samples	Test Principle / Requirements	Rating (Section or exec. Summary which failed items can be referenced)
---------------	-------------	---------	-------------------------------	---

LABELLING				
Labeling / Packaging Review	FPLA 16 CFR 500 & 19 CFR 134	All Samples	Should be legibly marked with the following information: <ul style="list-style-type: none"> Distributor's name, trademark or other means of identification of the manufacturer or packer & address (City, State & Zip) Product identification Net quantity of the contents in terms of weight, measure or numerical count (Metric & US Standard) or a combination so as to give accurate information and facilitate value comparison by the consumer (if applicable) Country of origin (if imported) 	
Leather and Imitation Leather	Visual Check	All Samples	<ul style="list-style-type: none"> Must conform to FTC Guides Only the top grain leather can be labeled "Genuine" or "Top Grain" A disclosure of the percentage of leather fibers & non-leather substances in the composite or bonded leather 	
Import Permit (For Natural Materials Only) If Applicable	US Department of Agriculture Animal and Plant Health Inspection Service (APHIS), Plant Protection and Quarantine (PPQ)	All	Product shall not have prohibited materials present per US Department of Agriculture, Animal and Plant Health Inspection Service (APHIS), Plant Protection and Quarantine (PPQ) Documentation and/ or proper permit(s) for specific product shall be supplied along with Testing Request form and samples. Permit information may be found at: https://www.aphis.usda.gov/wps/portal/aphis/home/ It is the vendor's responsibility for the compliance to relevant requirements.	
Adult Tracking Label: **If space limitations exist, contact Kohl's Quality Assurance & Product Integrity teams to discuss minimum required information mr.qa.pi@kohls.com	Kohl's Requirement	All	Can be included on packaging when necessary: Kohl's Assigned Factory Number Manufacture Date (Month/Year) UPC #	

PHYSICAL CHARACTERISTICS				
None				

In addition to this protocol, any products designed for, intended for or appealing primarily to children, requires additional testing per Kohls Testing Protocol #601.

Title: EVENING PURSE
Protocol Number: KOHL'S – 902-K Tier 1/Tier 2/Tier 3

Test Property	Test Method	Samples	Test Principle / Requirements	Rating (Section or exec. Summary which failed items can be referenced)
---------------	-------------	---------	-------------------------------	---

CONSTRUCTION QUALITIES								
Kohl's Workmanship Review	Visual Check / Actual Use	1 Sample	<ul style="list-style-type: none"> All components shall be provided as claimed and shall not be deformed or fractured. All hardware shall be provided All welds shall be smoothly finished and free from pits and splatter All components shall not contain any burrs or sharp edges (test by touch or sight) Product shall not contain any loose components or unsecured fastening where rigidity is required 					
Handle Strength 45° & 90°	ASTM D1683-11a Modified	2 Samples	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 50%;">Tier 1/Tier 2</td> <td style="width: 50%;">Tier 3</td> </tr> <tr> <td>Min. 15 lbs.</td> <td>Min. 20 lbs.</td> </tr> </table> Modification = Expanded scope to other products.	Tier 1/Tier 2	Tier 3	Min. 15 lbs.	Min. 20 lbs.	
Tier 1/Tier 2	Tier 3							
Min. 15 lbs.	Min. 20 lbs.							
Snapping / Unsnapping Force	ASTM D4846-96 R2011	2 Samples	Min. 2 lbs/ Max. 8 lbs.					
Zipper Performance:								
Operability (open/closed)	ASTM D2062-03(R2014)	1 Sample	Remains functional after <table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 50%;">Tier 1/Tier 2</td> <td style="width: 50%;">Tier 3</td> </tr> <tr> <td>15 cycles</td> <td>30 cycles</td> </tr> </table>	Tier 1/Tier 2	Tier 3	15 cycles	30 cycles	
Tier 1/Tier 2	Tier 3							
15 cycles	30 cycles							
Slider Torque	ASTM D2061-07(R2013)	1 Sample	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 50%;">Tier 1/Tier 2</td> <td style="width: 50%;">Tier 3</td> </tr> <tr> <td>2 in-lbf.</td> <td>4 in-lbf.</td> </tr> </table>	Tier 1/Tier 2	Tier 3	2 in-lbf.	4 in-lbf.	
Tier 1/Tier 2	Tier 3							
2 in-lbf.	4 in-lbf.							
Slider Pull	ASTM D2061-07(R2013)	1 Sample	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 50%;">Tier 1/Tier 2</td> <td style="width: 50%;">Tier 3</td> </tr> <tr> <td>5 lbs.</td> <td>10 lbs.</td> </tr> </table>	Tier 1/Tier 2	Tier 3	5 lbs.	10 lbs.	
Tier 1/Tier 2	Tier 3							
5 lbs.	10 lbs.							
Reinforced Stress Points	ASTM D1683-11a Modification	1 Sample	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 50%;">Tier 1/Tier 2</td> <td style="width: 50%;">Tier 3</td> </tr> <tr> <td>10 lbs.</td> <td>15 lbs.</td> </tr> </table> Modification = Expanded scope to other products.	Tier 1/Tier 2	Tier 3	10 lbs.	15 lbs.	
Tier 1/Tier 2	Tier 3							
10 lbs.	15 lbs.							
*Shear Strength (Hook & Loop Only), if applicable	ASTM D5169-98(R2015)	1 Sample for Each Direction	- Lengthwise (original) : 10 lbs./in ² - Lengthwise (after 50 cycles) > 50% of the original (Mod.) - Widthwise (original): 5.5 lbs./in ² - Widthwise (after 50 cycles) > 50% of the original (Mod.)					
*Peel Strength (Hook & Loop Only), if applicable	ASTM D5170-98 (R2015)	1 Sample	Original: 0.4 lb./in. After 50 cycles: 0.3 lbs./in. (mod.)					
PERFORMANCE								
*Resistance To Corrosion (Metal Components)	Kohl's TM 31	1 Sample	No major visual change, corrosion or staining after 24 hours @ 100° F (38° C) and 99% R.H.					

In addition to this protocol, any products designed for, intended for or appealing primarily to children, requires additional testing per Kohls Testing Protocol #601.

Title: **EVENING PURSE**
 Protocol Number: **KOHL'S – 902-K Tier 1/Tier 2/Tier 3**

Test Property	Test Method	Samples	Test Principle / Requirements	Rating (Section or exec. Summary which failed items can be referenced)
---------------	-------------	---------	-------------------------------	---

COLORFASTNESS				
Dry Crocking	AATCC 8-13/AATCC116-13	1 Sample	Class 4.0 (textile) Class 3.0 (leather/suede/inner lining)	
Wet Crocking	AATCC 8-13/AATCC116-13	1 Sample	Class 3.0 (textile) Class 2.0 (leather/suede/inner lining)	
Perspiration (Upper Surface of Shell/Outer Materials Only)	AATCC 15-13	1 Sample	Class 4.0 (shade change) Class 3.0 (staining)	

ANALYTICAL				
*Lead In Scrapable Surface Coating	EPA SW 846 Method# 3050B/3051A /3052 (Mod.) CPSC-CH-E1003-09	1 Sample	≤ 90ppm (0.009% by weight) (CPSIA)	
*Lead In Accessible Substrate Material	EPA SW 846 Method# 3050B/3051A /3052 (Mod.) CPSC-CH-E1001-08 and/or CPSC-CH-E1002-08	1 Sample	≤ 200 ppm (Not exceeding 0.020% by weight) (CPSIA) <i>Note:</i> <ul style="list-style-type: none"> All components that could be touched by a person during normal and reasonably foreseeable use are considered to be accessible. Material exempted from testing: Textiles, natural & manufactured fibers and certain other materials as determined by CPSC (16 CFR 1500.91). 	
* CA Prop 65	Refer to protocol 1300	All Samples	All samples shall be reviewed against the requirements of California Proposition 65 to determine if additional testing or labeling is required.	

In addition to this protocol, any products designed for, intended for or appealing primarily to children, requires additional testing per Kohls Testing Protocol #601.



KOHL'S TEST PROTOCOL

Approved: June 15, 2020

Title: **EVENING PURSE**
Protocol Number: **KOHL'S – 902-K Tier 1/Tier 2/Tier 3**

Test Property	Test Method	Samples	Test Principle / Requirements	Rating (Section or exec. Summary which failed items can be referenced)
---------------	-------------	---------	-------------------------------	---

ADDITIONAL NOTE:

*Please refer to Kohl's preferred third party labs for individual pricing and samples.

In addition to this protocol, any products designed for, intended for or appealing primarily to children, requires additional testing per Kohls Testing Protocol #601.

Title: **EVENING PURSE**
 Protocol Number: **KOHL'S**

Protocol Version	Description of Change	Revised by / Date	Approved by / Date
1205- 0	Initial Release	Simon Leung Dec 12, 2005	Ro Jain Dec 20, 2005
1205- 1	Added Lead In PVC and Nickel Spot Test. Updated Leather & Imitation Leather Labeling to Include Bonded Leather. Price Adjustment.	Simon Leung Oct 24, 2008	Ro Jain Oct 31, 2008
1205 – 2	Changed Lead in PVC to 200ppm due to Quicksilver Settlement	Elizabeth Armstrong May 28, 2009	Ro Jain May 28, 2009
902-A	Changed protocol number from 1205-2 to 902-A. Price adjustment, added lead in accessible substrate material testing. Remove Nickel Spot test. Changed test method for scrapable surface to CPSC-CH E1003-09	Elizabeth Armstrong April 1, 2010	Ro Jain April 1, 2010
902-B	Added phthalates testing	Elizabeth Armstrong September 15, 2011	Ro jain September 15, 2011
902-C	exempt fabric from lead in substrate, added phthalates testing	Elizabeth Armstrong September 15, 2011	Ro Jain September 15, 2011
902-D	Added composite testing requirements to phthalates testing	Elizabeth Armstrong February 1, 2012	Ro Jain February 1, 2012
902-E	Separate the test line of Prop 65 to supplementary protocol	Joyce Ho March 7, 2013	Ro Jain April 15, 2013
902-F	Differentiate the performance rating to Tier 1/Tier 2/Tier 3	Joyce Ho Oct 4, 2013	Ro Jain Feb. 10, 2014
902-G	Price Adjustment	Candy Chan Jul 30, 2014	Jeetendra Shelatkar Aug 4, 2014
902-H	Renamed all in-house methods	Candy Chan Sep. 4, 2014	Elizabeth Armstrong Oct 27, 2014
902-I	Updated test methods snapping unsnapping, handle strength, zipper performance, shear strength, reinforced stress points, peel strength, CF to crocking and perspiration added modification	Elizabeth Armstrong May 4, 2016	Elizabeth Armstrong May 4, 2016
902-J	Added Import Permit Req	Elizabeth Armstrong April 23, 2019	Elizabeth Armstrong April 23, 2019
902-K	Added adult tracking label	Elizabeth Armstrong June 15, 2020	Elizabeth Armstrong June 15, 2020

In addition to this protocol, any products designed for, intended for or appealing primarily to children, requires additional testing per Kohls Testing Protocol #601.