

Protocol 806-12

Wine Bottle Décor & Bag

Performance Test	Test Method	Requirement
Initial Package		
Label Verification		
Label Review	Care Labeling 16 CFR 423 16 CFR 300/ 19 CFR 134 Textile Fiber Products Identification Act 16 CFR 303 Wool Products Labeling Act	Verify Information on TRF matches the label Fiber content, Care, Country of Origin, Manufacturers Registration Number, Wool Products Registration Number must meet Federal Standards If labeling or packaging is not attached to product, artwork must be provided
Tracking Label: Adult product: <i>**If space limitations exist, contact Kohl's Quality Assurance & Product Integrity teams to discuss minimum required information (quality.assurance@kohls.com, product.integrity@kohls.com).**</i>	Kohl's Requirement	MARK AS PASS/FAIL If necessary, this is acceptable on packaging: Kohl's Assigned Factory Number Manufacture Date (Month/Year) UPC #
Packaging Review Actual packaging or artwork must be provided	FPLA/UPLR 16 CFR 500 & 19 CFR 134	Should be legibly marked with the following information and verified: <ul style="list-style-type: none"> • Distributor's name, trademark or other means of identification of the manufacturer or packer and address (City, State, Zip) • Product identification • Net quantity of the contents in terms of weight, measure or numerical count (metric & US standard) or a combination so as to give accurate information and facilitate value comparison by the consumer (if applicable) • Country of origin (if imported) • Product size (if applicable) Refer to Kohl's FPLA/UPLR guideline
Import Permit (For Natural Materials Only)	US Department of Agriculture Animal and Plant Health Inspection Service (APHIS), Plant Protection and Quarantine (PPQ)	Product shall not have prohibited materials present per US Department of Agriculture, Animal and Plant Health Inspection Service (APHIS), Plant Protection and Quarantine (PPQ) Documentation and/ or proper permit(s) for specific product shall be supplied along with Testing Request form and samples. Permit information may be found at: https://www.aphis.usda.gov/wps/portal/aphis/home/ It is the vendor's responsibility for the compliance to relevant requirements.
Performance Claims for Home Textile Products (1000)	Refer to Protocol 1000	All samples shall be reviewed against the requirements of the Performance Claims for Home Textile Products Protocol to determine if additional testing or labeling is required
Softlines Regulatory Supplemental Protocol	Refer to Protocol 501	All samples shall be reviewed against the requirements of the Softlines Regulatory Supplemental Protocol to determine if additional testing or labeling is required.
Physical Properties		
Fiber Content	AATCC 20/20A	One Fiber Only: No Tolerance Two or More Fibers: +/- 3% max deviation from contracted fiber content Functional Fibers i.e. Spandex: +/- 2% max deviation from contracted fiber content
Count	ASTM D 3775	Report Actual Data
Product Size	Kohl's TM-8	If claimed on packaging: Refer to Minimum Construction Standards doc (under TD tab) for tolerances If not claimed on packaging: Report Actual
Yarn Size	ASTM D 1059	±5% max. deviation from contracted yarn size
Fabric Weight	ASTM D 3776	±5% max (oz/sqyd) deviation from contracted weight
Product Weight	Kohl's TM-8	Report Actual Data (lbs/doz & lbs, ounces of 1 towel)
Analytical		

Formaldehyde – Adults & children over 5T	Kohl's TM-5 JIS L 1041:2011 – Sec. 8.1.3 & 8.1.4 Method A or B	Negative, If Spot Test is Positive/inconclusive, proceed with step 2 Children over 5T & Adults = 75 ppm max.	
Formaldehyde - Children's 0-5T	JIS L 1041:2011 – Sec. 8.1.3 & 8.1.4 Method A or B	Children's 0-5T = 20 ppm max.	
pH Value	AATCC 81	All colorways: 5.0-8.0 (No Tolerance)	
CA Prop 65* (if applicable)	Refer to protocol 1300	All samples shall be reviewed against the requirements of California Prop 65	
Performance Test	Test Method	Requirement	
Colorfastness			
Colorfastness to Water	AATCC 107	Shade Change	Grade 4 min.
		Self-Staining	Grade 4 min.
		Staining	Grade 4 min.
Colorfastness to Crocking	AATCC 8/116	<u>All fabrics/dyes (except listed below):</u> Dry - Grade 4 min Wet - Grade 3 min	
		<u>Pigment Dyed/Printed, Direct Dye, Vat Dye, Sulfur, Lightly Brushed, Piled, Indigo:</u> Dry - Grade 3.5 min Wet - Grade 2 min	
Strength & Durability			
Seam Strength/Slippage (wovens only)	ASTM D 1683 (wovens)	Functional Seams	
		<=/= 3.0 oz/sq yd:	20/15
		3 .1- 6 oz/sq yd:	25/15
		6.1- 9.0 oz/sq yd:	25/20
		>9.0 oz / sq yd	40/20
Seam Stretchability (knits only)	TS-015	Minimum 30% Elongation or 6.0lb load	
Breaking Strength (for wine bags only)	ASTM D 5034-09 (r2017)	Fabric weight: ≤ 2.4: 15 lbf minimum 2.5-4.0: 25 lbf minimum 4.1-6.0: 30 lbf minimum ≥6.0: 40 lbf minimum	
Bursting Strength (for wine bags only)	ASTM D 3786-18	≤ 3.0 oz/yd ² - 30 psi ≥ 3.0 oz/yd ² - 45 psi Lace/Mesh: Not applicable	
Handle Strength (for wine bags only)	Kohl's TM-34	The handle of the wine bag shall withstand the claimed maximum weight (if no such claim, apply the load of 22 lbs) without any failures, such as loss of functions or damages. Note: The lab shall report actual load the failure occur	
Attachment Strength* (for wine bags only) A) Applies to all Rings/Sliders B) Applies to Buttons, Snaps, Small Parts, Belt Loops, Zipper Tab, etc. C) Over 5T-Adult: Fragile Trims: Beads, Rhinestones, Pom Poms, Tassels, Laces, Fringes, Embroidery Patches, etc.	16 CFR 1500.51-53 Pt. F (Saf Q)	A) REQUIREMENT: No detachment at 25 lbs. DATA ONLY: Report the point at which the trim fails, or if there is no detachment at 50 lbs. B) REQUIREMENT: Over 5T - Adult: No detachment at 17 lbs. for 10 seconds Exceptions: Buttons: 20lbs DATA ONLY: Report the point at which the trim fails, or if there is no detachment at 50 lbs. C) REQUIREMENT: 5 lbs. for 10 seconds minimum (No tolerance) (Does not apply to children's products)	
OPTIONAL TESTING – TOXICOLOGY TESTING (Required where applicable at additional cost)			

Lead Content in Surface Coating – Scrapeable in each color *	CPSC-CH-E1003-09.1	Children & Adult Products <90 ppm (0.009% total weight)
Phthalates in each plasticized part/material such as PVC, Vinyl*	CPSC-CH-C1001.09.3	<p>Applies to ALL Children's Products ≤ 1000 ppm max (0.1% max total) BBP, DBP, DEHP, DINP, DIDP, DNOP ≤ 1000 ppm max (0.1% max each individual) DCHP, DIBP, DnHP/DHEXP, DPP/DPENP</p> <p>ALL Adult products ≤ 1000 ppm max (0.1% max total) BBP, DBP, DEHP, DINP, DIDP, DNOP ≤ 1000 ppm max (0.1% max each individual) DCHP, DIBP, DnHP/DHEXP, DPP/DPENP</p>

(*) asterisk = ALL COLORWAYS MUST BE TESTED

PRICING AND ADDITIONAL NOTE:

****Please refer to Kohl's preferred third party labs for individual pricing and samples needed.**

PROTOCOL REVISION	DESCRIPTION OF CHANGE	DATE REVISION/
806-1	1. Initial Release	September 2016/Dana Leair
806-2	1. Updated format of protocol 2. Added Prop 65 testing 3. Updated pH value to have white colorway values added 4. Updated formaldehyde testing	March 2018/Charlene Swanson
806-3	1. Updated for children's 0-5T testing for formaldehyde	April 2018/Charlene Swanson
806-4	1. Updated pH value to be 5.0-8.0 (no tolerance)	October 2018/Charlene Swanson
806-5	1. Added Adult Tracking Label requirements	March 2019/Jackie Deppisch
806-6	1. Updated Adult Tracking Label to be marked as DATA ONLY	March 2019/Jackie Deppisch
806-7	1. Updated "Wine Tutu" title to "Wine Bottle Décor" 2. Added Import Permit label requirement 3. Updated phthalates testing requirements for max and individual totals	April 2019/Charlene Swanson
806-8	1. Renamed protocol to Wine Décor/Wine Bag 2. Updated attachment strength for wine bags 3. Added handle strength test for wine bags 4. Added breaking strength test for wine bags 5. Added bursting strength test for wine bags	December 2019/Charlene Swanson
806-9	1. Updated Attachment strength requirements for fragile trims for 5T-Adult to include pom poms, tassels, fringe, etc. See test section for details	January 2020/Charlene Swanson
806-10	1. Updated Adult Tracking Label to REQUIRED	March 2020/Jackie Deppisch
806-11	1) Added test line for all performance claims	March 2022 / Becky Becker
806-12	1) Added test line for regulatory supplement softlines protocol	November 2022/Charlene Swanson