

**\*\*In addition to this protocol, any product designed for, intended for or appeal primarily to children, requires additional testing per Kohl's Testing Protocol #601 (Hardlines).**

<b>Protocol 1102-25</b>		
<b>Pet Bed/Pet Tent</b>		
Performance Test	Test Method	Requirement
<b>Initial Package</b>		
<b>Label Verification</b>		
Label Review	Care Labeling 16 CFR 423  16 CFR 300/ 19 CFR 134  Textile Fiber Products Identification Act 16 CFR 303  Wool Products Labeling Act	<b>Verify Information on TRF matches the label</b>  Fiber content, Care, Country of Origin, Manufacturers Registration Number, Wool Products Registration Number must meet Federal Standards  If labeling or packaging is not attached to product, artwork must be provided
Packaging Review  Actual packaging or artwork must be provided	FPLA/UPLR 16 CFR 500 & 19 CFR 134	Should be legibly marked with the following information and verified: <ul style="list-style-type: none"> <li>• Distributor’s name, trademark or other means of identification of the manufacturer or packer and address (City, State, Zip)</li> <li>• Product identification</li> <li>• Net quantity of the contents in terms of weight, measure or numerical count (metric &amp; US standard) or a combination so as to give accurate information and facilitate value comparison by the consumer (if applicable)</li> <li>• Country of origin (if imported)</li> <li>• Product size (if applicable)</li> </ul> <b>Refer to Kohl’s FPLA/UPLR guideline</b>
Hangtag	Visual Check	SAFETY WARNING: Remove all hang tags and accompanying fasteners before using
Product Application	Visual Check	Product should specify what type of animal (i.e. for dogs) and if applicable
Instructions	Visual Check	Shall be legible and easy to understand; instructions shall be consistent with sample performance.
Verify Label Claims	Visual Check	The labeling must be valid and comply with all claims.
Stuffed Labeling <i>(if applicable)</i>	Stuffed Toy Law	Stuffing shall have a tab or label securely affixed which contains: A statement that “All New Material” was used Type of material The assigned state registration number (Pennsylvania at a minimum) The name and principal place of business (city and state) of the manufacturer or vendor.
Law Label <i>(filled products only)</i>	International Association of Bedding & Furniture Labeling Officials & CA Bureau of Home Furnishing and Thermal Insulation Act	Label must be included and all state laws must be met: CA BFHTI Article 2 Sec. 1125-1126 (filled products only) or CA BFHTI Article 13 Sec 1374 (chair pads only) If labeling or packaging is not attached to the product, artwork must be provided) ***Refer to Kohl’s Labeling Guideline Policy
Law Label <i>(cushions only)</i>	CA Bureau of Home Furnishings and Thermal Insulation Act	Label must be included and all state laws must be met: CA BFHTI Article 13 Sec. 1374
Pillow form label review <i>(Dec pillows with removable covers only)</i>	Section XI of the Kohl’s Labeling Guidelines for Home Textiles	Verify that this label is present and that the fiber content and care instructions match the main label and the test results.
Softlines Regulatory Supplemental Protocol	Refer to Protocol 501	All samples shall be reviewed against the requirements of the Softlines Regulatory Supplemental Protocol to determine if additional testing or labeling is required.
Performance Claims for Home Textile Products (1000)	Refer to Protocol 1000	All samples shall be reviewed against the requirements of the Performance Claims for Home Textile Products Protocol to determine if additional testing or labeling is required

<p>Tracking Label:</p> <p><b>Children's product: TENTS ONLY</b></p> <p><b>Adult product:</b>  <i>**If space limitations exist, contact Kohl's Quality Assurance &amp; Product Integrity teams to discuss minimum required information (MR.QA.PI@kohls.com).**</i></p>	<p>Consumer Product Safety Improvement Act of 2008 (CPSIA) SEC. 103</p>	<p><b><u>Pet products that are TENTS are to be considered Children's Items- Refer to Kohl's Tracking Label Section in the Labeling Guideline Policy. Following information must be provided:</u></b></p> <p>Retailer's Name (Kohl's)  Style Number/Name  Factory Number  Date (Month/Year)</p> <p><b><u>Adult Tracking Label-</u></b>  <b><u>If necessary, this is acceptable on packaging:</u></b></p> <p>Kohl's Assigned Factory Number  Manufacture Date (Month/Year)  UPC #</p>
Performance Test	Test Method	Requirement
<b>Label Verification</b>		
<p>Import Permit (For Natural Materials Only)</p>	<p>US Department of Agriculture Animal and Plant Health Inspection Service (APHIS), Plant Protection and Quarantine (PPQ)</p>	<p>Product shall not have prohibited materials present per US Department of Agriculture, Animal and Plant Health Inspection Service (APHIS), Plant Protection and Quarantine (PPQ)</p> <p>Documentation and/ or proper permit(s) for specific product shall be supplied along with Testing Request form and samples. Permit information may be found at: <a href="https://www.aphis.usda.gov/wps/portal/aphis/home/">https://www.aphis.usda.gov/wps/portal/aphis/home/</a></p> <p>It is the vendor's responsibility for the compliance to relevant requirements.</p>
<p>Labeling of Composite Wood Product - Formaldehyde Emission - EPA*  <i>(if applicable)</i></p>	<p>40 CFR 770.45</p>	<p>Composite wood products (i.e., hardwood plywood (HWPW) made with either a combination core (CC) or a veneer core (VC), particleboard (PB), and medium-density fiberboard (MDF)), panels, finished goods containing composite wood products finished goods made from panels manufacture in accordance with 40 CFR 770.17 and/or 40 CFR 770.18, or finished goods made from panels made with a combination of complaint composite wood, no-added formaldehyde-based (NAF-based) resins, and ultra-low emitting formaldehyde (ULEF) resins, shall not release formaldehyde exceeding the regulatory limits.</p> <p>Note:</p> <ol style="list-style-type: none"> <li>1) In lieu of testing, valid certificate or test report or certificate can be submitted if dated within one year</li> <li>2) Finished goods, including component parts sold separately to end users, containing only a de minimis amount (i.e. 144 square inches, based on the surface area of its largest area) of regulated composite wood product are excepted from the labeling requirements, however, the exception does not apply to finished goods or component parts that are designed to be used in combination or in multiples to create larger surfaces, finished goods, or component parts.</li> </ol>
<p>Labeling of Composite Wood Product - Formaldehyde Emission - State of California*  <i>(if applicable)</i></p>	<p>Airborne Toxic Control Measure (ATCM), California Code of Regulations, Title 17, § 93120</p>	<p>Composite wood products (i.e., hardwood plywood (HWPW) made with either a combination core (CC) or a veneer core (VC), particleboard (PB), and medium-density fiberboard (MDF)), or finished goods composed of such products made with no-added formaldehyde based (NAF-based) resins or ultra-low emitting formaldehyde (ULEF) resins, shall be labeled in accordance with the regulations and meet all applicable requirements.</p> <p><i>*In lieu of testing, valid certificate or test report or certificate can be submitted if dated within one year</i></p>

Formaldehyde Emission of Composite Wood Product - EPA* <i>(if applicable)</i>	40 CFR 770.10/40 CFR 770.17/40 CFR 770.18	Composite wood products (i.e., hardwood plywood (HWPW) made with either a combination core (CC) or a veneer core (VC), particleboard (PB), and medium-density fiberboard (MDF)), panels, finished goods containing composite wood products finished goods made from panels manufacture in accordance with 40 CFR 770.17 and/or 40 CFR 770.18, or finished goods made from panels made with a combination of complaint composite wood, no-added formaldehyde-based (NAF-based) resins, and ultra-low emitting formaldehyde (ULEF) resins, shall not release formaldehyde exceeding the regulatory limits. <i>*In lieu of testing, valid certificate or test report or certificate can be submitted if dated within one year</i>	
Formaldehyde Emission of Composite Wood Product - State of California* <i>(if applicable)</i>	Airborne Toxic Control Measure (ATCM), California Code of Regulations, Title 17, § 93120	Composite wood products (i.e., hardwood plywood (HWPW) made with either a combination core (CC) or a veneer core (VC), particleboard (PB), and medium-density fiberboard (MDF)), or finished goods composed of such products made with no-added formaldehyde based (NAF-based) resins or ultra-low emitting formaldehyde (ULEF) resins, shall be labeled in accordance with the regulations and meet all applicable requirements. <i>*In lieu of testing, valid certificate or test report or certificate can be submitted if dated within one year</i>	
<b>Physical Properties</b>			
Fiber Content	AATCC 20/ 20A  Wool Products Labeling Act	One Fiber Only: No Tolerance  Two or More Fibers: +/- 3% max deviation from contracted fiber content  Functional Fibers i.e. Spandex: +/- 2% max deviation from contracted fiber content	
Dimension	FPLA/UPLR	As claimed/ measured (+3% / -0%)	
Dimensional Change to Home Laundering, Dry Cleaning, or Hand Wash <i>(Differential shrinkage between different fabrications should not exceed 2%)</i>	AATCC 150 (after 3 washes) / AATCC 158 (1 cycle) AATCC/ASTM-006 (Length x Width)  Tide ® Powder Detergent	<b>Knits</b>	
		Shrinkage %	
		CVC Knits (all knit types)	Tier 1: 6x6 Tier 2: 5x5
		CVS Knits and Silk (all knit types)	Tier 1:6x6 Tier 2: 5x5
		Thermal (waffle) knits	Tier 1: 8x6 Tier 2: 7x6
		Extension/Growth %	Tier 1: 2x2 Tier 2: 1x1
		<b>Wovens</b>	
		Shrinkage %	Tier 1: 3x3 Tier 2: 2x2
		Shrinkage % (flannels/dobby)	Tier 1: 4x4 Tier 2: 3x3
		Appearance Retention	AATCC/ASTM TS-008 Modified Tide ® Powder Detergent
Torque (max)			
<b>Knits</b>	Tier 1: 5% Tier 2: 4%		
<b>Wovens</b>	Tier 1: 3% Tier 2: 2%		
Appearance Retention to Spot Clean	Kohl's TM-9	Must meet all applicable Kohl's Appearance Evaluation Requirements	
*Wood Moisture Content	Std. Measure	Shall be between 8-12%. Report the actual moisture content.	

Surface Scratching Resistance	Actual Use	The base, when viewed from beneath, shall not be convex except for products whose intrinsic design features preclude them complying with this requirement. No sharp point or sharp edge shall appear on the base. No obvious scratch shall appear on the surface of the testing platform during the test. Normal test parameter: No scratching of surface after 3 cycles of 6 inches back and forth on wood test panel (For floor-top items) or glass test panel (For table-top items) respectively.
<b>Physical Properties</b>		
Stability Test <i>(for free standing products only)</i>	Actual Use	Shall not show topple over or overturn when placed on an inclined surface in all direction. Normal test parameter: 10°.
<b>Analytical</b>		
Tech Pack Verification* (Needs to be provided - Lab HOLD if not provided) <i>*Applicable for Sonoma brand only (not applicable for Sonoma Community® or Jammies For Your Families®)</i>	Visual Check	Verify all claims mentioned in Tech Pack file
Formaldehyde – Adults & children over 5T	Kohl's TM-5  JIS L 1041:2011 – Sec. 8.1.3 & 8.1.4 Method A or B	Negative, If Spot Test is Positive/inconclusive, proceed with step 2  Children <b>over 5T</b> & Adults = 75 ppm max.
CA Prop 65* <i>(if applicable)</i>	Refer to protocol 1300	All samples shall be reviewed against the requirements of California Prop 65
pH value	AATCC 81	All colorways: 5.0-8.0 (No Tolerance)
PBDEs - State of Washington <i>(if applicable)</i>	US State Law, Revised Code of Washington (RCW), Chapter 70.76.020 & 70.76.030	PBDEs except Deca-BDE - Non-comestible (i.e. non-edible) products (exempt medical devices): Not detected  Deca-BDE - Mattresses, residential upholstered furniture, plastic enclosure of electronic products: Not detected  NOTE: 1) PBDEs include, but are not limited to, Penta-BDE, Octa-BDE and Deca-BDE. 2) Mattresses include mattress sets, box springs, futons, crib mattresses, youth mattresses, and mattress pads. 3) Residential upholstered furniture means seating intended for indoor use in home.
<b>CONSTRUCTION</b>		
Kohl's Workmanship Review	Visual Check/Actual Use	All components shall be provided as claimed and shall not be deformed or fractured. All hardware shall be provided. All welds shall be smoothly finished and free from pits and splatter. All components shall not contain any burrs or sharp edges (test by touch or sight). Product shall not contain any loose components or unsecured fastening where rigidity is required. Product shall not tip over during casual handling.
<b>Colorfastness</b>		

Colorfastness to Chlorine Bleach AND Non-chlorine Bleach	AATCC/ASTM TS-001	Shade Change	Grade 4 min.
Colorfastness to Water*	AATCC 107	Shade Change Self-Staining Staining	Grade 4 min. Grade 4 min. Grade 4 min.
Colorfastness to Crocking	AATCC 8/116	<u>All fabrics/dyes (except listed below):</u> Dry - Grade 4 min Wet - Grade 3 min  <u>Pigment Dyed/Printed, Direct Dye, Vat Dye, Sulfur, Lightly Brushed, Piled, Indigo:</u> Dry - Grade 3.5 min Wet - Grade 2 min	
Colorfastness to Light* <i>For outdoor pet beds only</i>	AATCC 16 Option 3  10 AFU & 20 AFU	<u>All Colors (except listed below):</u> <u>Shade Change:</u> <u>10 AFU: Grade 4.0 min</u> <u>20 AFU: Grade 3.5 min</u>  <u>Neons/ Brights/ Whites/ Pastels:</u> <u>Shade Change:</u> <u>10 AFU: Grade 3.5 min</u> <u>20 AFU: Grade 3.0 min</u>	
<b>Performance</b>			
Bite Test	16 CFR 1500.52 (Mod)	Small Pets. No sharp/jagged points liberated at 50lbs compression using standard bite tester. Medium Pets. No sharp/jagged points liberated at 100lbs compression using standard bite tester. Large Pets. No sharp/jagged points liberated at 300lbs compression using standard bite tester. MOD = Expanded scope to other than pet products.	
Flammability (includes chair pads)	CA Technical Bulletin 117 If not applicable from above, test ASTM D 1230	Class 1	
Tensile Strength (wovens only)	ASTM D 5034 (CRT/CRE Tensile Testing Machine)	≤ 2.0 oz/sq. yd.	15 lbs. Min
		> 2 to ≤ 4.0 oz/sq. yd.	25 lbs. Min
		> 4.0 to ≤ 8.0 oz/sq. yd.	35 lbs. Min
		> 8.0oz/sq.yd.	45 lbs. Min
Tear Strength (wovens only)	ASTM D 1424 (Elmendorf)	≤ 2.0 oz/sq. yd.	1.5 lbs. Min
		> 2 to < 4.0 oz/sq. yd.	2 lbs. Min
		> 4.0 to < 8.0 oz/sq. yd.	2.5 lbs. Min
		> 8.0oz/sq.yd.	3 lbs min
Seam Slippage/Seam Strength (wovens only)	ASTM D 1683 – Woven only	¼ " at 10 lbs. min. seam slippage / 20 lbs. min seam strength	
Bursting Strength (knits only)	ASTM D 3786	Fabric	40 lbs/sq. inch
		Seams	30 lbs/sq. inch

Attachment Strength* A) Applies to all Rings/Sliders  B) Applies to Buttons, Snaps, Small Parts, Belt Loops, Zipper Tab, etc.  C) Over 5T-Adult: Fragile Trims: Beads, Rhinestones, etc	16 CFR 1500.51-53 Pt. F (Saf Q)	A) REQUIREMENT (for all garments): No detachment at 25 lbs. DATA ONLY: Report the point at which the trim fails, or if there is no detachment at 50 lbs.  B) REQUIREMENT: Over 5T - Adult: No detachment at 17 lbs. for 10 seconds <u>Exceptions:</u> Buttons: 20lbs DATA ONLY: Report the point at which the trim fails, or if there is no detachment at 50 lbs.  C) REQUIREMENT: 5 lbs. for 10 seconds minimum	
Strength of Attachment/Joints (if applicable)	Loading	Shall withstand below defined static load. No failure. Tier 1 = 20 lbs. Tier 2 = 25 lbs.	
<b>ADDITIONAL COLORWAY TESTING</b>			
Formaldehyde – Adults & children over 5T	Kohl's TM-5  JIS L 1041:2011 – Sec. 8.1.3 & 8.1.4 Method A or B	Negative, If Spot Test is Positive/inconclusive, proceed with step 2  Children over 5T & Adults = 75 ppm max. Children's 0-5T = 20 ppm max.	
Colorfastness to Chlorine Bleach AND Non-Chlorine Bleach	AATCC/ASTM TS-001	Shade Change      Grade 4 min.	
Colorfastness to Crocking	AATCC 8/116	<u>All fabrics/dyes (except listed below):</u> Dry - Grade 4 min Wet - Grade 3 min  <u>Pigment Dyed/Printed, Direct Dye, Vat Dye, Sulfur, Lightly Brushed, Piled, Indigo:</u> Dry - Grade 3.5 min Wet - Grade 2 min	
pH Value	AATCC 81	All colorways: 5.0-8.0 (No Tolerance)	
<b>REQUIRED WHERE APPLICABLE AT ADDITIONAL COST</b>			
<b>OPTIONAL TESTING – Required where applicable at additional cost</b>			
Attachment Strength* A) Applies to all Rings/Sliders  B) Applies to Buttons, Snaps, Small Parts, Belt Loops, Zipper Tab, etc.  C) Over 5T-Adult: Fragile Trims: Beads, Rhinestones, etc	16 CFR 1500.51-53 Pt. F (Saf Q)	A) REQUIREMENT: No detachment at 25 lbs. DATA ONLY: Report the point at which the trim fails, or if there is no detachment at 50 lbs.  B) REQUIREMENT: Over 5T - Adult: No detachment at 17 lbs. for 10 seconds <u>Exceptions:</u> Buttons: 20lbs DATA ONLY: Report the point at which the trim fails, or if there is no detachment at 50 lbs.  C) REQUIREMENT: 5 lbs. for 10 seconds minimum	
Sharp Points & Sharp Edges*	CPS 16 CFR 1500.48 - 49	No sharp points or sharp edges – Refer to Product Safety Policy	
Colorfastness to Water* (Color block fabrics & contrast trims)	AATCC 107	Shade Change	Grade 4 min.
		Staining	Grade 4 min.

Resistance to Saliva	64 LFGB B82.92-3 Part 1	Color Change	Grade 4 min.
		Staining	Grade 4 min.
Flame Retardants content - TDCPP and TCEP	Solvent extraction, GC-MS or HPLC-MS analysis / CPSD-AN-00051-MTHD / CPSD-AN-00176-MTHD	All accessible and inaccessible polyurethane foam shall not contain any detectable level of Tris(2-chloroethyl) phosphate (TCEP-cas no 115-96-8) and Tris (1,3-dichloro-2-propyl) phosphate ( TDCPP – cas no 13674-87-8)	
<b>OPTIONAL TESTING - MEMORY FOAM - Required where applicable at additional cost</b>			
Penta-BDE and Octa BDE (banned) / Deca-BDE (proposed)	Various State Laws of Maine, Illinois, Washington, etc.	Shall not exceed 0.1% by weight.	
Overall Density (lb/ft³)	ASTM D3574 - Section A	Report actual: Shall meet label claims (if applicable)	
Constant Deflection Compression Test	ASTM D3574-17 Test D	90% deflection at conditions of 70 +/- 2°C and 6% maximum relative humidity for 22 hours.  90%: Average compression set shall not exceed 10% of original thickness Report the constant deflection compression set as follows: Record original and final in inches. Record compression and recovery in %.	
<b>OPTIONAL TESTING - Children's products having a Child's Appeal</b>			
Law Label- <i>Lab to mark as not-applicable</i>	PA Stuff Toy Regulation 47.317	Label must comply If labeling or packaging is not attached to product, artwork must be provided	
Small Parts, Sharp Edges, Sharp Points *	ASTM F 963-17, 4.6, 4.7, 4.9	16 CFR 1500 & 1501. No safety hazards	
Flammability *	ASTM F 963-17, 4.2	Less than 0.1"/Sec. (16 CFR 1500.44)	
Drop Test *	ASTM F 963-17 (Table 5)	16 CFR 1500. No safety hazards	
Torque Tests for Removal of Components *	ASTM F 963-17 (Table 5)	16 CFR 1500. No safety hazards	
Tension Test for Removal of Components *	ASTM F 963-17 (Table 5)	16 CFR 1500. No safety hazards	
Compression Test *	ASTM F 963-17 (Table 5)	16 CFR 1500. No safety hazards	
Flexure Test *	ASTM F 963-17 (Table 5)	16 CFR 1500. No safety hazards	
<b>OPTIONAL TESTING – TOXICOLOGY TESTING (Required where applicable at additional cost)</b>			
Lead Content in Surface Coating – Scrapeable in each color *	CPSC-CH-E1003-09.1	Pet Products <90 ppm (0.009% total weight)	
Total Lead in Substrate Material *	CPSC-CH-E1002-08.3/ CPSC-CH-E1001-08.3	Pets of all sizes - Accessible components in each part/material  <100 ppm (0.010% total weight)	
Phthalates in each plasticized part/material such as PVC, Vinyl *	CPSC-CH-C1001.09.3	<b>Applies to ALL Children's Products</b> ≤ 1000 ppm max (0.1% max total) BBP, DBP, DEHP, DINP, DIDP, DNOP ≤ 1000 ppm max (0.1% max each individual) DCHP, DIBP, DnHP/DHEXP, DPP/DPENP  <b>ALL Adult products</b> ≤ 1000 ppm max (0.1% max total) BBP, DBP, DEHP, DINP, DIDP, DNOP ≤ 1000 ppm max (0.1% max each individual) DCHP, DIBP, DnHP/DHEXP, DPP/DPENP	

Soluble Heavy Metals *	ASTM F 963-17	<p>Pet's Toys = Defined as a consumer product designed or intended by the manufacturer for a child, for use by the child when the child plays. Required for children's toys of ALL ages</p> <p>Mercury - 60 ppm                      Barium - 1000 ppm  Antimony - 60 ppm                      Cadmium - 75 ppm  Arsenic - 25 ppm                        Chromium - 60 ppm  Selenium - 500 ppm                      Lead - 90 ppm</p>								
<p>Lead, Cadmium and Phthalate*</p> <p>Applicable to pet product including:</p> <p>- Clothing</p>	<p>Lead and Cadmium  EPA SW 846  Method # 3050B/3051 (Mod.) / CPSCCH-E1003-09.1/ CPSC-CHE1002-08.1 / CPSC-CHE1001-08.1</p> <p>Phthalate  CPSC-CHC1001-09.3</p>	<p>Washington Children's Safe Products Act</p> <p>≤ 90 ppm (lead)  ≤ 40 ppm (Cadmium)  ≤ 0.1% (max total) BBP, DBP, DEHP, DINP, DIDP, DNOP  ≤ 0.1% (max each individual) DCHP, DIBP, DnHP/DHEXP, DPP/DPENP</p> <p>Note: Actual test would be performed on below suggested accessible materials.</p> <table border="1" data-bbox="732 653 1515 783"> <thead> <tr> <th>Substances</th> <th>Suggested materials</th> </tr> </thead> <tbody> <tr> <td>Lead</td> <td>Follow CPSC lead</td> </tr> <tr> <td>Cadmium</td> <td>Follow CPSC lead</td> </tr> <tr> <td>Phthalates</td> <td>Coating &amp; Plasticized materials</td> </tr> </tbody> </table> <p>The Washington standard cannot be enforced for products to which a federal standard applies.</p>	Substances	Suggested materials	Lead	Follow CPSC lead	Cadmium	Follow CPSC lead	Phthalates	Coating & Plasticized materials
Substances	Suggested materials									
Lead	Follow CPSC lead									
Cadmium	Follow CPSC lead									
Phthalates	Coating & Plasticized materials									
(*) asterisk = ALL COLORWAYS MUST BE TESTED										
<p><b>Minimum Sample Size Necessary for Testing</b></p> <p>Recommend to check with local lab for sample size requirement</p> <p><b>Toxicology Testing</b></p> <p>Consult with testing lab for the number of samples</p>	<p><b>Pricing</b></p> <p>Please refer to Kohl's preferred third party labs for individual pricing.</p> <p>Turn Around Time = 4-5 working days  Toxicology Testing = 6 working days</p>									
<b>PROTOCOL REVISION</b>	<b>DESCRIPTION OF CHANGE</b>	<b>DATE REVISION/</b>								
1412A	1) Initial Release	May 2015/Leah Gross-Hutchison								
1102-4	1) Updated formaldehyde requirements	September 2015/Leah & Vinoth								
1102-5	1) Removed Flame Retardant Chemical Labeling TB 117-2013, per lab not necessary for pet products 2) Removed Flammability Labeling TB 117 - 2013, per lab, not necessary for pet products 3) Added Chemical Analysis for Penta-BDE, Octa-BDE and Deca-BDE for memory foam 4) Added ASTM D3574 - Section A, Overall Density for memory foam 5) Added ASTM D3574 - Section D, Compression Set for memory foam	March 2016/Becky Becker								
1102-6	1) Removed AATCC 135 from Dimensional Stability testing	February 2017/Jackie Deppisch								
1102-7	1) Corrected Dimensional Change to Home Laundering to reflect correct test	April 2017/Jackie Deppisch								
1102-8	1) Removed additional Dimensional Stability testing	May 2017/Charlene Swanson								



1102-9	<ol style="list-style-type: none"> <li>1) Updated formaldehyde testing for children</li> <li>2) Updated formaldehyde testing to be most current</li> <li>3) Updated Tide detergent to be correct</li> <li>4) Updated phthalates testing</li> <li>5) Updated format</li> <li>6) Added Lead, Cadmium, and Phthalates testing for children</li> <li>7) Updated the wording from children to pet's</li> <li>8) Added test method for Dry Clean</li> <li>9) Removed redundant method for Colorfastness to water</li> <li>10) Updated pH value requirements</li> <li>11) Updated flammability requirements from 15 CFR 1500.44 to 16 CFR 1500.44</li> </ol>	March 2018/Charlene Swanson
1102-10	<ol style="list-style-type: none"> <li>1) Updated pH value to be 5.0-8.0 (no tolerance)</li> <li>2) Updated phthalates for Washington Law to include coated materials</li> <li>3) Updated Soluble Heavy Metals to be ASTM F 963-17 (most current)</li> <li>4) Removed section stating "Applies to ALL Pet Products and All placemats from Spring 2014" for Phthalates in each plasticized part/material such as PVC, Vinyl *</li> </ol>	October 2018/Charlene Swanson
1102-11	<ol style="list-style-type: none"> <li>1) Updated Soluble Heavy Metals to be ASTM F 963-17 (most current)</li> </ol>	December 2018/Charlene Swanson
1102-12	<ol style="list-style-type: none"> <li>1) Updated Tracking Label to include Adult Tracking Label requirements</li> </ol>	February 2019/Jackie Deppisch
1102-13	<ol style="list-style-type: none"> <li>1) Added Wood Moisture Content testing</li> <li>2) Added Surface Scratching Resistance</li> <li>3) Added Stability Test</li> <li>4) Added Labeling of Composite Wood Product - Formaldehyde Emission - EPA testing</li> <li>5) Added Labeling of Composite Wood Product - Formaldehyde Emission - State of California testing</li> <li>6) Added Plastic Bag Warning Statement</li> <li>7) Added Formaldehyde Emission of Composite Wood Product - EPA testing</li> <li>8) Added Formaldehyde Emission of Composite Wood Product - State of California testing</li> <li>9) Added PBDE testing</li> <li>10) Updated tracking label requirements to "pets" and to be related to only pet tents</li> <li>11) Updated formaldehyde to reflect adult testing</li> </ol>	April 2019/Charlene Swanson
1102-14	<ol style="list-style-type: none"> <li>1) Changed tracking label to be applicable to all pet products that have a child's appeal</li> <li>2) Added Import Permit label requirement</li> <li>3) Updated phthalates testing requirements for max and individual totals</li> </ol>	April 2019/Charlene Swanson
1102-15	<ol style="list-style-type: none"> <li>1) Removed Kohl's TM-32 from protocol</li> <li>2) Updated ASTM F 963 tests to be latest version</li> <li>3) Added Strength of Attachment/Joints testing</li> <li>4) Updated Labeling of Composite Wood Product - Formaldehyde Emission - EPA, moved to labeling and updated requirements</li> <li>5) Updated Labeling of Composite Wood Product - Formaldehyde Emission - State of California, moved to labeling and updated requirements</li> </ol>	May 2019/Charlene Swanson

1102-16	<ul style="list-style-type: none"> <li>1) Compression Test updated to Constant Deflection Compression Test</li> <li>2) Updated format so "Bite Test" and "Colorfastness to Water" are legible</li> <li>3) Removed formaldehyde testing for Children 0-5T</li> <li>4) Added Coating to Washington Children's Safe Products Act</li> <li>5) Updated Constant Deflection Compression Test to be the most current version</li> </ul>	June 2019/Charlene Swanson
1102-17	1) Added Colorfastness to Light for outdoor pet beds	June 2019/Charlene Swanson
1102-18	1) Updated Attachment Strength requirements	August 2019/Charlene Swanson
1102-19	1) Added instructions to test for items that are appealing to children under #601 protocol in hardlines	August 2019/Charlene Swanson
1102-20	1) Updated Attachment Strength requirements	August 2019 / Becky Becker
1102-21	<ul style="list-style-type: none"> <li>1) Removed plastic bag testing</li> <li>2) Removed hanger loops on attachment strength testing</li> <li>3) Removed "all garments" from attachment strength testing</li> </ul>	September 2019/Charlene Swanson
1102-22	<ul style="list-style-type: none"> <li>1) Updated email address for adult tracking labels</li> <li>2) Updated tiering requirements, removed Tier 3</li> </ul>	August 2021/Charlene Swanson
1102-23	1) Added test line for all performance claims	March 2022 / Becky Becker
1102-24	1) Added Softlines Regulatory Supplemental Protocol test line to be referenced	Nov 2022 Elizabeth Armstrong
1102-25	1) Added Tech Pack verification test line	February 2023/Charlene Swanson