

PROTOCOL # 1800-3				
Hardlines Regulatory Supplemental				
SUPPLEMENT TO INITIAL PACKAGE				
Performance Test	Test Method	Samples	Requirements	Rating
Total Lead	Metal: CPSC-CH-E1001- 08.3 Non Metal: CPSC-CH-E1002-08.3 Surface Coating: CPSC-CH-E1003-09.1	1 Sample	<p>90ppm Minnesota 325E.3892 (HF 2310)</p> <p>Products preempted by federal & state law (e.g., CPSC, FDA, etc) are exempt from testing.'</p> <p>Product exemptions for CPSC (16 CFR 1500.91 (d) and (e), 16 CFR 1500.88 and 16 CFR 1252) Products specifically preempted by federal law (e.g, CPSIA) are exempt from testing. All federal laws do not automatically preempt state laws/testing.</p> <p>-Ceramic foodware and the interior parts of decorative watches will not be tested.</p> <p>-Vendor is responsible for compliance of other materials, including inaccessible materials</p>	
Total Cadmium	Substrate & Surface Coating: EPA or ASTM method from AFIRM or CPSC methods	1 Sample	<p>CHILDREN: 40ppm Washington State CHCC</p> <p>ADULT: 75ppm Minnesota 325E.3892 (HF 2310)</p> <p>Product Exemptions by federal & state law (e.g., CPSC, FDA, etc) are exempt from testing</p> <p>Products specifically preempted by federal law (e.g, CPSIA) are exempt from testing.</p> <p>All federal laws do not automatically preempt state laws/testing.</p> <p>-Ceramic foodware and the interior parts of decorative watches will not be tested.</p> <p>-Vendor is responsible for compliance of other materials, including inaccessible materials</p>	
Cookware Containing Lead (State of Washington) Applicable to metal cookware and metal cookware components	US State Law, Revised Code of Washington HB 1551	1 Sample	<p>Cookware or cookware components shall not contain lead or lead compounds at a level of more than 5ppm</p> <p>EFFECTIVE TESTING DATE: January 01, 2025</p> <p>NOTE: "Cookware" means any metal pots, pans, bakeware, rice cookers, pressure cookers, and other containers and devices intended for preparation or food storage</p>	
Please consult with lab for the number of samples.				
Pricing: Please refer to Kohl's preferred third party labs for individual pricing				

PROTOCOL VERSION	DESCRIPTION OF CHANGE	DATE REVISION/ APPROVED BY
1800-1	Initial Launch	Charlene Swanson January 2024
1800-2	Updated title to 'Hardlines Regulatory Supplemental' to avoid title confusion	Isaac Grossman December 2024
1800-3	Updated Total Lead and Total Cadmium test lines	Isaac Grossman June 2025