

WOMEN'S (MISSY) REG EXTENDED SIZE CONVERSION CHART FROM SIZE 10 OR 12

FITTING REQUIREMENT:		Confirm Pattern conversion w/ KTD/CTD Level 3, Styles with exaggerated styling may require physical sample to confirm		Confirm Pattern conversion w/ KTD, Fabrics with stretch properties that fall between rigid/high stretch may require physical sample to confirm		Vendor applies Mathematical pattern conversion. No physical sample required				
		PETITE CONVERSION IS CALCULATED OFF OF REG BASE SIZE IN REG POM PAGE		Curvy POM/ spec is smart copied from approved REG POM and Conversion is manually applied to Base size on Curvy POM page		Additional Short/Long/Tall POMs are added to the REG POM page and manually calculated from the REG spec.		Tall POM/ spec is smart copied from approved REG POM and Conversion is manually applied to Base size on Tall POM page		
Updates 07/10/25	OnePLM:									
POM CODE	POM	SUBTRACT	PETITE (4'11"-5'3") MEASUREMENT CONVERSION FROM REG SIZE 10 OR 12	ADD	CURVY FIT MEASUREMENT CONVERSION FROM REG SIZE 10 OR 12 or PETITE SIZE 10 OR 12	SUBTRACT/ADD	SHORT LENGTH (4'11"-5'3") LONG LENGTH (5'8"-6'0") MEASUREMENT CONVERSION FROM REG SIZE 10 OR 12	ADD	TALL (5'8"-6'0") MEASUREMENT CONVERSION FROM BASE SIZE 10 OR 12	
	Tops	all measurements given in inches. Circumference changes based on Half-Circumference specs								
A300	HPS Length - Low Hip(at crotch pt)	-	1 1/2			- / +	1	+	1 1/2	
A300SW	HPS Length - Low Hip(at crotch pt) Sweater	-	1 1/2			- / +	1	+	1 1/2	
A100	Neck Width ≤ 9"	-	0							
A100 LN	Neck Width > 9"	-	1/4							
A100 LN SW	Neck Width > 9" Sweater	-	1/2							
A110	Front Neck Drop ≤ 5"	-	0							
A110 LN	Front Neck Drop > 5"	-	1/4							
A120	Back Neck Drop	-	0							
A250	Across Shoulder	-	1/4							
A250 SW	Across Shoulder Sweater	-	1/2							
A254	Across Front	-	1/4							
A254 SW	Across Front Sweater	-	1/2							
A255	Across Back	-	1/4							
A255 SW	Across Back Sweater	-	1/2							
A253	Across Front/Back Position	-	1/4							
A260H	Chest	-	1/4							
A260H SW	Chest Sweater	-	1/2							
A270H	Waist	-	1/4							
A270H SW	Waist Sweater	-	1/2							
A290H	Sweep	-	1/4							
A290H SW	Sweep Sweater	-	1/2							
A340H	Upperarm	-	1/8							
A340H SW	Upperarm Sweater	-	1/2							
A333H	Armhole	-	1/8							
A330	AH from HPS	-	1/4							
A345X	Sleeve Elbow Placement from Slv opening	-	3/4					+	3/4	
A362-1B	Sleeve Length-SS from shoulder	-	1/4					+	1/2	
A360-1B	Sleeve Length-SS from CB	-	3/8					+	1/2	
A352H-1B	Sleeve Opening-SS	-	1/8							
A352H-1SSW	Sleeve Opening-SS Sweater	-	1/4							
A362-3F	Sleeve Length-3/4 from shoulder	-	3/4			- / +	1	+	1	
A360-3F	Sleeve Length-3/4 from CB	-	7/8			- / +	1	+	1	
A352H-3F	Sleeve Opening-3/4	-	1/8							
A352H-3FSW	Sleeve Opening-3/4 Sweater	-	0							
A362-4W	Sleeve Length-LS from shoulder	-	1 3/8			- / +	1	+	1 1/2	
A360-4W	Sleeve Length-LS from CB	-	1 1/2			- / +	1 1/4	+	1 1/2	
A352H-4W	Sleeve Opening-LS	-	1/8							
A352H-4WSW	Sleeve Opening-LS Sweater	-	0							
A152/A154	Yoke Heights (depends on Styling)	-	1/4							
	Normal Lapel, collars, placket	-	0							
NG	Waistband, cuffs, Btm bands ≤ 2 1/2"	-	0							
A404/A358	Waistband, cuffs, Btm bands >2 1/2"	-	1/4							
NG	Pocket width & length ≤ 3 1/2"	-	0							
A600 series	Pocket width & length >3 1/2"	-	1/4							
NG	Slits, vents, Shirttail height ≤ 4 1/2"	-	0							
A317/A577	Slits, vents, Shirttail height > 4 1/2"	-	1/4							
	Dresses									
A299-03	HPS Length - Waist	-	1/2			- / +	1/2	+	1/2	
A300-07AK	HPS Length -Thigh/Knee	-	2			- / +	1 1/2	+	2	
A300-07BK	HPS Length -Calf	-	3			- / +	2	+	2 1/2	
A300-11A	HPS Length - Ankle - Maxi	-	4			- / +	2 1/2	+	3	
	Bottoms	all measurements given in inches. Circumference changes based on Half-Circumference specs								
	Waist Position	-	Based on Brand							
A400H	Waist - Rigid Relaxed	-	1/4							
A400H	Waist - Elastic Relaxed	-	1/4							
A401H	Waist - Elastic Extended	-	1/4							
A410H	High Hip	-	1/4	+	SEE PATTERN ADJUSMENT					
A411	High Hip Placement	-	1/4	+	SEE PATTERN ADJUSMENT					

WOMEN'S (MISSY) REG EXTENDED SIZE CONVERSION CHART FROM SIZE 10 OR 12

FITTING REQUIREMENT:		Confirm Pattern conversion w/ KTD/CTD Level 3, Styles with exaggerated styling may require physical sample to confirm		Confirm Pattern conversion w/ KTD, Fabrics with stretch properties that fall between rigid/high stretch may require physical sample to confirm		Vendor applies Mathematical pattern conversion. No physical sample required			
		PETITE CONVERSION IS CALCULATED OFF OF REG BASE SIZE IN REG POM PAGE		Curvy POM/ spec is smart copied from approved REG POM and Conversion is manually applied to Base size on Curvy POM page		Additional Short/Long/Tall POMs are added to the REG POM page and manually calculated from the REG spec.		Tall POM/ spec is smart copied from approved REG POM and Conversion is manually applied to Base size on Tall POM page	
OnePLM:									
Updates 07/10/25									
POM CODE	POM	SUBTRACT	PETITE (4'11"-5'3") MEASUREMENT CONVERSION FROM REG SIZE 10 OR 12	ADD	CURVY FIT MEASUREMENT CONVERSION FROM REG SIZE 10 OR 12 or PETITE SIZE 10 OR 12	SUBTRACT/ADD	SHORT LENGTH (4'11"-5'3") LONG LENGTH (5'8"-6'0") MEASUREMENT CONVERSION FROM REG SIZE 10 OR 12	ADD	TALL (5'8"-6'0") MEASUREMENT CONVERSION FROM BASE SIZE 10 OR 12
A412H	Low Hip	-	1/4	+	RIGID FABRIC = 1" HIGH STRETCH FABRIC = 3/4" SEE PATTERN ADJUSTMENT				
A450	Front Rise	-	3/8	+	RIGID FABRIC = 1/4" HIGH STRETCH FABRIC = 0" SEE PATTERN ADJUSTMENT			+	1/2
A460	Back Rise	-	3/8	+	RIGID FABRIC = 1" HIGH STRETCH FABRIC = 5/8" SEE PATTERN ADJUSTMENT			+	1/2
A475	Fly	-	1/4					+	1/2
A500-1TH-NG	Inseam -short/thigh-NG	-	0			- / +	1/2	+	1 /2 to 1
A500	Inseam-Skorts	-	1			- / +	1	+	1 to 1 1/2
A500-3K-NG	Inseam-Knee-NG	-	1 1/2			- / +	1	+	1 to 1 1/2
A500-7MC-NG	Inseam-Calf-NG	-	2			- / +	1 1/2	+	1 1/2
A500-9P-NG	Inseam Full Length-NG	-	3			- / +	2	+	2
A425H	Thigh	-	1/8	+	RIGID FABRIC = 11/16" (Round to 5/8" for spec) HIGH STRETCH FABRIC = 1/2" SEE PATTERN ADJUSTMENT				
A430H	Knee	-	1/8	+	3/8				
A430X	Knee Placement	-	1 1/2					+	1
A438H-08P	Leg Opening- Reg/Skinny	-	1/8						
A438H-08BF	Leg Opening-Flare/Boot	-	1/8						
A510	Yoke Ht @CB Fm WB Seam/Top Edge			+	1/8				
A600/601 BK	Back Hip Pocket Width			+	1/4				
A602/603BK	Back Hip Pocket Height			+	1/4				
A622/625	Back Pocket Placement from WB or Yoke			+	1/8				
	Skirts								
A290H	Sweep	-	1/4						
A505-02MT	Skirt Length - Thigh	-	1 1/2			- / +	1/2	+	1 1/2
A505-4K	Skirt Length - Knee	-	1 1/2			- / +	1	+	1 1/2
A505-07MC	Skirt Length - Calf	-	2 1/2			- / +	1 1/2	+	2 1/2
A505-8A	Skirt Length - Ankle	-	3 1/2			- / +	2	+	3

*POMs that do not convert are hidden

* all measurements given in inches. Circumference changes based on half-Circumference specs

WOMEN'S PLUS EXTENDED SIZE CONVERSION CHART FROM SIZE 18									
FITTING REQUIREMENT:		Confirm Pattern conversion w/ KTD/CTD Level 3		Confirm Pattern conversion w/ KTD, Fabrics with stretch properties that fall between rigid/high stretch may require physical sample to confirm		Vendor applies Mathmatical pattern conversion. No physical sample required			
		OnePLM:		Plus Petite POM /spec is smart copied from approved PLUS POM and Conversion is manually applied to Base size on Plus Petite POM page		Curvy POM/ spec is smart copied from approved PLUS POM and Conversion is manually applied to Base size on PLUS Curvy POM page		Additional Short/Long/Tall POMs are added to the PLUS POM page and manually calculated from the PLUS spec.	
Updates 07/10/25									
POM CODE	POM	SUBTRACT	PETITE (4'11"-5'3") CONVERSION FROM BASE SIZE 18W	ADD	CURVY FIT MEASUREMENT CONVERSION FROM PLUS 18W or PLUS PETITE 18P	SUBTRACT/ADD	SHORT LENGTH (4'11"-5'3") LONG LENGTH (5'8"-6'0") CONVERSION FROM BASE SIZE 18W	ADD	TALL (5'8"-6'0") CONVERSION FROM BASE SIZE 18W
	Tops	all measurements given in inches. Circumference changes based on Half-Circumference specs							
A300	HPS Length - Low Hip(at crotch pt)	-	1 1/2			- / +	1	+	2
A300SW	HPS Length - Low Hip(at crotch pt) Sweater	-	1 1/2			- / +	1	+	2
A110	Front Neck Drop ≤ 5"	-	0					+	0
A110 LN	Front Neck Drop > 5"	-	1/4					+	1/4
A120	Back Neck Drop	-	0					+	0
A333H	Armhole	-	1/8					+	1/8
A330	AH from HPS	-	1/4					+	1/4
A362-1B	Sleeve Length-SS from shoulder	-	1/4					+	1/2
A360-1B	Sleeve Length-SS from CB	-	1/4					+	1/2
A362-3F	Sleeve Length-3/4 from shoulder	-	3/4			- / +	1	+	1
A360-3F	Sleeve Length-3/4 from CB	-	3/4			- / +	1	+	1
A362-4W	Sleeve Length-LS from shoulder	-	1 3/8			- / +	1	+	1 1/2
A360-4W	Sleeve Length-LS from CB	-	1 3/8			- / +	1 1/4	+	1 1/2
A152/A154	Yoke Heights (depends on Styling)	-	1/4					+	0
A404/A358	Waistband, cuffs, Btm bands >2 1/2"	-	1/4					+	0
A317/A577	Slits, vents, Shirttail height > 4 1/2"	-	1/4					+	0
	Dresses								
A299-03	HPS Length - Waist	-	1/2			- / +	1/2	+	3/4
A300-07AK	HPS Length -Thigh/Knee	-	2			- / +	1 1/2	+	2 1/2
A300-07BK	HPS Length -Calf	-	3			- / +	2	+	2 3/4
A300-11A	HPS Length - Ankle - Maxi	-	4			- / +	2 1/2	+	3 1/2
	Bottoms								
A410H	High Hip	-	0	+	SEE PATTERN ADJUSTMENT			+	0
A411	Front Rise	-	3/8	+	SEE PATTERN ADJUSTMENT			+	0
A412H	Low Hip			+	RIGID FABRIC = 1" HIGH STRETCH FABRIC = 3/4" SEE PATTERN ADJUSTMENT				
A450	Front Rise	-	3/8	+	RIGID FABRIC = 1/4" HIGH STRETCH FABRIC = 1/8" SEE PATTERN ADJUSTMENT			+	1/2
A460	Back Rise	-	0	+	ALL FABRICS = 1 1/8" SEE PATTERN ADJUSTMENT			+	1/2
A475	Fly	-	3/8					+	1/2
A500-1TH-NG	Inseam -short/thigh-NG		0			- / +	1/2	+	1/2 to 1
A500	Inseam-Skorts	-	1			- / +	1	+	1 to 1 1/2
A500-3K-NG	Inseam-Knee-NG	-	1 1/2			- / +	1	+	1 to 1 1/2
A500-7MC-NG	Inseam-Calf-NG	-	2			- / +	1 1/2	+	1 1/2
A500-9P-NG	Inseam Full Length-NG	-	3			- / +	2	+	2
A425H	Thigh			+	RIGID FABRIC = 13/16" (Round to 3/4" for spec) HIGH STRETCH FABRIC = 5/8" SEE PATTERN ADJUSTMENT				
A430H	Knee			+	RIGID FABRIC = 3/8" HIGH STRETCH FABRIC SKINNY/STRAIGHT = 3/8 HIGH STRETCH FABRIC BOOT/FLARE = 1/4				

WOMEN'S PLUS EXTENDED SIZE CONVERSION CHART FROM SIZE 18									
FITTING REQUIREMENT: OnePLM: Updates 07/10/25		Confirm Pattern conversion w/ KTD/CTD Level 3		Confirm Pattern conversion w/ KTD, Fabrics with stretch properties that fall between rigid/high stretch may require physical sample to confirm		Vendor applies Mathmatical pattern conversion. No physical sample required			
		Plus Petite POM /spec is smart copied from approved PLUS POM and Conversion is manually applied to Base size on Plus Petite POM page		Curvy POM/ spec is smart copied from approved PLUS POM and Conversion is manually applied to Base size on PLUS Curvy POM page		Additional Short/Long/Tall POMs are added to the PLUS POM page and manually calculated from the PLUS spec.			
POM CODE	POM	SUBTRACT	PETITE (4'11"-5'3") CONVERSION FROM BASE SIZE 18W	ADD	CURVY FIT MEASUREMENT CONVERSION FROM PLUS 18W or PLUS PETITE 18P	SUBTRACT/ADD	SHORT LENGTH (4'11"-5'3") LONG LENGTH (5'8"-6'0") CONVERSION FROM BASE SIZE 18W	ADD	TALL (5'8"-6'0") CONVERSION FROM BASE SIZE 18W
A430X	Knee Placement	-	1 1/2					+	1
A432H	Calf-Skinny/Straight			+	HIGH STRETCH FABRIC = 1/4" SEE PATTERN ADJUSTMENT				
A432H	Calf-Flare/Boot			+	RIGID FABRIC = 1/4" HIGH STRETCH FABRIC = 1/8" SEE PATTERN ADJUSTMENT				
A438H-08P	Leg Opening- Skinny			+	0				
A438H-08BF	Leg Opening-Flare/Boot/Straight			+	1/8				
A510	Yoke Ht @CB Fm WB Seam/Top Edge			+	1/8				
A600/601 BK	Back Hip Pocket Width			+	1/4				
A602/603BK	Back Hip Pocket Height			+	1/4				
A622/625	Back Pocket Placement from WB or Yoke			+	1/8				
	Skirts								
A505-02MT	Skirt Length - Thigh	-	1 1/2			- / +	1/2	+	1 1/2
A505-4K	Skirt Length - Knee	-	1 1/2			- / +	1	+	1 1/2
A505-07MC	Skirt Length - Calf	-	2 1/2			- / +	1 1/2	+	2
A505-8A	Skirt Length - Ankle	-	3 1/2			- / +	2	+	2 1/2

*POMs that do not convert are hidden

* all measurements given in inches. Circumference changes based on half-Circumference specs