WOMEN'S (MISSY) REG EXTENDED SIZE CONVERSION CHART FROM SIZE 10 OR 12

	FITTING REQUIREMENT:	Confirm Pattern conversion w/ KTD/CTD Level 3, Styles with exaggerated styling may require physical sample to confirm		Confirm Pattern conversion w/ KTD, Fabrics with stretch properties that fall between rigid/high stretch may require physical sample to confirm		Vendor applies Mathmatical pattern conversion. No physical sample required				
Updates 11/04/26	**OnePLM:**	PETITE CONVERSION IS CALCULATED OFF OF REG BASE SIZE IN REG POM PAGE		Curvy POM/ spec is smart copied from approved REG POM and Conversion is manually applied to Base size on Curvy POM page		Additional Short/Long/Tall POMs are added to the REG POM page and manually calculated from the REG spec.			Tall POM/ spec is smart copied from approved REG POM and Conversion is manually applied to Base size on Tall POM page	
POM CODE	**POM**	**SUBTRACT**	**PETITE (4'11"-5'3")** MEASUREMENT CONVERSION FROM REG SIZE 10 OR 12	**ADD**	**CURVY FIT** MEASUREMENT CONVERSION FROM REG SIZE 10 OR 12 or PETITE SIZE 10 OR 12	**SUBTRACT/ADD**	**SHORT LENGTH (4'11"-5'3") LONG LENGTH (5'8"-6'0")** MEASUREMENT CONVERSION FROM REG SIZE 10 OR 12		**ADD**	**TALL (5'8"-6'0")** MEASUREMENT CONVERSION FROM BASE SIZE 10 OR 12
	Tops	**all measurements given in inches. Circumference changes based on Half-Circumference specs**								
A300	HPS Length - Low Hip(at crotch pt)	-	1 1/2			- / +	1		+	1 1/2
A300SW	HPS Length - Low Hip(at crotch pt) **Sweater**	-	1 1/2			- / +	1		+	1 1/2
A100	Neck Width ≤ 9"	-	0							
A100 LN	Neck Width > 9"	-	1/4							
A100 LN SW	Neck Width > 9" **Sweater**	-	1/2							
A110	Front Neck Drop ≤ 5"	-	0							
A110 LN	Front Neck Drop > 5"	-	1/4							
A120	Back Neck Drop	-	0							
A250	Across Shoulder	-	1/4							
A250 SW	Across Shoulder **Sweater**	-	1/2							
A254	Across Front	-	1/4							
A254 SW	Across Front **Sweater**	-	1/2							
A255	Across Back	-	1/4							
A255 SW	Across Back **Sweater**	-	1/2							
A253	Across Front/Back Position	-	1/4							
A260H	Chest	-	1/4							
A260H SW	Chest **Sweater**	-	1/2							
A270H	Waist	-	1/4							
A270H SW	Waist **Sweater**	-	1/2							
A290H	Sweep	-	1/4							
A290H SW	Sweep **Sweater**	-	1/2							
A340H	Upperarm	-	1/8							
A340H SW	Upperarm **Sweater**	-	1/2							
A333H	Armhole	-	1/8							
A330	AH from HPS	-	1/4							
A345X	Sleeve Elbow Placement from Slv opening	-	3/4						+	3/4
A362-1B	Sleeve Length-SS from shoulder	-	1/4						+	1/2
A360-1B	Sleeve Length-SS from CB	-	3/8						+	1/2
A352H-1B	Sleeve Opening-SS	-	1/8							
A352H-1SSW	Sleeve Opening-SS **Sweater**	-	1/4							
A362-3F	Sleeve Length-3/4 from shoulder	-	3/4			- / +	1		+	1
A360-3F	Sleeve Length-3/4 from CB	-	7/8			- / +	1		+	1
A352H-3F	Sleeve Opening-3/4	-	1/8							
A352H-3FSW	Sleeve Opening-3/4 **Sweater**	-	0							
A362-4W	Sleeve Length-LS from shoulder	-	1 3/8			- / +	1		+	1 1/2
A360-4W	Sleeve Length-LS from CB	-	1 1/2			- / +	1 1/4		+	1 1/2
A352H-4W	Sleeve Opening-LS	-	1/8							
A352H-4WSW	Sleeve Opening-LS **Sweater**	-	0							
A152/A154	Yoke Heights (depends on Styling)	-	1/4							
	Normal Lapel, collars, placket	-	0							
NG	Waistband, cuffs, Btm bands ≤ 2 1/2"	-	0							
A404/A358	Waistband, cuffs, Btm bands >2 1/2"	-	1/4							
NG	Pocket width & length ≤ 3 1/2"	-	0							
A600 series	Pocket width & length >3 1/2"	-	1/4							
NG	Slits, vents, Shirtail height ≤ 4 1/2"	-	0							
A317/A577	Slits, vents, Shirtail height > 4 1/2"	-	1/4							
	Dresses									
A299-03	HPS Length - Waist	-	1/2			- / +	1/2		+	1/2
A300-07AK	HPS Length -Thigh/Knee	-	2			- / +	1 1/2		+	2
A300-07BK	HPS Length -Calf	-	3			- / +	2		+	2 1/2
A300-11A	HPS Length - Ankle - Maxi	-	4			- / +	2 1/2		+	3
	Bottoms	**all measurements given in inches. Circumference changes based on Half-Circumference specs**								
	Waist Position	-	Based on Brand							
A400H	Waist - Rigid Relaxed	-	1/4							
A400H	Waist - Elastic Relaxed	-	1/4							
A401H	Waist - Elastic Extended	-	1/4							
A410H	High Hip	-	1/4	+	SEE PATTERN ADJUSMENT					
A411	High Hip Placement	-	1/4	+	SEE PATTERN ADJUSMENT					

Confidential - Property of Kohl's Inc.

WOMEN'S (MISSY) REG EXTENDED SIZE CONVERSION CHART FROM SIZE 10 OR 12

	FITTING REQUIREMENT:	Confirm Pattern conversion w/ KTD/CTD Level 3, Styles with exaggerated styling may require physical sample to confirm		Confirm Pattern conversion w/ KTD, Fabrics with stretch properties that fall between rigid/high stretch may require physical sample to confirm		Vendor applies Mathmatical pattern conversion. No physical sample required					
Updates 11/04/26	**OnePLM:**	PETITE CONVERSION IS CALCULATED OFF OF REG BASE SIZE IN REG POM PAGE		Curvy POM/ spec is smart copied from approved REG POM and Conversion is manually applied to Base size on Curvy POM page		Additional Short/Long/Tall POMs are added to the REG POM page and manually calculated from the REG spec.			Tall POM/ spec is smart copied from approved REG POM and Conversion is manually applied to Base size on Tall POM page		
POM CODE	**POM**	**SUBTRACT**	**PETITE (4'11"-5'3")** MEASUREMENT CONVERSION FROM REG SIZE 10 OR 12	**ADD**	**CURVY FIT** MEASUREMENT CONVERSION FROM REG SIZE 10 OR 12 or PETITE SIZE 10 OR 12	**SUBTRACT/ADD**	**SHORT LENGTH (4'11"-5'3") LONG LENGTH (5'8"-6'0")** MEASUREMENT CONVERSION FROM REG SIZE 10 OR 12		**ADD**	**TALL (5'8"-6'0")** MEASUREMENT CONVERSION FROM BASE SIZE 10 OR 12	
A412H	Low Hip	-	1/4	+	RIGID FABRIC = 1" HIGH STRETCH FABRIC = 3/4" SEE PATTERN ADJUSTMENT						
A450	Front Rise	-	3/8	+	RIGID FABRIC = 1/4" HIGH STRETCH FABRIC = 0" SEE PATTERN ADJUSTMENT				+	1/2	
A460	Back Rise	-	3/8	+	RIGID FABRIC = 1" HIGH STRETCH FABRIC = 5/8" SEE PATTERN ADJUSTMENT				+	1/2	
A475	Fly	-	1/4						+	1/2	
A500-1GR	Inseam -short <3"		0								
A500	Inseam-Skorts	-	1			- / +	1		+	1 to 1 1/2	
A500-3K-NG	Inseam-Knee-NG	-	1 1/2			- / +	1		+	1 to 1 1/2	
A500-7MC-NG	Inseam-Calf-NG	-	2			- / +	1 1/2		+	1 1/2	
A500-9P-NG	Inseam Full Length-NG	-	3			- / +	2		+	2	
A425H	Thigh	-	1/8	+	RIGID FABRIC = 11/16" (Round to 5/8" for spec) HIGH STRETCH FABRIC = 1/2" SEE PATTERN ADJUSTMENT						
A430H	Knee	-	1/8	+	3/8						
A430H-W	Knee - Wide Leg	-	1/4	+	1/4						
A430X	Knee Placement	-	1 1/2						+	**1**	
A438H-08P	Leg Opening- Reg/Skinny	-	1/8								
A438H-08BF	Leg Opening-Flare/Boot/Wide	-	1/4								
A438H-08W	Leg Opening-Wide	-	3/8								
A510	Yoke Ht @CB Fm WB Seam/Top Edge			+	1/8						
A600/601 BK	Back Hip Pocket Width			+	1/4						
A602/603BK	Back Hip Pocket Height			+	1/4						
A622/625	Back Pocket Placement from WB or Yoke			+	1/8						
	Skirts										
A290H	Sweep	-	1/4								
A505-02MT	Skirt Length - Thigh	-	1 1/2			- / +	1/2		+	1 1/2	
A505-4K	Skirt Length - Knee	-	1 1/2			- / +	1		+	1 1/2	
A505-07MC	Skirt Length - Calf	-	2 1/2			- / +	1 1/2		+	2 1/2	
A505-8A	Skirt Length - Ankle	-	3 1/2			- / +	2		+	3	

***POMs that do not convert are hidden**

* all measurements given in inches. Circumference changes based on half-Circumference specs

Confidential - Property of Kohl's Inc.

WOMEN'S PLUS EXTENDED SIZE CONVERSION CHART FROM SIZE 18

	FITTING REQUIREMENT:	Confirm Pattern conversion w/ KTD/CTD Level 3		Confirm Pattern conversion w/ KTD, Fabrics with stretch properties that fall between rigid/high stretch may require physical sample to confirm		Vendor applies Mathmatical pattern conversion. No physical sample required			
Updates 07/10/25	**OnePLM:**	Plus Petite POM /spec is smart copied from approved PLUS POM and Conversion is manually applied to Base size on Plus Petite POM page		Curvy POM/ spec is smart copied from approved PLUS POM and Conversion is manually applied to Base size on PLUS Curvy POM page		Additional Short/Long/Tall POMs are added to the PLUS POM page and manually calculated from the PLUS spec.			
POM CODE	**POM**	**SUBRTACT**	**PETITE (4'11"-5'3")** CONVERSION FROM BASE SIZE 18W	**ADD**	**CURVY FIT** MEASUREMENT CONVERSION FROM PLUS 18W or PLUS PETITE 18P	**SUBTRACT/ADD**	**SHORT LENGTH (4'11"-5'3") LONG LENGTH (5'8"-6'0")** CONVERSION FROM BASE SIZE 18W	**ADD**	**TALL (5'8"-6'0")** CONVERSION FROM BASE SIZE 18W
	Tops	**all measurements given in inches. Circumference changes based on Half-Circumference specs**							
A300	HPS Length - Low Hip(at crotch pt)	-	1 1/2			- / +	1	+	2
A300SW	HPS Length - Low Hip(at crotch pt) **Sweater**	-	1 1/2			- / +	1	+	2
A110	Front Neck Drop ≤ 5"	-	0					+	0
A110 LN	Front Neck Drop > 5"	-	1/4					+	1/4
A120	Back Neck Drop	-	0					+	0
A333H	Armhole	-	1/8					+	1/8
A330	AH from HPS	-	1/4					+	1/4
A362-1B	Sleeve Length-SS from shoulder	-	1/4					+	1/2
A360-1B	Sleeve Length-SS from CB	-	1/4					+	1/2
A362-3F	Sleeve Length-3/4 from shoulder	-	3/4			- / +	1	+	1
A360-3F	Sleeve Length-3/4 from CB	-	3/4			- / +	1	+	1
A362-4W	Sleeve Length-LS from shoulder	-	1 3/8			- / +	1	+	1 1/2
A360-4W	Sleeve Length-LS from CB	-	1 3/8			- / +	1 1/4	+	1 1/2
A152/A154	Yoke Heights (depends on Styling)	-	1/4					+	0
A404/A358	Waistband, cuffs, Btm bands >2 1/2"	-	1/4					+	0
A317/A577	Slits, vents, Shirtail height > 4 1/2"	-	1/4					+	0
	Dresses								
A299-03	HPS Length - Waist	-	1/2			- / +	1/2	+	3/4
A300-07AK	HPS Length -Thigh/Knee	-	2			- / +	1 1/2	+	2 1/2
A300-07BK	HPS Length -Calf	-	3			- / +	2	+	2 3/4
A300-11A	HPS Length - Ankle - Maxi	-	4			- / +	2 1/2	+	3 1/2
	Bottoms								
A410H	High Hip	-	0	+	SEE PATTERN ADJUSTMENT			+	0
A411	Front Rise	-	3/8	+	SEE PATTERN ADJUSTMENT			+	0
A412H	Low Hip			+	RIGID FABRIC = 1" HIGH STRETCH FABRIC = 3/4" SEE PATTERN ADJUSTMENT				
A450	Front Rise	-	3/8	+	RIGID FABRIC = 1/4" HIGH STRETCH FABRIC = 1/8" SEE PATTERN ADJUSTMENT			+	1/2
A460	Back Rise	-	0	+	ALL FABRICS = 1 1/8" SEE PATTERN ADJUSTMENT			+	1/2
A475	Fly	-	3/8					+	1/2
A500-1TH-NG	Inseam -short/thigh-NG		0			- / +	1/2	+	1 /2 to 1
A500	Inseam-Skorts	-	1			- / +	1	+	1 to 1 1/2
A500-3K-NG	Inseam-Knee-NG	-	1 1/2			- / +	1	+	1 to 1 1/2
A500-7MC-NG	Inseam-Calf-NG	-	2			- / +	1 1/2	+	1 1/2
A500-9P-NG	Inseam Full Length-NG	-	3			- / +	2	+	2
A425H	Thigh			+	RIGID FABRIC = 13/16" (Round to 3/4" for spec) HIGH STRETCH FABRIC = 5/8" SEE PATTERN ADJUSTMENT				
A430H	Knee			+	RIGID FABRIC = 3/8" HIGH STRETCH FABRIC SKINNY/STRAIGHT = 3/8 HIGH STRETCH FABRIC BOOT/FLARE = 1/4				

Confidential - Property of Kohl's Inc.

WOMEN'S PLUS EXTENDED SIZE CONVERSION CHART FROM SIZE 18

	FITTING REQUIREMENT:	Confirm Pattern conversion w/ KTD/CTD Level 3		Confirm Pattern conversion w/ KTD, Fabrics with stretch properties that fall between rigid/high stretch may require physical sample to confirm		Vendor applies Mathmatical pattern conversion. No physical sample required			
Updates 07/10/25	**OnePLM:**	Plus Petite POM /spec is smart copied from approved PLUS POM and Conversion is manually applied to Base size on Plus Petite POM page		Curvy POM/ spec is smart copied from approved PLUS POM and Conversion is manually applied to Base size on PLUS Curvy POM page		Additional Short/Long/Tall POMs are added to the PLUS POM page and manually calculated from the PLUS spec.			
POM CODE	**POM**	**SUBRTACT**	**PETITE (4'11"-5'3")** CONVERSION FROM BASE SIZE 18W	**ADD**	**CURVY FIT** MEASUREMENT CONVERSION FROM PLUS 18W or PLUS PETITE 18P	**SUBTRACT/ADD**	**SHORT LENGTH (4'11"-5'3") LONG LENGTH (5'8"-6'0")** CONVERSION FROM BASE SIZE 18W	**ADD**	**TALL (5'8"-6'0")** CONVERSION FROM BASE SIZE 18W
A430X	Knee Placement	-	1 1/2					+	1
A432H	Calf-Skinny/Straight			+	HIGH STRETCH FABRIC = 1/4" SEE PATTERN ADJUSTMENT				
A432H	Calf-Flare/Boot			+	RIGID FABRIC = 1/4" HIGH STRETCH FABRIC = 1/8" SEE PATTERN ADJUSTMENT				
A438H-08P	Leg Opening- Skinny			+	0				
A438H-08BF	Leg Opening-Flare/Boot/Straight			+	1/8				
A510	Yoke Ht @CB Fm WB Seam/Top Edge			+	1/8				
A600/601 BK	Back Hip Pocket Width			+	1/4				
A602/603BK	Back Hip Pocket Height			+	1/4				
A622/625	Back Pocket Placement from WB or Yoke			+	1/8				
	Skirts								
A505-02MT	Skirt Length - Thigh	-	1 1/2			- / +	1/2	+	1 1/2
A505-4K	Skirt Length - Knee	-	1 1/2			- / +	1	+	1 1/2
A505-07MC	Skirt Length - Calf	-	2 1/2			- / +	1 1/2	+	2
A505-8A	Skirt Length - Ankle	-	3 1/2			- / +	2	+	2 1/2

***POMs that do not convert are hidden**

* all measurements given in inches. Circumference changes based on half-Circumference specs

Confidential - Property of Kohl's Inc.