

Decorative Sticker

705_F

| Test Property | Test Method | Samples | Test Principle/Requirements | Rating (Section or Executive Summary which failed items can be referenced) |
|---|---------------------------------------|-------------|---|--|
| LABELING | | | | |
| Labeling / Packaging Review | FPLA 16 CFR 500 & 19 CFR 134 | All Samples | Should be legibly marked with the following information: Distributor's name, trademark or other means of identification of the manufacturer or packer & address (City, State & Zip) Product identification Net quantity of the contents in terms of weight, measure or numerical count (Metric & US Standard) or a combination so as to give accurate information and facilitate value comparison by the consumer Country of origin (if imported) | |
| Instruction for Use (If Applicable) | Visual Check | All Samples | Should be legible, accurate and complete. | |
| Verify Label Claims (If Applicable) | Visual Check | All Samples | The labeling must comply and valid with all claims. | |
| Adult Tracking Label: **If space limitations exist, contact Kohl's Quality Assurance & Product Integrity teams to discuss minimum required information mr.qa.pi@kohls.com | Kohl's Requirement | All Samples | Can be included on packaging when necessary: Kohl's Assigned Factory Number Manufacture Date (Month/Year) UPC # | |
| PHYSICAL CHARACTERISTICS | | | | |
| Overall Dimensions (Length x Diameter/Cross Sectional Area In Inch) | Std. Measure | 3 Samples | Max. +5% / -0% of the claimed dimension. Record actual data if there is no claim. | Claim: Actual: |
| Count | Visual Check | 1 Sample | Shall meet label claims | Claim: Actual: |
| CONSTRUCTION QUALITIES | | | | |
| Kohl's Workmanship Review | Visual Check /Actual Use | All Samples | All components and hardware shall be provided as claimed and shall not be deformed or fractured. All components shall not contain any burrs or sharp edges (test by touch or sight) All welds shall be smoothly finished and free from pits and splatter Shall not contain any loose pen cap, components or unsecured enclosure where structural rigidity and product sealing is required No ink shall drip off or leak out of the pen body or cap | |
| PERFORMANCE | | | | |

| | | | | |
|--|---|-------------------------------|--|--|
| Pressure sensitive adhesion strength | Actual Use | 1 Sample | As Received: 1 lb/in minimum After cold treated (0 deg F) @ 4 hours: 1 lb/in minimum After heat treated (100 deg F) @ 4 hours: 1 lb/in minimum | |
| Adhesion | Actual Use | 1 Sample | Perimeter of product shall not curl or release after 4 hours at ambient room temperature, when applied to a suitable test surface. | |
| *Colorfastness To Dry Crocking (If Applicable) | AATCC 8/116 | 1 Sample /Fabric Swatch | Class 4.0 (textile) Class 3.0 (vinyl/leather/suede/denim/lining) Note: Decorative trim applied by embroidery, overlay, appliqué etc. is exempt | |
| *Colorfastness To Wet Crocking (If Applicable) | AATCC 8/116 | 1 Sample /Fabric Swatch | Class 3.0 (textile) Class 2.0 (vinyl/leather/suede/denim/lining) Note: Decorative trim applied by embroidery, overlay, appliqué etc. is exempt | |
| #Claim Verification (If Claimed) | Visual Check/Actual Use | 1 Sample | All designs and features must conform | |
| ANALYTICAL | | | | |
| *pH / Acid Free (If Claimed) | TAPPI T 509 | 1 Sample | Record actual pH value | |
| *Lead In Scrapable Surface Coating | CPSC-CH- E1003-09 | 1 Sample | ≤90 ppm (0.009% by weight) (CPSA – 16 CFR 1303) | |
| *Lead In Substrate Material (Accessible Component) (Applicable To All Children’s Products) | CPSC-CH- E1001-08 and/or CPSC-CH-E1002-08 | 1 Sample | ≤100 ppm (0.010% by weight). (CPSA) | |
| Total Lead | Metal: CPSC-CH-E1001- 08.3 Non Metal: CPSC-CH- E1002-08.3 Surface Coating: CPSC- CH-E1003-09.1 | 1 Sample | 90ppm Minnesota 325E.3892 (HF 2310) Products preempted by federal & state law (e.g., CPSC, FDA, etc) are exempt from testing. ¹ Product exemptions for CPSC (16 CFR 1500.91 (d) and (e), 16 CFR 1500.88 and 16 CFR 1252) | |
| Total Cadmium | Substrate & Surface Coating: EPA or ASTM method from AFIRM or CPSC methods | 1 Sample | 40ppm (children) Washington State CHCC | |
| Total Cadmium | Substrate & Surface Coating: EPA or ASTM method from AFIRM or CPSC methods | 1 Sample | 75ppm Minnesota 325E.3892 (HF 2310) Product Exemptions by federal & state law (e.g., CPSC, FDA, etc) are exempt from testing. ¹ | |
| * CA Prop 65 | Refer to Protocol 1300 | All Samples | All samples shall be reviewed against the requirements of California Proposition 65 to determine if additional testing or labeling is required. | |

| Refer to protocol Hardlines Regulatory Supplement for additional State & Federal Regulations | Refer to Protocol 1800 | All Samples | All samples shall be reviewed against the requirements of the Hardlines Regulatory Supplemental Protocol (State Regulation Only) to determine if additional testing or labeling is required | |
|---|---|-----------------------------------|---|--|
| ADDITIONAL NOTE: | | | | |
| *Please refer to Kohl's preferred third party labs for individual pricing and samples. | | | | |
| Protocol Version | Description of Change | Revised by/Date | Approved by/Date | |
| 705 -A | Initial Release | Zoe Yeung Mar 15,16 | Jeetendra Shelatkar / Mar 15, 16 | |
| 705-B | Added adult tracking label req | Elizabeth Armstrong June 23, 2020 | Elizabeth Armstrong June 23, 2020 | |
| 705-C | Transferred protocol from word to google sheet | Violet Nelson July, 12, 2023 | Violet Nelson July, 12, 2023 | |
| 705-D | Added MN Law lead and cadmium testing requirements | Elizabeth Armstrong Nov 2023 | Elizabeth Armstrong Nov 2023 | |
| 705-E | Updated MN law to include exemptions | Elizabeth Armstrong March 2024 | Elizabeth Armstrong March 2024 | |
| 705-F | Added 1800 Hardlines Regulatory Supplement for additional State & Federal Regulations | Isaac Grossman February 2025 | Isaac Grossman February 2025 | |