|   | 214-21   |  |  |  |
|---|--|--|--|--|
| Belt-Scarf/ Decorative/ Detachable & Suspenders |  |  |  |  |
| PERFORMANCE                                     | TEST METHOD  | REQUIREMENT  |  |  |
| INITIAL PACKAGE                                 |  |  |  |  |
| LABEL VERIFICATION                              |  |  |  |  |
| Label Review - Washable Belts/<br>Suspenders    | Care Label 16 CFR 423<br>Textile Fiber Products Identification Act 16 CFR<br>303<br>Wool Product Labeling Act-16 CFR 300<br>Fur Products Labeling Act – 16 CFR 301<br>Fur Product Identification Act – 15 U.S.C.69 | Washable Suspenders :<br>Fiber Content, Care, Country of Origin, Manufacturers Registration<br>Number, Wool Products Registration Number must meet Federal<br>Standards.<br>Refer to Kohl's Labeling Guidelines<br>If label is not sewn to garment, artwork of the proposed care/content label<br>must be provided.  |  |  |
| Label Review -Non-Washable<br>Belts/ Suspenders | Care Label 16 CFR 423<br>Textile Fiber Products Identification Act 16 CFR<br>303<br>Wool Product Labeling Act-16 CFR 300<br>Fur Products Labeling Act – 16 CFR 301<br>Fur Product Identification Act – 15 U.S.C.69 | Non- Washable Suspenders :<br>Country of Origin, Manufacturers Registration Number, Wool Products<br>Registration Number must meet Federal Standards.<br>Fiber Content for Imitation leather Only.   |  |  |
| Tracking Label:<br>Children's product: ALL ages | Consumer Product Safety Improvement Act of<br>2008 (CPSIA)<br>SEC. 103   | Refer to Kohl's Tracking Label Section in the Labeling Guideline Policy.<br>Following information must be provided:<br>Retailer's Name (Kohl's)<br>Style Number/Name<br>Factory Number<br>Date (Month/Year)  |  |  |
| Adult Tracking Label:                           | Kohl's Requirement   | Refer to Kohl's Tracking Label Section in the Labeling Guideline Policy.<br>TO BE MARKED AS PASS/FAIL:<br>Kohl's Assigned Factory Number<br>Manufacture Date (Month/Year)<br>UPC #   |  |  |
| Fiber Content                                   | AATCC 20/20A<br>Textile Fiber Products Identification Act 16 CFR<br>303<br>Wool Product Labeling Act-16 CFR 300<br>Fur Products Labeling Act – 16 CFR 301<br>Fur Product Identification Act – 15 U.S.C.69          | One Fiber Only: No Tolerance<br>Two or More Fibers: +/- 3% max deviation from contracted fiber content<br>Functional Fibers i.e. Spandex: +/- 2% max deviation from contracted fiber<br>content  |  |  |
| Flammability                                    | 16 CFR 1610  | Class 1  |  |  |
| (All Scarf Belts)                               |  | Test non-exempt fabrics must be tested in every color  |  |  |
| Import Permit (For Natural<br>Materials Only)   | US Department of Agriculture Animal and Plant<br>Health Inspection Service (APHIS), Plant<br>Protection and Quarantine (PPQ)   | Product shall not have prohibited materials present per US Department of<br>Agriculture, Animal and Plant Health Inspection Service (APHIS), Plant<br>Protection and Quarantine (PPQ)<br>Documentation and/ or proper permit(s) for specific product shall be<br>supplied along with Testing Request form and samples.<br>Permit information may be found at: https://www.aphis.usda.<br>gov/wps/portal/aphis/home/<br>It is the vendor's responsibility for the compliance to relevant<br>requirements. |  |  |
| Softlines Regulatory Supplemental<br>Protocol   | Refer to Protocol 501  | All samples shall be reviewed against the requirements of the Softlines Regulatory<br>Supplemental Protocol to determine if additional testing or labeling is required.  |  |  |
| Performance Claims Protocol (401)               | Refer to Protocol 401  | All samples shall be reviewed against the requirements of the Performance  |  |  |

| Monofilament Thread   | Visual   | No monofilament thread allowed  |   |                      |                         |  |
|---|--|---|---|----------------------|-------------------------|--|
| (applicable to children only)   |  |   |   |                      |                         |  |
| Drawstrings and/or Ties<br>(Children's of ALL ages)   | ASTM F 1816-97   | Must Comply with Kohl's Safety Requirement where specified  |   |                      |                         |  |
| Fragile Trims   | Visual   | Sizes 0-5T: Must comply with Kohl's   | Safety Req  | uirement             |                         |  |
|   |  | Sizes over 5T & Adult: Report Actual Findings   |   |                      |                         |  |
| Hook & Loop Fasteners   | Visual   | Must have rounded corners – Refer   |   |                      |                         |  |
| Sharp Points & Sharp Edges  | CPSC 16 CFR 1500.48 - 49   | No sharp points or sharp edges – Refer to Product Safety Policy   |   |                      |                         |  |
| PHYSICAL PROPERTIES   |  |   |   |                      |                         |  |
| Dimensional Change to Home  | AATCC 150 (3 washes)   | WOVENS & KNITS  | Tier 1  | Tier 2               |                         |  |
| Laundering (scarf belt)   | AATCC LP2  | Shrinkage   | 5x5   | 5x5                  |                         |  |
|   | (Length X Width)   | Growth  | 1x1   |                      | 1x1                     |  |
|   | Tide <sup>®</sup> Powder Detergent   |   |   |                      |                         |  |
| Appearance Retention  | AATCC/ASTM TS-008 Modified   | Must meet all applicable Kohl's   |   |                      |                         |  |
| Attachment Strength*  | 16 CFR 1500.51-53 Pt. F(Saf Q)   | Sizes 0-5T: No detachment at 17 lbs. for 10 seconds   |   |                      |                         |  |
| Applies to Small Parts/Belt<br>Loops/Zipper Tab etc.  |  | (Must test in original state, after 1 v   |   | fter 5 wash          | es)                     |  |
|   |  | Sizes over 5T & Adult: 15 lbs. for 10   |   |                      |                         |  |
|   |  | (Fragile trims: beads, rhinestones et   | c.= 5 lbs. fo   | 1                    | ds minimum)             |  |
| Seam Strength/ Slippage -Wovens   | ASTM D 1683  |   | Tier 1<br>25.0  | Tier 2<br>25.0       | Tier 3<br>25.0          |  |
| COLORFASTNESS   |  |   | 25.0  | 25.0                 | 25.0                    |  |
| Colorfastness to Chlorine AND   | AATCC/ASTM TS-001  | Shade Change: Grade 4 min   |   |                      |                         |  |
| Non-Chlorine Bleach   |  |   |   |                      |                         |  |
| Colorfastness to Crocking<br>(both face and back)   | AATCC 8/116<br>Original State  | All fabrics :   |   |                      |                         |  |
|   | If results fail in original state, perform after 1   |   | Tier 1  |                      | Tier 2                  |  |
|   | Wash/Dry Cycle   | dry<br>wet  | 4.0<br>3.0  |                      | 4.0<br>3.0              |  |
| ANALYTICAL  |  |   |   | I                    |                         |  |
| Formaldehyde  | Kohl's TM-5 (only for 4 years and up)  | Negative, If Spot Test is Positive, pr  | oceed with  | step 2               |                         |  |
| (scarf/textile belt only)   | JIS L 1041:2000 –  | Children <u>over 4</u> & Adults = 75 ppm max.   |   |                      |                         |  |
|   | Sec. 5.3.1 (2) Method B, JIS Water Extraction  | Children's 0-5T = 20 ppm max.   |   |                      |                         |  |
| pH Value (scarf/textile belt only)  | AATCC 81   | 5.0 - 8.0 (zero tolerance)  |   |                      |                         |  |
| ADDITIONAL COLORWAY TESTING   |  |   |   |                      |                         |  |
| Flammability  | 16 CFR 1610  | Class 1   |   |                      |                         |  |
| ( All Scarf Belts)  |  | · ·   | Test non-exempt fabrics must be tested in every color |                      |                         |  |
| Colorfastness to Chlorine AND   | AATCC/ASTM TS-001  | Shade Change: Grade 4 min   |   |                      |                         |  |
| Colorfastness to Crocking   | AATCC 8/116  | All fabrics (except listed below):  |   |                      |                         |  |
| (both face and back)  | Original State<br>If results fail in original state, perform after 1<br>Wash/Dry Cycle   |   | Tier 1  |                      | Tier 2                  |  |
|   |  | dry   | 4.0   |                      | 4.0                     |  |
|   |  | wet   | 3.0   |                      | 3.0                     |  |
|   |  | Pigment Dyed/Printed, Lightly Brus<br>blends:   | shed, Piled   | <u>, Sulphur, Ir</u> | <u>ndigo &amp; Silk</u> |  |
|   |  | dry   | 3.5   |                      | 3.5                     |  |
|   |  | wet   | 2.0   |                      | 2.0                     |  |
| Formaldehyde  | Kohl's TM-5 (only for 4 years and up)  | Negative, If Spot Test is Positive, proceed with step 2   |   |                      |                         |  |
| (scarf/textile belt only)   | (only for 4 years and ap)  | Children over 4 & Adults = 75 ppm max.  |   |                      |                         |  |
| (scarf/textile belt only)   | JIS L 1041:2000 –  |   | nax.  |                      |                         |  |
| (scarf/textile belt only)   |  |   | max.  |                      |                         |  |
| (scarf/textile belt only)<br>pH Value   | JIS L 1041:2000 –  | Children <u>over 4</u> & Adults = 75 ppm r  | nax.  |                      |                         |  |
| · · · · · ·   | JIS L 1041:2000 –<br>Sec. 5.3.1 (2) Method B, JIS Water Extraction   | Children <u>over 4</u> & Adults = 75 ppm i<br>Children's 0-5T = 20 ppm max.   |   | valuation Re         | quirements              |  |
| pH Value  | JIS L 1041:2000 –<br>Sec. 5.3.1 (2) Method B, JIS Water Extraction<br>AATCC 81<br>AATCC/ASTM TS-008 Modified   | Children <u>over 4</u> & Adults = 75 ppm i<br>Children's 0-5T = 20 ppm max.<br>5.0 - 8.0 (zero tolerance)   |   | valuation Re         | quirements              |  |
| pH Value<br>Appearance Retention  | JIS L 1041:2000 –<br>Sec. 5.3.1 (2) Method B, JIS Water Extraction<br>AATCC 81<br>AATCC/ASTM TS-008 Modified   | Children <u>over 4</u> & Adults = 75 ppm i<br>Children's 0-5T = 20 ppm max.<br>5.0 - 8.0 (zero tolerance)   | earance Ev<br>prints - M                              |                      |                         |  |
| pH Value<br>Appearance Retention<br><b>REQUIRED WHERE APPLICABLE AT</b>   | JIS L 1041:2000 –<br>Sec. 5.3.1 (2) Method B, JIS Water Extraction<br>AATCC 81<br>AATCC/ASTM TS-008 Modified<br>ADDITIONAL COST<br>Kohl's Durability Evaluation  | Children <u>over 4</u> & Adults = 75 ppm r<br>Children's 0-5T = 20 ppm max.<br>5.0 - 8.0 (zero tolerance)<br>Must meet all applicable Kohl's App<br>Fragile trims, heat transfer & screer   | earance Ev<br>prints - M                              |                      |                         |  |
| pH Value<br>Appearance Retention<br>REQUIRED WHERE APPLICABLE AT<br>Kohls Durability Evaluation *   | JIS L 1041:2000 –<br>Sec. 5.3.1 (2) Method B, JIS Water Extraction<br>AATCC 81<br>AATCC/ASTM TS-008 Modified<br>ADDITIONAL COST<br>Kohl's Durability Evaluation<br>Tide ® Powder Detergent   | Children <u>over 4</u> & Adults = 75 ppm r<br>Children's 0-5T = 20 ppm max.<br>5.0 - 8.0 (zero tolerance)<br>Must meet all applicable Kohl's App<br>Fragile trims, heat transfer & screen<br>Kohl's Durability Evaluation Require   | earance Ev<br>prints - M                              |                      |                         |  |
| pH Value<br>Appearance Retention<br><b>REQUIRED WHERE APPLICABLE AT</b><br>Kohls Durability Evaluation *<br>Resistance to   | JIS L 1041:2000 –<br>Sec. 5.3.1 (2) Method B, JIS Water Extraction<br>AATCC 81<br>AATCC/ASTM TS-008 Modified<br>ADDITIONAL COST<br>Kohl's Durability Evaluation<br>Tide <sup>®</sup> Powder Detergent<br>ASTM D 4846                     | Children <u>over 4</u> & Adults = 75 ppm r<br>Children's 0-5T = 20 ppm max.<br>5.0 - 8.0 (zero tolerance)<br>Must meet all applicable Kohl's App<br>Fragile trims, heat transfer & screer<br>Kohl's Durability Evaluation Require<br>Requirement = 1.5-8 lbs. max.                                    | earance Ev<br>prints - M                              |                      |                         |  |
| pH Value<br>Appearance Retention<br><b>REQUIRED WHERE APPLICABLE AT</b><br>Kohls Durability Evaluation *<br>Resistance to<br>Stretch and recovery of                                  | JIS L 1041:2000 –<br>Sec. 5.3.1 (2) Method B, JIS Water Extraction<br>AATCC 81<br>AATCC/ASTM TS-008 Modified<br>ADDITIONAL COST<br>Kohl's Durability Evaluation<br>Tide ® Powder Detergent<br>ASTM D 4846<br>ASTM D 4964                 | Children <u>over 4</u> & Adults = 75 ppm r<br>Children's 0-5T = 20 ppm max.<br>5.0 - 8.0 (zero tolerance)<br>Must meet all applicable Kohl's App<br>Fragile trims, heat transfer & screen<br>Kohl's Durability Evaluation Require<br>Requirement = 1.5-8 lbs. max.<br>Extension :75 % Min             | earance Ev<br>prints - M                              |                      |                         |  |
| pH Value<br>Appearance Retention<br><b>REQUIRED WHERE APPLICABLE AT</b><br>Kohls Durability Evaluation *<br>Resistance to<br>Stretch and recovery of<br>Nickel Content – as per kohls | JIS L 1041:2000 –<br>Sec. 5.3.1 (2) Method B, JIS Water Extraction<br>AATCC 81<br>AATCC/ASTM TS-008 Modified<br>ADDITIONAL COST<br>Kohl's Durability Evaluation<br>Tide ® Powder Detergent<br>ASTM D 4846<br>ASTM D 4964<br>Kohl's TM-18 | Children <u>over 4</u> & Adults = 75 ppm r<br>Children's 0-5T = 20 ppm max.<br>5.0 - 8.0 (zero tolerance)<br>Must meet all applicable Kohl's App<br>Fragile trims, heat transfer & screen<br>Kohl's Durability Evaluation Require<br>Requirement = 1.5-8 lbs. max.<br>Extension :75 % Min<br>Negative | earance Ev<br>prints - M                              |                      |                         |  |

| Lead Content in Surface Coating –<br>Scrapeable in each color *  | CPSC-CH-E1003-09.1  | Children of ALL Ages<br><90 ppm (0.009% total weight)<br>Adults<br><90 ppm max (0.009% total weight)<br>Refer to Kohl's Product Safety Policy for additional requirement on<br>Composite Testing               |   |  |
|--|---|--|---|--|
| Total Lead in Substrate Material *<br>(Accessible components)  | CPSC-CH-E1002-08.1/CPSC-CH-E1001-08.1   | Children's of ALL ages & Adults -<br>≤ 90 ppm max (0.009% total weight)<br>Refer to Kohl's Product Safety Policy for additional requirement on<br>Composite Testing  |   |  |
| Phthalates content   | Consumer Product Safety Improvement Act of<br>2008 / 16 CFR 1307 / CPSC-CH-C1001-09.4<br>(Mod | Children's toys and childcare articles, before and after use and abuse testing, shall not contain concentrations of more than 0.1% BBP, DBP, DEHP, DINP, DIBP, DPENP, DHEXP, DIDP, DNOP, or DCHP individually. |   |  |
|  |   | Component testing is allowed.<br>Compositing up to 3 like materials<br>Product manufactured and importe  | is allowed.<br>ed as of April 25, 2018 must comply. |  |
| Soluble Heavy Metals *<br>Applies to Children's Toys   | ASTM F 963  | Children's Toys = Defined as a consumer product designed or intended by the manufacturer for a child, for use by the child when the child plays. Required for children's toys of ALL ages                      |   |  |
|  |   | Mercury - 60 ppm   | Barium - 1000 ppm                                   |  |
|  |   | Antimony - 60 ppm  | Cadmium - 75 ppm                                    |  |
|  |   | Arsenic - 25 ppm   | Chromium - 60 ppm                                   |  |
|  |   | Selenium - 500 ppm   | Lead - 90 ppm                                       |  |
| Lead, Cadmium and Phthalate*   | Lead and Cadmium<br>EPA SW 846  | Washington Children's Safe Products Act  |   |  |
| Applicable to children product<br>including:   | Method # 3050B/3051 (Mod.) / CPSCCH-E1003-<br>09.1/ CPSC-CHE1002-08.1 / CPSC-CHE1001-08.1     | $\leq$ 90 ppm (lead)<br>$\leq$ 40 ppm (Cadmium)<br>$\leq$ 0.1% (DEHP, BBP, DBP, DINP, DIDP, DnHP, DnOP, DIBP, DnPP or DCHP)  |   |  |
| <ul> <li>Child car seats</li> <li>Clothing</li> <li>Cosmetics for children under the age of 12</li> <li>Jewelry for children under the formula the for</li></ul> | Phthalate<br>CPSC-CH-C1001-09.4 (Mod  | (individually or in combination)<br>Note: Actual test would be performed on below suggested accessible<br>materials.   |   |  |
| age of 12<br>Droducts to holp a shild with   |   | Substances   | Suggested materials                                 |  |
| <ul> <li>Products to help a child with<br/>sucking or teething, to facilitate</li> </ul>   |   | Lead   | Follow CPSC lead                                    |  |
| sleep, relaxation, or the feeding of   |   | Cadmium  | Follow CPSC lead                                    |  |
| a child  |   | Phthalates   | Coating and Plasticized materials                   |  |
|  |   | The Washington standard cannot b federal standard applies.   |   |  |
| (*) asterisk = ALL COLORWAYS MUS   | ST BE TESTED  |  |   |  |
| Note: All garments offered for sale  | with detachable belts must contain the warning  | "Remove Belt Before Washing" in t  | he care labels of the garment.                      |  |
| Note: Scarf belts without hardware<br>the Care Labeling Rules  | e that can also be worn as a scarf must meet the  | labeling requirements of the Textile   | Fibers Products Identification act and              |  |
| PRICING AND ADDITIONAL NOTE: '   | Please refer to Kohl's preferred third party labs   |  |   |  |
| PROTOCOL VERSION   | DESCRIPTION OF CHANGE   | DATE REVISIO   | ON / APPROVED BY                                    |  |
| 214-7  | 1. Added Formaldehyde requirement for   | September 2013 /Vinoth   |   |  |
|  | 2. Added – pH test to full package and  |  |   |  |
|  | 3. Updated Lead in Surface Coating – reduced  |  |   |  |
|  | 4.Updated Soluble Heavy Metals – test method  |  |   |  |
| 214-8  | Removed pricing for testing/took out<br>Intertek/added approved lab statement                 | October 6th 2014/Nov. 31 2014/Leah Gross-Hutchison   |   |  |
| 214-9  | Lead, Cadmium and Phthalate in Washington<br>Children's Safe Products Act                     | August 2016 - Becky Becker   |   |  |

| 214-10 | <ol> <li>Attachment Strength - Added "(Must test in<br/>original state, after 1 wash, and after 5 washes)" for<br/>sizes 0-5T.</li> <li>Fragile Trims - updated size ranges to include 5T</li> <li>Formeldehyde - updated size ranges to include 5T</li> <li>Zipper Tab Twist - updated size ranges to include<br/>5T</li> </ol> | February 2017 - Becky Becker  |
|--------|--|-------------------------------|
| 214-11 | <ol> <li>Updated pH value to 5.0-8.0 (zero tolerance)</li> <li>Updated Phthalates in each plasticized<br/>part/material such as PVC, Vinyl</li> </ol>  | October 2018 - Becky Becker   |
| 214-12 | 1) Updated Tracking Label to include Adult Tracking<br>Label requirements  | March 2019-Jackie Deppisch    |
| 214-13 | 1) Separeted Adult Tracking Label and marked as DATA ONLY  | March 2019-Jackie Deppisch    |
| 214-14 | 1) Updated Colorfastness to saliva to be most current and requirements to match other protocols  | March 2019 - Charlene Swanson |
| 214-15 | <ol> <li>Updated hand wash requirement to AATCC LP2</li> <li>Updated Pthtalates requirement to CPSC-CH-<br/>C1001-09.4 (Mod</li> <li>Added Import Permit Requirements for natural<br/>materials only</li> </ol>  | April 2019 - Becky Becker     |
| 214-16 | 1) Updated Adult Tracking Label to REQUIREMENT   | March 2020- Jackie Deppisch   |
| 214-16 | <ol> <li>Reformatted document</li> <li>Removed "Ultra" from Tide detergent</li> </ol>  | March 2020 - Charlene Swanson |
| 214-17 | Removed Tier 3 from Protocol   | Aug 2021 Elizabeth Armstrong  |
| 214-18 | 1) Added test line for all performance claims  | March 2022 / Becky Becker     |
| 214-19 | Added 501 Supplemental Labeling  | November 2022/Jackie Deppisch |
| 214-20 | Removed year from ASTM F963 test   | Violet Nelson / Feb 2024      |
| 214-21 | <ol> <li>Updated Total Lead in Substrate requirement to be<br/>90 ppm instead of 100 ppm, per labs advisement/MN<br/>Law &amp; include ADULTS in requirement</li> <li>Updated Phthalates to include DNOP and DIDP<br/>per labs advisement/ MN Law</li> </ol>   | Jackie Deppisch/ January 2025 |