	-	205-24		
	Down Filled	d Apparel testing		
	To be used only after fab	ric testing has been complet	ed	
PERFORMANCE	TEST METHOD		REQUIREMENT	
Label Verification	IDER 12	As listed on Label		
Species Identification Label- Down Content	IDFB 12 IDFB 3 / USA 2000 Standard	California Plumage Regulation		
(Feather and Down Garments Only)	1575 37 657 2666 514114414			
Label Review	Care Label 16 CFR 423	If Label is not sewn to garment, artwork of t Fiber Content, Care, Country of Origin, Mani		
Label Review	Textile Fiber Products Identification Act 16 CFR 303	meet Federal Standards.	-	_
	Wool Product Labeling Act-16 CFR 300 Fur Products Labeling Act – 16 CFR 301	If label is not sewn to garment, artwork of the	ne proposed care/content label must be	provided.
	Fur Products Labeling Act = 16 CFK 501 Fur Product Identification Act = 15 U.S.C.69			
Labeling review: Utah stuffed product	Utah Code Title 4 Chapter 10 Bedding / Upholstered	[Applicable to garment only with concealed		and an The second set as set by
	Furniture / and Quilted Clothing Inspection Act /Utah Administrative Code R70-101	Vendor must provide a copy of the Vendors permanently labeled or stamped with the fo and content, country of origin Sterilization re	llowing: RN number or Manufacturer N	
		For articles that include filling of Down, Feat	her, or Wool a copy of the sterilization p	permit must be provided from the
		sterilizer. Sterilization permit # must be on p separate label. Sterilization permit to be ver number or a UT number. If it is a PA number	ified against Permit # on label. The pern	
			-	
		Note: No later than January 1, 2022 product permit number is the sterilization permit nu		
		number or a PA number. (PER. NO. UT XXXXX (two letter country abbreviation) or PA XXXX (two letter country		
Tracking Label:	Consumer Product Safety Improvement Act of 2008	abbreviation). Refer to Kohl's Tracking Label Section in the	Laheling Guideline Policy	
macking Label.	(CPSIA)	Following information must be provided:	Labeling Galdenie i Olicy.	
Children's product: ALL ages	SEC. 103	Retailer's Name (Kohl's)		
		Style Number/Name Factory Number		
		Date (Month/Year)		
Adult Tracking Label:	Kohl's Requirement	Kohl's Requirement Refer to Kohl's Tracking Label Section in the Labeling Guideline Policy.		
		Marked as Pass/Fail: Kohl's Assigned Factory Number		
		Manufacture Date (Month/Year)		
	A ATTOO DO (20A	UPC#		
Fiber Content [For filled garments, garments with lining, faux fur	AATCC 20/20A Textile Fiber Products Identification Act 16 CFR 303	One Fiber Only: No Tolerance Two or More Fibers: +/- 3% max deviation fr	om contracted fiber content	
trim, etc., if previously not tested]	Wool Product Labeling Act-16 CFR 300	Functional Fibers i.e. Spandex: +/- 2% max d		
	Fur Products Labeling Act – 16 CFR 301 Fur Product Identification Act – 15 U.S.C.69			
Flammability	16 CFR 1610	Class 1		
		Test non-exempt fabrics must be tested in e	very color	
Import Permit (For Natural Materials Only)	US Department of Agriculture Animal and Plant Health Inspection Service (APHIS), Plant Protection and	Product shall not have prohibited materials Inspection Service (APHIS), Plant Protection		re, Animal and Plant Health
	Quarantine (PPQ)	Documentation and/ or proper permit(s) for	specific product shall be supplied along	g with Testing Request form and
		samples.		
		Permit information may be found at: https://www.aphis.usda.gov/wps/portal/aphis/home/		
		It is the vendor's responsibility for the compliance to relevant requirements.		
Performance Claims Protocol (401)	Refer to Protocol 401	All samples shall be reviewed against the requirements of the Performance Claims Protocol to determine if		
Softlines Regulatory Supplemental Protocol	Refer to Protocol 501	additional testing or labeling is required All samples shall be reviewed against the requirements of the Softlines Regulatory Supplemental Protoc		llatory Supplemental Protocol to
- ' '		determine if additional testing or labeling	g is required.	
Construction Quality Monofilament Thread	Vicual	No manafilament thread allowed		
(applicable to children only)	Visual	No monofilament thread allowed		
Drawstrings and/or Ties (Children's of ALL ages)	ASTM F 1816-97	Must Comply with Kohl's Safety Requirement where specified		
(Children's of ALL ages) Fragile Trims	Visual	Sizes 0-5T: Must comply with Kohl's Safety R	equirement	
-		Sizes over 5T & Adult: Report Actual Finding	·	
Zipper Guard	Visual	Present – Refer to Product Safety Policy		
Hook & Loop Fasteners	Visual	Must have rounded corners – Refer to Produ	<u> </u>	
Sharp Points & Sharp Edges Physical Properties	CPSC 16 CFR 1500.48 - 49	No sharp points or sharp edges – Refer to Pr	ouuct Sarety Policy	
Dimensional Change to Home Laundering, Dry Cleaning	AATCC 135/AATCC 158 (3 cycles)	Home Laundering		
or Hand Wash	AATCC LP2 (Length X Width) Tide * Powder Detergent	Shrinkage	3% x 3%	Max
		Growth	1 % x 1 % Max	
		Dry Cleaning		
		Shrinkage	2% x 2% Max 1 % x 1 % max	
		Growth Differential shrinkage for All - 2% max	1%x1%	o IIIdX
Appearance Retention	AATCC/ASTM TS-008 Modified	Must meet all applicable Kohl's Appearance	Evaluation Requirements	
Constitution of the Consti	Tide® Powder Detergent	Franchisco I Com	T	T0
Seam Strength/ Slippage -Wovens	ASTM D 1683 Record seam slippage at 1/4" opening of seam	Functional Seams	Tier 1	Tier 2
		= 3.0 oz/sq yd<br 3.1 - 6 oz/sq yd	20/15 25/15	20/15 30/20
		6.1- 9.0 oz/sq yd	25/15	35/20
		>9.0 oz / sq yd	40/20	50/20
		Functional Pockets- Seam Strength	15	15
1		Non-Functional Pockets- Seam Strength	Data	Data

Attachment Strength*	16 CFR 1500.51-53 Pt. F	A) REQUIREMENT (for all garments):	
A) Applies to all Rings/Sliders	(Saf Q)	No detachment at 25 lbs.	
A) Applies to all Kings/Silders	(36) (4)		rim fails, or if there is no detachment at 50 lbs.
			······································
B) Applies to Buttons, Snaps, Small Parts, Belt Loops,		B) REQUIREMENT:	
Zipper Tab, etc.		Over 5T - Adult: No detachment at 17 lbs. fo	or 10 seconds
		Exceptions:	
		Buttons: 20lbs	
C) Applies to Plastic Hanger Loops		DATA ONLY: Report the point at which the to	rim fails, or if there is no detachment at 50 lbs.
D) O ET Adult. Formile Trime. Banda Bhinnet		C) DECUMPERATENT.	
D) Over 5T-Adult: Fragile Trims: Beads, Rhinestones, etc.		C) REQUIREMENT: No detachment at 5 lbs.	
Ctt.			rim fails, or if there is no detachment at 50 lbs.
			· · · · · · · · · · · · · · · · · · ·
		D) REQUIREMENT:	
		5 lbs. for 10 seconds minimum	
Penetration Resistance to Filling Material	FTMS 191 Method 5530	If applicable, apply to Down proof fabric ON	
		If no down proof fabric is provided, test on shell and lining fabric. Requirement = Satisfactory	
		Requirement - Satisfactory	
Down Content Analysis	IDFB 12	California Plumage Regulations	
Oxygen Number	IDFB 7	<10 mg	
Fill Power			
	IDFB 10 Part B – Steam Conditioning	Record Actual Data	
Turbidity Cleanliness	IDFB 11 Part A – Glass Turbidity Tube	250 mm min.	
Colorfastness Properties			
Colorfastness to Crocking	AATCC 8/116	All fabrics (except listed below):	
	Original State	dry	4.0
	If results fail in original state, perform after 1 Wash/Dry Cycle	wet	3.0
	wash/bry cycle	Pigment Dyed/Printed, Lightly Brushed, San	d Washed, Piled, Sulphur, Denim, Indigo & Silk blends:
		dry	3.5
		·	2.0
		wet	2.0
Analytical Test			
Attachment Strength 0-5T*	16 CFR 1500.51-53 Pt. F (Saf Q)	0-5T: No detachment at 17lbs for 10 second	
Applies to ALL trims No fragile trims allowed		**Must test in original state, after 1 wash, a	
Formaldehyde	Kohl's TM-5 (only for 4 years and up)	Negative, If Spot Test is Positive, proceed w	ith step 2
	JIS L 1041:2011 Sec. 8.1.3 & 8.1.4 Method A or B	Children over 5T & Adults = 75 ppm max.	
		Children's 0-5T = 20 ppm max.	
REQUIRED WHERE APPLICABLE AT ADDITIONAL CO		T- 11 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 -	
Kohl's Durability Evaluation*	Kohl's Durability Evaluation	Fragile trims, heat transfer & screen prints -	Must meet all applicable Kohl's Durability Evaluation Requirements
	Ultra Tide ® Powder Detergent		
Resistance to Unenanning /Comming Buttons	ACTM D 4046		
Resistance to Unsnapping/Snapping Buttons	ASTM D 4846	Requirement = 1.5-8 lbs. max.	
(Children's of ALL ages)			
	ASTM D 4846 64LFGB B 82.92-3, Part 1	Requirement = 1.5-8 lbs. max. Staining: Grade 4.5 min.	
(Children's of ALL ages) Colorfastness to Saliva * (0-36 months only)	64LFGB B 82.92-3, Part 1	Staining: Grade 4.5 min.	
(Children's of ALL ages) Colorfastness to Saliva *			ers
(Children's of ALL ages) Colorfastness to Saliva * (0-36 months only) Top Stop Attachment Strength	64LFGB B 82.92-3, Part 1	Staining: Grade 4.5 min. Open End Zippers (2 & 3 Part Zipper Tab)	
(Children's of ALL ages) Colorfastness to Saliva * (0-36 months only) Top Stop Attachment Strength (Children's of ALL ages) Zipper Tab Twist (Children's Sizes 0-5T)	64LFGB B 82.92-3, Part 1 ASTM D 2061;22.2 ASTM F 963-08	Staining: Grade 4.5 min. Open End Zippers (2 & 3 Part Zipper Tab) Requirement = Refer to protocol 306 – Zippe All Decorative (3 or more parts) Zipper Pulls	
(Children's of ALL ages) Colorfastness to Saliva * (0-36 months only) Top Stop Attachment Strength (Children's of ALL ages) Zipper Tab Twist (Children's Sizes 0-5T) Pile Retention	64LFGB B 82.92-3, Part 1 ASTM D 2061;22.2 ASTM F 963-08 ASTM D4685	Staining: Grade 4.5 min. Open End Zippers (2 & 3 Part Zipper Tab) Requirement = Refer to protocol 306 – Zippe All Decorative (3 or more parts) Zipper Pulls Face: 250 Cycles, Grade 3.5 min.	
(Children's of ALL ages) Colorfastness to Saliva * (0.36 months only) Top Stop Attachment Strength (Children's of ALL ages) Zipper Tab Twist (Children's Sizes 0-5T) Pile Retention (Velvet, Velveteen, Velour, Corduroy, and Faux Fur)	64LFGB B 82.92-3, Part 1 ASTM D 2061;22.2 ASTM F 963-08 ASTM D4685 Modified Option B	Staining: Grade 4.5 min. Open End Zippers (2 & 3 Part Zipper Tab) Requirement = Refer to protocol 306 – Zippe All Decorative (3 or more parts) Zipper Pulls Face: 250 Cycles, Grade 3.5 min. Back: 50 Cycles, Grade 3.0 min.	
(Children's of ALL ages) Colorfastness to Saliva * (0-36 months only) Top Stop Attachment Strength (Children's of ALL ages) Zipper Tab Twist (Children's Sizes 0-5T) Pile Retention (Velvet, Velveteen, Velour, Corduroy, and Faux Fur) Nickel Content – as per Kohl's safety policy	64LFGB B 82.92-3, Part 1 ASTM D 2061;22.2 ASTM F 963-08 ASTM D4685 Modified Option B Kohl's TM-18	Staining: Grade 4.5 min. Open End Zippers (2 & 3 Part Zipper Tab) Requirement = Refer to protocol 306 – Zippe All Decorative (3 or more parts) Zipper Pulls Face: 250 Cycles, Grade 3.5 min.	
(Children's of ALL ages) Colorfastness to Saliva * (0-36 months only) Top Stop Attachment Strength (Children's of ALL ages) Zipper Tab Twist (Children's Sizes 0-5T) Pile Retention (Velvet, Velveteen, Velour, Corduroy, and Faux Fur)	64LFGB B 82.92-3, Part 1 ASTM D 2061;22.2 ASTM F 963-08 ASTM D4685 Modified Option B Kohl's TM-18	Staining: Grade 4.5 min. Open End Zippers (2 & 3 Part Zipper Tab) Requirement = Refer to protocol 306 – Zippe All Decorative (3 or more parts) Zipper Pulls Face: 250 Cycles, Grade 3.5 min. Back: 50 Cycles, Grade 3.0 min.	
(Children's of ALL ages) Colorfastness to Saliva * (0-36 months only) Top Stop Attachment Strength (Children's of ALL ages) Zipper Tab Twist (Children's Sizes 0-5T) Pile Retention (Velvet, Velveteen, Velour, Corduroy, and Faux Fur) Nickel Content – as per Kohl's safety policy	64LFGB B 82.92-3, Part 1 ASTM D 2061;22.2 ASTM F 963-08 ASTM D4685 Modified Option B Kohl's TM-18	Staining: Grade 4.5 min. Open End Zippers (2 & 3 Part Zipper Tab) Requirement = Refer to protocol 306 – Zippe All Decorative (3 or more parts) Zipper Pulls Face: 250 Cycles, Grade 3.5 min. Back: 50 Cycles, Grade 3.0 min.	
(Children's of ALL ages) Colorfastness to Saliva * (0-36 months only) Top Stop Attachment Strength (Children's of ALL ages) Zipper Tab Twist (Children's Sizes 0-5T) Pile Retention (Velvet, Velveteen, Velour, Corduroy, and Faux Fur) Nickel Content — as per Kohl's safety policy TOXICOLOGY TESTING — REQUIRED WHERE APPLICABLE	64LFGB B 82.92-3, Part 1 ASTM D 2061;22.2 ASTM F 963-08 ASTM D4685 Modified Option B Kohl's TM-18	Staining: Grade 4.5 min. Open End Zippers (2 & 3 Part Zipper Tab) Requirement = Refer to protocol 306 – Zipper All Decorative (3 or more parts) Zipper Pulls Face: 250 Cycles, Grade 3.5 min. Back: 50 Cycles, Grade 3.0 min. Negative Children of ALL Ages <90 ppm (0.009% total weight)	
(Children's of ALL ages) Colorfastness to Saliva * (0-36 months only) Top Stop Attachment Strength (Children's of ALL ages) Zipper Tab Twist (Children's Sizes 0-5T) Pile Retention (Velvet, Velveteen, Velour, Corduroy, and Faux Fur) Nickel Content – as per Kohl's safety policy TOXICOLOGY TESTING – REQUIRED WHERE APPLICABL Lead Content in Surface Coating – Scrapeable in each	64LFGB B 82.92-3, Part 1 ASTM D 2061;22.2 ASTM F 963-08 ASTM D4685 Modified Option B Kohl's TM-18	Staining: Grade 4.5 min. Open End Zippers (2 & 3 Part Zipper Tab) Requirement = Refer to protocol 306 – Zipper All Decorative (3 or more parts) Zipper Pulls Face: 250 Cycles, Grade 3.5 min. Back: 50 Cycles, Grade 3.0 min. Negative Children of ALL Ages <90 ppm (0.009% total weight) Adults	must meet 4.0 in./lbs. minimum
(Children's of ALL ages) Colorfastness to Saliva * (0-36 months only) Top Stop Attachment Strength (Children's of ALL ages) Zipper Tab Twist (Children's Sizes 0-5T) Pile Retention (Velvet, Velveteen, Velour, Corduroy, and Faux Fur) Nickel Content – as per Kohl's safety policy TOXICOLOGY TESTING – REQUIRED WHERE APPLICABL Lead Content in Surface Coating – Scrapeable in each	64LFGB B 82.92-3, Part 1 ASTM D 2061;22.2 ASTM F 963-08 ASTM D4685 Modified Option B Kohl's TM-18	Staining: Grade 4.5 min. Open End Zippers (2 & 3 Part Zipper Tab) Requirement = Refer to protocol 306 – Zippe All Decorative (3 or more parts) Zipper Pulls Face: 250 Cycles, Grade 3.5 min. Back: 50 Cycles, Grade 3.0 min. Negative Children of ALL Ages <90 ppm (0.009% total weight) Adults <90 ppm max (0.009% total weight) from Sp	must meet 4.0 in./lbs. minimum
(Children's of ALL ages) Colorfastness to Saliva * (0-36 months only) Top Stop Attachment Strength (Children's of ALL ages) Zipper Tab Twist (Children's Sizes 0-5T) Pile Retention (Velvet, Velveteen, Velour, Corduroy, and Faux Fur) Nickel Content – as per Kohl's safety policy TOXICOLOGY TESTING – REQUIRED WHERE APPLICABL Lead Content in Surface Coating – Scrapeable in each	64LFGB B 82.92-3, Part 1 ASTM D 2061;22.2 ASTM F 963-08 ASTM D4685 Modified Option B Kohl's TM-18	Staining: Grade 4.5 min. Open End Zippers (2 & 3 Part Zipper Tab) Requirement = Refer to protocol 306 – Zipper All Decorative (3 or more parts) Zipper Pulls Face: 250 Cycles, Grade 3.5 min. Back: 50 Cycles, Grade 3.0 min. Negative Children of ALL Ages <90 ppm (0.009% total weight) Adults	must meet 4.0 in./lbs. minimum
(Children's of ALL ages) Colorfastness to Saliva * (0-36 months only) Top Stop Attachment Strength (Children's of ALL ages) Zipper Tab Twist (Children's Sizes 0-5T) Pile Retention (Velvet, Velveteen, Velour, Corduroy, and Faux Fur) Nickel Content — as per Kohl's safety policy TOXICOLOGY TESTING — REQUIRED WHERE APPLICABL Lead Content in Surface Coating — Scrapeable in each color*	64LFGB B 82.92-3, Part 1 ASTM D 2061;22.2 ASTM F 963-08 ASTM D4685 Modified Option B Kohl's TM-18 E AT ADDITIONAL COST CPSC-CH-E1003-09.1	Staining: Grade 4.5 min. Open End Zippers (2 & 3 Part Zipper Tab) Requirement = Refer to protocol 306 – Zipper All Decorative (3 or more parts) Zipper Pulls Face: 250 Cycles, Grade 3.5 min. Back: 50 Cycles, Grade 3.0 min. Negative Children of ALL Ages <90 ppm (0.009% total weight) Adults <90 ppm max (0.009% total weight) from Sp Refer to Kohl's Product Safety Policy for add	must meet 4.0 in./lbs. minimum
(Children's of ALL ages) Colorfastness to Saliva * (0-36 months only) Top Stop Attachment Strength (Children's of ALL ages) Zipper Tab Twist (Children's Sizes 0-5T) Pile Retention (Velvet, Velveteen, Velour, Corduroy, and Faux Fur) Nickel Content – as per Kohl's safety policy TOXICOLOGY TESTING – REQUIRED WHERE APPLICABL Lead Content in Surface Coating – Scrapeable in each color*	64LFGB B 82.92-3, Part 1 ASTM D 2061;22.2 ASTM F 963-08 ASTM D4685 Modified Option B Kohl's TM-18	Staining: Grade 4.5 min. Open End Zippers (2 & 3 Part Zipper Tab) Requirement = Refer to protocol 306 – Zippe All Decorative (3 or more parts) Zipper Pulls Face: 250 Cycles, Grade 3.5 min. Back: 50 Cycles, Grade 3.0 min. Negative Children of ALL Ages <90 ppm (0.009% total weight) Adults <90 ppm max (0.009% total weight) from Sp. Refer to Kohl's Product Safety Policy for add Children's of ALL ages & Adults-	must meet 4.0 in./lbs. minimum
(Children's of ALL ages) Colorfastness to Saliva * (0-36 months only) Top Stop Attachment Strength (Children's of ALL ages) Zipper Tab Twist (Children's Sizes 0-5T) Pile Retention (Velvet, Velveteen, Velour, Corduroy, and Faux Fur) Nickel Content – as per Kohl's safety policy TOXICOLOGY TESTING – REQUIRED WHERE APPLICABL Lead Content in Surface Coating – Scrapeable in each color*	64LFGB B 82.92-3, Part 1 ASTM D 2061;22.2 ASTM F 963-08 ASTM D4685 Modified Option B Kohl's TM-18 E AT ADDITIONAL COST CPSC-CH-E1003-09.1	Staining: Grade 4.5 min. Open End Zippers (2 & 3 Part Zipper Tab) Requirement = Refer to protocol 306 – Zipper All Decorative (3 or more parts) Zipper Pulls Face: 250 Cycles, Grade 3.5 min. Back: 50 Cycles, Grade 3.0 min. Negative Children of ALL Ages <90 ppm (0.009% total weight) Adults <90 ppm max (0.009% total weight) from Sp Refer to Kohl's Product Safety Policy for add	must meet 4.0 in./lbs. minimum ring 2014 Itional requirement on Composite Testing
(Children's of ALL ages) Colorfastness to Saliva * (0-36 months only) Top Stop Attachment Strength (Children's of ALL ages) Zipper Tab Twist (Children's Sizes 0-5T) Pile Retention (Yelvet, Veheteen, Velour, Corduroy, and Faux Fur) Nickel Content – as per Kohl's safety policy TOXICOLOGY TESTING — REQUIRED WHERE APPLICABL Lead Content in Surface Coating — Scrapeable in each color* Total Lead in Substrate Material* (Accessible components)	64LFGB B 82.92-3, Part 1 ASTM D 2061;22.2 ASTM F 963-08 ASTM D4685 Modified Option B Kohl's TM-18 E AT ADDITIONAL COST CPSC-CH-E1003-09.1 CPSC-CH-E1002-08.1/CPSC-CH-E1001-08.1	Staining: Grade 4.5 min. Open End Zippers (2 & 3 Part Zipper Tab) Requirement = Refer to protocol 306 – Zipper All Decorative (3 or more parts) Zipper Pulls Face: 250 Cycles, Grade 3.5 min. Back: 50 Cycles, Grade 3.0 min. Negative Children of ALL Ages <90 ppm (0.009% total weight) Adults <90 ppm max (0.009% total weight) from Sp Refer to Kohl's Product Safety Policy for add Children's of ALL ages & Adults <90 ppm max (0.009% total weight) Refer to Kohl's Product Safety Policy for add	must meet 4.0 in./lbs. minimum ring 2014 itional requirement on Composite Testing itional requirement on Composite Testing
(Children's of ALL ages) Colorfastness to Saliva * (0-36 months only) Top Stop Attachment Strength (Children's of ALL ages) Zipper Tab Twist (Children's Sizes 0-5T) Pile Retention (Velvet, Velveteen, Velour, Corduroy, and Faux Fur) Nickel Content – as per Kohl's safety policy TOXICOLOGY TESTING – REQUIRED WHERE APPLICABL Lead Content in Surface Coating – Scrapeable in each	64LFGB B 82.92-3, Part 1 ASTM D 2061;22.2 ASTM F 963-08 ASTM D4685 Modified Option B Kohl's TM-18 E AT ADDITIONAL COST CPSC-CH-E1003-09.1 CPSC-CH-E1002-08.1/CPSC-CH-E1001-08.1 Consumer Product Safety Improvement Act of 2008 /	Staining: Grade 4.5 min. Open End Zippers (2 & 3 Part Zipper Tab) Requirement = Refer to protocol 306 – Zipper All Decorative (3 or more parts) Zipper Pulls Face: 250 Cycles, Grade 3.5 min. Back: 50 Cycles, Grade 3.0 min. Negative Children of ALL Ages <90 ppm (0.009% total weight) Adults <90 ppm max (0.009% total weight) from Sp. Refer to Kohl's Product Safety Policy for add Children's of ALL ages & Adults ≤ 90 ppm max (0.009% total weight) Refer to Kohl's Product Safety Policy for add Children's of ALL ages & Adults ≤ 90 ppm max (0.009% total weight) Refer to Kohl's Product Safety Policy for add Children's toys and childcare articles, before	must meet 4.0 in./lbs. minimum ring 2014 itional requirement on Composite Testing itional requirement on Composite Testing and after use and abuse testing, shall not contain concentrations of more
(Children's of ALL ages) Colorfastness to Saliva * (0-36 months only) Top Stop Attachment Strength (Children's of ALL ages) Zipper Tab Twist (Children's Sizes 0-5T) Pile Retention (Yelvet, Veheteen, Velour, Corduroy, and Faux Fur) Nickel Content – as per Kohl's safety policy TOXICOLOGY TESTING — REQUIRED WHERE APPLICABL Lead Content in Surface Coating — Scrapeable in each color* Total Lead in Substrate Material* (Accessible components)	64LFGB B 82.92-3, Part 1 ASTM D 2061;22.2 ASTM F 963-08 ASTM D4685 Modified Option B Kohl's TM-18 E AT ADDITIONAL COST CPSC-CH-E1003-09.1 CPSC-CH-E1002-08.1/CPSC-CH-E1001-08.1	Staining: Grade 4.5 min. Open End Zippers (2 & 3 Part Zipper Tab) Requirement = Refer to protocol 306 – Zipper All Decorative (3 or more parts) Zipper Pulls Face: 250 Cycles, Grade 3.5 min. Back: 50 Cycles, Grade 3.0 min. Negative Children of ALL Ages <90 ppm (0.009% total weight) Adults <90 ppm max (0.009% total weight) from Sp Refer to Kohl's Product Safety Policy for add Children's of ALL ages & Adults <90 ppm max (0.009% total weight) Refer to Kohl's Product Safety Policy for add	must meet 4.0 in./lbs. minimum ring 2014 itional requirement on Composite Testing itional requirement on Composite Testing and after use and abuse testing, shall not contain concentrations of more
(Children's of ALL ages) Colorfastness to Saliva * (0-36 months only) Top Stop Attachment Strength (Children's of ALL ages) Zipper Tab Twist (Children's Sizes 0-5T) Pile Retention (Welvet, Welveteen, Velour, Corduroy, and Faux Fur) Nickel Content – as per Kohl's safety policy TOXICOLOGY TESTING – REQUIRED WHERE APPLICABL Lead Content in Surface Coating – Scrapeable in each color* Total Lead in Substrate Material* (Accessible components)	64LFGB B 82.92-3, Part 1 ASTM D 2061;22.2 ASTM F 963-08 ASTM D4685 Modified Option B Kohl's TM-18 E AT ADDITIONAL COST CPSC-CH-E1003-09.1 CPSC-CH-E1002-08.1/CPSC-CH-E1001-08.1 Consumer Product Safety Improvement Act of 2008 /	Staining: Grade 4.5 min. Open End Zippers (2 & 3 Part Zipper Tab) Requirement = Refer to protocol 306 – Zipper All Decorative (3 or more parts) Zipper Pulls Face: 250 Cycles, Grade 3.5 min. Back: 50 Cycles, Grade 3.0 min. Negative Children of ALL Ages <90 ppm (0.009% total weight) Adults <90 ppm max (0.009% total weight) from Sp. Refer to Kohl's Product Safety Policy for add Children's of ALL ages & Adults ≤ 90 ppm max (0.009% total weight) Refer to Kohl's Product Safety Policy for add Children's of ALL ages & Adults ≤ 90 ppm max (0.009% total weight) Refer to Kohl's Product Safety Policy for add Children's toys and childcare articles, before	must meet 4.0 in./lbs. minimum ring 2014 itional requirement on Composite Testing itional requirement on Composite Testing and after use and abuse testing, shall not contain concentrations of more
(Children's of ALL ages) Colorfastness to Saliva * (0-36 months only) Top Stop Attachment Strength (Children's of ALL ages) Zipper Tab Twist (Children's Sizes 0-5T) Pile Retention (Yelvet, Veheteen, Velour, Corduroy, and Faux Fur) Nickel Content – as per Kohl's safety policy TOXICOLOGY TESTING — REQUIRED WHERE APPLICABL Lead Content in Surface Coating — Scrapeable in each color* Total Lead in Substrate Material* (Accessible components)	64LFGB B 82.92-3, Part 1 ASTM D 2061;22.2 ASTM F 963-08 ASTM D4685 Modified Option B Kohl's TM-18 E AT ADDITIONAL COST CPSC-CH-E1003-09.1 CPSC-CH-E1002-08.1/CPSC-CH-E1001-08.1 Consumer Product Safety Improvement Act of 2008 /	Staining: Grade 4.5 min. Open End Zippers (2 & 3 Part Zipper Tab) Requirement = Refer to protocol 306 – Zipper All Decorative (3 or more parts) Zipper Pulls Face: 250 Cycles, Grade 3.5 min. Back: 50 Cycles, Grade 3.0 min. Negative Children of ALL Ages <90 ppm (0.009% total weight) Adults <90 ppm max (0.009% total weight) from Sp. Refer to Kohl's Product Safety Policy for add Children's of ALL ages & Adults <90 ppm max (0.009% total weight) Refer to Kohl's Product Safety Policy for add Children's to Kohl's Product Safety Policy for add Children's toys and childcare articles, before than 0.1% BBP, DBP, DEHP, DINP, DIBP, DPEN	must meet 4.0 in./lbs. minimum ring 2014 itional requirement on Composite Testing itional requirement on Composite Testing and after use and abuse testing, shall not contain concentrations of more P, DHEXP, DIDP, DNOP, or DCHP individually.
(Children's of ALL ages) Colorfastness to Saliva * (0-36 months only) Top Stop Attachment Strength (Children's of ALL ages) Zipper Tab Twist (Children's Sizes 0-5T) Pile Retention (Yelvet, Veheteen, Velour, Corduroy, and Faux Fur) Nickel Content – as per Kohl's safety policy TOXICOLOGY TESTING — REQUIRED WHERE APPLICABL Lead Content in Surface Coating — Scrapeable in each color* Total Lead in Substrate Material* (Accessible components)	64LFGB B 82.92-3, Part 1 ASTM D 2061;22.2 ASTM F 963-08 ASTM D4685 Modified Option B Kohl's TM-18 E AT ADDITIONAL COST CPSC-CH-E1003-09.1 CPSC-CH-E1002-08.1/CPSC-CH-E1001-08.1 Consumer Product Safety Improvement Act of 2008 /	Staining: Grade 4.5 min. Open End Zippers (2 & 3 Part Zipper Tab) Requirement = Refer to protocol 306 – Zipper All Decorative (3 or more parts) Zipper Pulls Face: 250 Cycles, Grade 3.5 min. Back: 50 Cycles, Grade 3.0 min. Negative Children of ALL Ages <90 ppm (0.009% total weight) Adults <90 ppm max (0.009% total weight) from Sp. Refer to Kohl's Product Safety Policy for add Children's of ALL ages & Adults- ≤ 90 ppm max (0.009% total weight) Refer to Kohl's Product Safety Policy for add Children's of ALL ages & Adults- ≤ 90 ppm max (0.009% total weight) Refer to Kohl's Product Safety Policy for add Children's toys and childcare articles, before than 0.1% BBP, DBP, DEHP, DINP, DIBP, DPEN Component testing is allowed.	must meet 4.0 in./lbs. minimum ring 2014 itional requirement on Composite Testing itional requirement on Composite Testing and after use and abuse testing, shall not contain concentrations of more P, DHEXP, DIDP, DNOP, or DCHP individually.
(Children's of ALL ages) Colorfastness to Saliva * (0-36 months only) Top Stop Attachment Strength (Children's of ALL ages) Zipper Tab Twist (Children's Sizes 0-5T) Pile Retention (Velvet, Velveteen, Velour, Corduroy, and Faux Fur) Nickel Content – as per Kohl's safety policy TOXICOLOGY TESTING – REQUIRED WHERE APPLICABL Lead Content in Surface Coating – Scrapeable in each color* Total Lead in Substrate Material* (Accessible components)	64LFGB B 82.92-3, Part 1 ASTM D 2061;22.2 ASTM F 963-08 ASTM D4685 Modified Option B Kohl's TM-18 EAT ADDITIONAL COST CPSC-CH-E1003-09.1 CPSC-CH-E1002-08.1/CPSC-CH-E1001-08.1 Consumer Product Safety Improvement Act of 2008 / 16 CFR 1307 / CPSC-CH-C1001-09.4 (Mod	Staining: Grade 4.5 min. Open End Zippers (2 & 3 Part Zipper Tab) Requirement - Refer to protocol 306 - Zipper All Decorative (3 or more parts) Zipper Pulls Face: 250 Cycles, Grade 3.5 min. Back: 50 Cycles, Grade 3.5 min. Negative Children of ALL Ages <90 ppm (0.009% total weight) Adults <90 ppm (0.009% total weight) from Sp Refer to Kohl's Product Safety Policy for add Children's of ALL ages & Adults- ≤ 90 ppm max (0.009% total weight) Refer to Kohl's Product Safety Policy for add Children's toys and childcare articles, before than 0.1% BBP, DBP, DEHP, DINP, DIBP, DPEN Component testing is allowed. Compositing up to 3 like materials is allowed. Product manufactured and imported as of A	must meet 4.0 in./lbs. minimum ring 2014 itional requirement on Composite Testing intional requirement on Composite Testing and after use and abuse testing, shall not contain concentrations of more P, DHEXP, DIDP, DNOP, or DCHP individually. d. pril 25, 2018 must comply.
(Children's of ALL ages) Colorfastness to Saliva * (0-36 months only) Top Stop Attachment Strength (Children's of ALL ages) Zipper Tab Twist (Children's Sizes 0-5T) Pile Retention (Velvet, Velveteen, Velour, Corduroy, and Faux Fur) Nickel Content – as per Kohl's safety policy TOXICOLOGY TESTING – REQUIRED WHERE APPLICABL Lead Content in Surface Coating – Scrapeable in each color* Total Lead in Substrate Material* (Accessible components) Phthalates content	64LFGB B 82.92-3, Part 1 ASTM D 2061;22.2 ASTM F 963-08 ASTM D4685 Modified Option B Kohl's TM-18 E AT ADDITIONAL COST CPSC-CH-E1003-09.1 CPSC-CH-E1002-08.1/CPSC-CH-E1001-08.1 Consumer Product Safety Improvement Act of 2008 /	Staining: Grade 4.5 min. Open End Zippers (2 & 3 Part Zipper Tab) Requirement = Refer to protocol 306 – Zipper All Decorative (3 or more parts) Zipper Pulls Face: 250 Cycles, Grade 3.5 min. Back: 50 Cycles, Grade 3.0 min. Negative Children of ALL Ages 90 ppm (0.009% total weight) Adults 90 ppm max (0.009% total weight) from Sp. Refer to Kohl's Product Safety Policy for add Children's of ALL ages & Adults 5 90 ppm max (0.009% total weight) Refer to Kohl's Product Safety Policy for add Children's toys and childcare articles, before than 0.1% BBP, DBP, DEHP, DINP, DIBP, DPEN Component testing is allowed. Compositing up to 3 like materials is allowed. Product manufactured and imported as of A Children's Toys = Defined as a consumer pro	ring 2014 itional requirement on Composite Testing itional requirement on Composite Testing and after use and abuse testing, shall not contain concentrations of more P, DHEXP, DIDP, DNOP, or DCHP individually. d. pril 25, 2018 must comply. duct designed or intended by the manufacturer for a child, for use by the
(Children's of ALL ages) Colorfastness to Saliva * (0-36 months only) Top Stop Attachment Strength (Children's of ALL ages) Zipper Tab Twist (Children's Sizes 0-5T) Pile Retention (Velvet, Velveteen, Velour, Corduroy, and Faux Fur) Nickel Content – as per Kohl's safety policy TOXICOLOGY TESTING – REQUIRED WHERE APPLICABL Lead Content in Surface Coating – Scrapeable in each color* Total Lead in Substrate Material* (Accessible components) Phthalates content	64LFGB B 82.92-3, Part 1 ASTM D 2061;22.2 ASTM F 963-08 ASTM D4685 Modified Option B Kohl's TM-18 EAT ADDITIONAL COST CPSC-CH-E1003-09.1 CPSC-CH-E1002-08.1/CPSC-CH-E1001-08.1 Consumer Product Safety Improvement Act of 2008 / 16 CFR 1307 / CPSC-CH-C1001-09.4 (Mod	Staining: Grade 4.5 min. Open End Zippers (2 & 3 Part Zipper Tab) Requirement = Refer to protocol 306 – Zipper All Decorative (3 or more parts) Zipper Pulls Face: 250 Cycles, Grade 3.5 min. Back: 50 Cycles, Grade 3.0 min. Negative Children of ALL Ages <90 ppm (0.009% total weight) Adults <90 ppm max (0.009% total weight) from Sp. Refer to Kohl's Product Safety Policy for add Children's of ALL ages & Adults <90 ppm max (0.009% total weight) Refer to Kohl's Product Safety Policy for add Children's toys and childcare articles, before than 0.1% BBP, DBP, DEHP, DINP, DIBP, DPEN Component testing is allowed. Compositing up to 3 like materials is allowed Product manufactured and imported as of A Children's Toys = Defined as a consumer pro child when the child plays. Required for child	rring 2014 Itional requirement on Composite Testing and after use and abuse testing, shall not contain concentrations of more P, DHEXP, DIDP, DNOP, or DCHP individually. d. pril 25, 2018 must comply. duct designed or intended by the manufacturer for a child, for use by the dren's toys of ALL ages
(Children's of ALL ages) Colorfastness to Saliva * (0-36 months only) Top Stop Attachment Strength (Children's of ALL ages) Zipper Tab Twist (Children's Sizes 0-5T) Pile Retention (Velvet, Velveteen, Velour, Corduroy, and Faux Fur) Nickel Content – as per Kohl's safety policy TOXICOLOGY TESTING — REQUIRED WHERE APPLICABL Lead Content in Surface Coating — Scrapeable in each color* Total Lead in Substrate Material* (Accessible components) Phthalates content	64LFGB B 82.92-3, Part 1 ASTM D 2061;22.2 ASTM F 963-08 ASTM D4685 Modified Option B Kohl's TM-18 EAT ADDITIONAL COST CPSC-CH-E1003-09.1 CPSC-CH-E1002-08.1/CPSC-CH-E1001-08.1 Consumer Product Safety Improvement Act of 2008 / 16 CFR 1307 / CPSC-CH-C1001-09.4 (Mod	Staining: Grade 4.5 min. Open End Zippers (2 & 3 Part Zipper Tab) Requirement = Refer to protocol 306 – Zippe All Decorative (3 or more parts) Zipper Pulls Face: 250 Cycles, Grade 3.5 min. Baack: 50 Cycles, Grade 3.0 min. Negative Children of ALL Ages <90 ppm (0.009% total weight) Adults <90 ppm max (0.009% total weight) from Sp. Refer to Kohl's Product Safety Policy for add Children's of ALL ages & Adults ≤ 90 ppm max (0.009% total weight) Refer to Kohl's Product Safety Policy for add Children's of ALL ages & Adults <90 ppm max (0.009% total weight) Refer to Kohl's Product Safety Policy for add Children's toys and childcare articles, before than 0.1% BBP, DBP, DEHP, DINP, DIBP, DPEN Component testing is allowed. Compositing up to 3 like materials is allowed. Product manufactured and imported as of Children's Toys = Defined as a consumer prochild when the child plays. Required for child Mercury - 60 ppm	must meet 4.0 in./lbs. minimum ring 2014 itional requirement on Composite Testing intional requirement on Composite Testing and after use and abuse testing, shall not contain concentrations of more P, DHEXP, DIDP, DNOP, or DCHP individually. d. pril 25, 2018 must comply. duct designed or intended by the manufacturer for a child, for use by the dren's toys of ALL ages Barium - 1000 ppm
(Children's of ALL ages) Colorfastness to Saliva * (0-36 months only) Top Stop Attachment Strength (Children's of ALL ages) Zipper Tab Twist (Children's Sizes 0-5T) Pile Retention (Welvet, Welveteen, Velour, Corduroy, and Faux Fur) Nickel Content – as per Kohl's safety policy TOXICOLOGY TESTING – REQUIRED WHERE APPLICABL Lead Content in Surface Coating – Scrapeable in each color* Total Lead in Substrate Material* (Accessible components)	64LFGB B 82.92-3, Part 1 ASTM D 2061;22.2 ASTM F 963-08 ASTM D4685 Modified Option B Kohl's TM-18 EAT ADDITIONAL COST CPSC-CH-E1003-09.1 CPSC-CH-E1002-08.1/CPSC-CH-E1001-08.1 Consumer Product Safety Improvement Act of 2008 / 16 CFR 1307 / CPSC-CH-C1001-09.4 (Mod	Staining: Grade 4.5 min. Open End Zippers (2 & 3 Part Zipper Tab) Requirement = Refer to protocol 306 – Zipper All Decorative (3 or more parts) Zipper Pulls Face: 250 Cycles, Grade 3.5 min. Back: 50 Cycles, Grade 3.0 min. Negative Children of ALL Ages <90 ppm (0.009% total weight) Adults <90 ppm max (0.009% total weight) from Sp. Refer to Kohl's Product Safety Policy for add Children's of ALL ages & Adults <90 ppm max (0.009% total weight) Refer to Kohl's Product Safety Policy for add Children's toys and childcare articles, before than 0.1% BBP, DBP, DEHP, DINP, DIBP, DPEN Component testing is allowed. Compositing up to 3 like materials is allowed Product manufactured and imported as of A Children's Toys = Defined as a consumer pro child when the child plays. Required for child	must meet 4.0 in./lbs. minimum ring 2014 itional requirement on Composite Testing and after use and abuse testing, shall not contain concentrations of more P, DHEXP, DIDP, DNOP, or DCHP individually. d. pril 25, 2018 must comply. duct designed or intended by the manufacturer for a child, for use by the dren's toys of ALL ages Barium - 1000 ppm Cadmium - 75 ppm
(Children's of ALL ages) Colorfastness to Saliva * (0-36 months only) Top Stop Attachment Strength (Children's of ALL ages) Zipper Tab Twist (Children's Sizes 0-5T) Pile Retention (Velvet, Velveteen, Velour, Corduroy, and Faux Fur) Nickel Content – as per Kohl's safety policy TOXICOLOGY TESTING – REQUIRED WHERE APPLICABL Lead Content in Surface Coating – Scrapeable in each color* Total Lead in Substrate Material* (Accessible components) Phthalates content	64LFGB B 82.92-3, Part 1 ASTM D 2061;22.2 ASTM F 963-08 ASTM D4685 Modified Option B Kohl's TM-18 EAT ADDITIONAL COST CPSC-CH-E1003-09.1 CPSC-CH-E1002-08.1/CPSC-CH-E1001-08.1 Consumer Product Safety Improvement Act of 2008 / 16 CFR 1307 / CPSC-CH-C1001-09.4 (Mod	Staining: Grade 4.5 min. Open End Zippers (2 & 3 Part Zipper Tab) Requirement = Refer to protocol 306 – Zippe All Decorative (3 or more parts) Zipper Pulls Face: 250 Cycles, Grade 3.5 min. Baack: 50 Cycles, Grade 3.0 min. Negative Children of ALL Ages <90 ppm (0.009% total weight) Adults <90 ppm max (0.009% total weight) from Sp. Refer to Kohl's Product Safety Policy for add Children's of ALL ages & Adults ≤ 90 ppm max (0.009% total weight) Refer to Kohl's Product Safety Policy for add Children's of ALL ages & Adults <90 ppm max (0.009% total weight) Refer to Kohl's Product Safety Policy for add Children's toys and childcare articles, before than 0.1% BBP, DBP, DEHP, DINP, DIBP, DPEN Component testing is allowed. Compositing up to 3 like materials is allowed. Product manufactured and imported as of Children's Toys = Defined as a consumer prochild when the child plays. Required for child Mercury - 60 ppm	must meet 4.0 in./lbs. minimum ring 2014 itional requirement on Composite Testing intional requirement on Composite Testing and after use and abuse testing, shall not contain concentrations of more P, DHEXP, DIDP, DNOP, or DCHP individually. d. pril 25, 2018 must comply. duct designed or intended by the manufacturer for a child, for use by the dren's toys of ALL ages Barium - 1000 ppm
(Children's of ALL ages) Colorfastness to Saliva * (0-36 months only) Top Stop Attachment Strength (Children's of ALL ages) Zipper Tab Twist (Children's Sizes 0-5T) Pile Retention (Velvet, Velveteen, Velour, Corduroy, and Faux Fur) Nickel Content – as per Kohl's safety policy TOXICOLOGY TESTING – REQUIRED WHERE APPLICABL Lead Content in Surface Coating – Scrapeable in each color* Total Lead in Substrate Material* (Accessible components) Phthalates content	64LFGB B 82.92-3, Part 1 ASTM D 2061;22.2 ASTM F 963-08 ASTM D4685 Modified Option B Kohl's TM-18 EAT ADDITIONAL COST CPSC-CH-E1003-09.1 CPSC-CH-E1002-08.1/CPSC-CH-E1001-08.1 Consumer Product Safety Improvement Act of 2008 / 16 CFR 1307 / CPSC-CH-C1001-09.4 (Mod	Staining: Grade 4.5 min. Open End Zippers (2 & 3 Part Zipper Tab) Requirement = Refer to protocol 306 – Zipper All Decorative (3 or more parts) Zipper Pulls Face: 250 Cycles, Grade 3.5 min. Back: 50 Cycles, Grade 3.0 min. Negative Children of ALL Ages <90 ppm (0.009% total weight) Adults <90 ppm max (0.009% total weight) from Sp Refer to Kohl's Product Safety Policy for add Children's of ALL ages & Adults ≤ 90 ppm max (0.009% total weight) Refer to Kohl's Product Safety Policy for add Children's toys and childcare articles, before than 0.1% BBP, DBP, DEHP, DINP, DIBP, DPEN Component testing is allowed. Compositing up to 3 like materials is allowed Product manufactured and imported as of A Children's Toys = Defined as a consumer pro child when the child plays. Required for child Mercury - 60 ppm Antimony - 60 ppm	must meet 4.0 in./lbs. minimum ring 2014 itional requirement on Composite Testing and after use and abuse testing, shall not contain concentrations of more P, DHEXP, DIDP, DNOP, or DCHP individually. d. pril 25, 2018 must comply. duct designed or intended by the manufacturer for a child, for use by the dren's toys of ALL ages Barium - 1000 ppm Cadmium - 75 ppm

PROTOCOL		DATE REVISION / APPROVED BY
VERSION	DESCRIPTION OF CHANGE	
205-4	1) Formaldehyde – Modified JIS method to Water Extraction. Children	Sep 2013 / Vinoth
	0-4T req. from 0.05 Absorbency to 20 ppm.	
	2) Lead in Surface Coating – Updated Adult req. from 600ppm to 90 ppm.	
	3) Heavy Metals – Updated year of test method from 2008 to 2011. Test	
	applies to both coating and substrate.	
205-6	1) Removed pricing for testing/took out Intertek/added approved lab	October 6th 2014/Nov. 31 2014/Leah Gross-Hutchison
	statement	
205-7	1) Added functional and non functional seam strength requirements for	March 2016/Jackie Deppisch
	pockets	
205-8	1) Attachment Strength - Added "(Must test in original state, after 1	February 2017 - Becky Becker
	wash, and after 5 washes)" for sizes 0-5T. 2) Fragile Trims - updated size ranges to include 5T	
	3) Formaldehyde - updated size ranges to include 5T	
	4) Zipper Tab Twist - updated size ranges to include 5T	
205-9	Updated crocking requirements to read: "Pigment Dyed/Printed,	May 2017 Becky Becker
	Lightly Brushed, Sand Washed, Piled, Sulphur, Denim, Indigo & Silk	•
	blends"	
205-10	1) Updated Phthalates in each plasticized part/material such as PVC,	October 2018 - Becky Becker
	Vinyl	
205-11	1) Updated Soluble Heavy Metals to have most current test	January 2019 - Charlene Swanson
	2) Updated Dimensional Change and Appearance Retention to have	
	most current Tide detergent 3) Updated Phthalates in plasticized parts/materials	
205-12	Updated Tracking Label to include Adult Tracking Label information	March 2019-Jackie Deppisch
205-13	Separated Adult & Children Tracking Labels & marked Adults as DATA	March 2019-Jackie Deppisch
205-13	ONLY	March 2019-Jackie Deppisch
205-14	1) Updated Pile Retention to ASTM D4685	March 2019 - Charlene Swanson
	2) Update Colorfastness to saliva to be most current and requirements	
	to match other protocols	
205-15	1) Updated phthalates content requirements to CPSC-CH-C1001-09.4	April 2019 - Becky Becker
	(Mod)	
	2) Updated hand wash test method to AATCC LP2	
205-16	Added Import Permit test line for natural materials only Undeted attachment strength requirements consisted out by	Aug 2010 Flizabath Armetrang
203-10	Updated attachment strength requirements, separated out by children's & adults	Aug 2019 - Elizabeth Armstrong
205-17	Revised attachment strength requirements	Aug 2019 - Elizabeth Armstrong
205-18	1) Updated dry cleaning to be 3 cycles under dimensional stability	December 2019 - Charlene Swanson
	(AATCC 158)	
205-19	1) Updated Adult Tracking Label to be mandatory	March 2020/Jackie Deppisch
205-20	1) Updated Tiering	August 2021/ Jackie Deppisch
205-21	1) Added Utah Sterilization requirement	October 2021/Charlene Swanson
	2) Email updated for adult tracking labels	
205-22	1) Added test line for all performance claims	March 2022 / Becky Becker
205-23	1) Added Reference to Protocol 501	October 2022 / Kevin Makocy
205-24	1. Updated Total Lead in Substrate requirement to be 90 ppm	January 2025/ Jackie Deppisch
	instead of 100 ppm, per labs advisement/MN Law & include	,
	ADULTS in requirement	
	2. Updated Phthalates to include DNOP and DIDP per labs	
	advisement/ MN Law	