KOHĽS

Men's Extended Size Process

KOHL'S TECHNICAL DESIGN | Aug 2025

Men's Dress Shirts - Neck Sizing

MEN'S DRESS SHIRTS NECK SIZES:

If we have a Dress shirt that requires Neck Size information, pull in the below POM code:

A001-MN-3PRG NK MENS DRESS SHIRTS - NECK SIZES

The actual specs are in the system on each size (as they correlate with the Chest size). See the below image: **These are Body specs (not garment specs). These should not be changed/modified. These follow the Kohl's body chart.

Points of Measure					Size/Active											
□ QA				ort POM Code	POM Description	Size Code	34	<u>36</u>	[40]	43	44	47	48	<u>51</u>	<u>52</u>	<u>55</u>
	QA	P/S	Sort			Active Ind		~		~	~	~	~	~	~	~
						Sample Size										
				A000	(ENTER DESCRIPTION HERE)	Grade			0							
	П					Spec										
		D		A001-MN-3PR	MENS DRESS SHIRTS - NECK SIZES	Grade			0							
П	U	P				Spec	14	14 1/2	15 1/2	16 1/4	16 1/2	17 1/4	17 1/2	18 1/4	18 1/2	19 1/4



Tall Tops
Short & Long
Bottoms

Men's Tall Tops

UPDATE ON MENS TALL TOPS:

- Talls will no longer be a column in the Men's Grade Table.
- We will now follow a process similar to the Women's Tops Team.
- If we have a Tall Top, the KTD will add the below POM codes (as needed):

TECH PKG PROCESS FOR MENS TALL TOPS:

**Add A000 and change the description as below:

A000- MEN'S TALL CONVERSION:

For HPS Length- please use the below POM code:

A300 MLG LEN HPS TO HEM- MN LONG GRADE

KTD will look at the Reg size and **add 2" for the LEN HPS TO HEM.


For Slv Length- please use the below applicable POM codes:

A360-1TB SLV LEN FROM CB NK-TALL S/SLV

**KTD will look at the Reg Short SIv and ${\it add 3/4"}$ for the SLV LEN FROM CB NK-TALL S/SLV

A360-4TW SLV LEN FROM CB NK-TALL L/SLV

KTD will look at the Reg Long SIv and **add 11/2" for the SLV LEN FROM CB NK-TALL L/SLV



Men's Full-Length Inseam Variations

<u>UPDATE ON MENS BOTTOMS INSEAM</u> <u>VARIATIONS:</u>

 Please see below POM code descriptions we will use for consistency across Sleep, Sportswear and Active

TECH PKG PROCESS FOR MENS FULL LENGTH INSEAM VARIATIONS:

**Add A000 and change the description as below:

A000- MEN'S INSEAM VARIATIONS:

For Short Inseam Variation- please use the following POM code, and overkey the description as written below:


A500 NG INSEAM-NG SHORT VARIATION

**KTD will look at the Reg Inseam Length and remove 3"

For Long Inseam Variation- please use the following POM code, and overkey the description as written below:

A500 NG INSEAM-NG LONG VARIATION

**KTD will look at the Reg Inseam Length and add 2"





Big Man


Big Man - Tops Conversion

		WOVEN	KNITS	SWEATERS	
POM CODE	POM's	APT. 9 SONOMA / SLEEP	APT. 9 SONOMA / SLEEP/TEK GEAR/FLX	APT. 9 SONOMA	
A310	LENGTH FROM CB NK - DRESS SHIRTS	2			
A310	LENGTH FROM CB NK - SPORTSWEAR	3 1/2		1111	
A300	HPS LENGTH		5	4 1/2	
A100	NECK WIDTH		1 1/2	1 1/2	
A110	FRONT NECK DROP		1/2	1/2	
A120	BACK NECK DROP	j	1/2	1/2	
A250 / A250 WV	ACROSS SHOULDER	2 5/8	2 5/8	2 1/2	
A254	ACROSS FRONT	3 1/4	3	2 1/4	
A256	ACROSS BACK @ YOKE WOVENS	3			
A256	ACROSS BACK (KNITS)		2 3/4	2 1/2	
A261H	CHEST (RLXD) SPORTSWEAR (1/2 msr)	7	7	5 1/2	
A270H	WAIST (RLXD) (1/2 msr)				
A290H	SWEEP (RLXD) (1/2 msr)	7	7	4 1/2	
A330	AH DROP FROM HPS	1 1/4	1 1/4	1 3/4	
A340H	UA/MUSCLE 1" BLW AH	1 1/2	1 1/2	1 5/8	
A360-4W	SLV LENGTH FROM CB NK L/SLV	2 3/8	2 3/8	2 3/4	
A352H-4W	SLV OPG - L/SLV	1/2	1/2	1/2	
A360-1B	SLV LENGTH FROM CB NK S/SLV	3 1/4	3 1/2		
A352H-1B	SLV OPG - S/SLV	1 1/4	1 1/4		

^{*}Pls cross-reference landmark documents when building HPS to ensure length is meeting at the proper spot on the body


Big Man - Tops Pattern Shaping

Woven Top Example




Big Man - Tops Pattern Shaping

Knit Top Example



		WOVEN	KNITS & SLEEP
POM Codes	POMS	STRUCTURED BOTTOMS	PULL-ON BOTTOMS
A400H	WAIST AT TOP EDGE- RLXD	6 3/8	5 1/2
A401H	WAIST AT TOP EDGE- EXTD		6
	LOW HIP PLCMT ABOVE CROTCH POINT	1	1
A415H	LOW HIP	5 1/2	6
A425H	THIGH	3	4
A438H-01TH	LEG OPENING RLXD (SHORT LENGTH)	2 1/4	3 1/4
A438H-01TH	LEG OPENING RLXD (FULL LENGTH)	3/4	3/4
A439H-08P	LEG OPENING RLXD (FULL LENGTH-JOGGERS)		3/4
A430XH-1/2	KNEE-1/2 INSEAM LEN+2" UP FROM FOLD	1 3/4	2
A450	FRT RSE	1 1/2	1 1/2
A460	BK RSE	3	1 3/4
A500-1TH	INSEAM (SHORT LENGTH)	0 (Inseam not more than 9")	0 (Inseam not more than 9")
A500-IN30	INSEAM (FULL LENGTH)	-2	-2

Big Man - Bottoms Pattern Shaping



Thank You



Technical Design Training & Standards Team

PD-TD_Training@kohls.com