



SMART COPY POM PAGE USING MULTI WINDOW

WARNING: When Smart Copying a POM page, if a vendor was previously assigned to a POM page only the assigned vendor will have access to the POM page. To give access to another vendor the information must be deleted.

1. Navigate to the POM tab. Click More Actions > Multi Window **OR** click the hot key at the top.



2. The Search POM window will open. Type ahead and enter the style number to copy the POM page from.
3. Click Search or hit enter on keyboard.



4. The Style List window will open showing all POM pages in the selected style. Click the box of the POM page to Smart Copy.
5. Click Open. Note: Use the POM Page Description field to help determine which POM page to select to smart copy.

The screenshot shows the 'Style List' window with a table of results. The table has columns for 'Request No', 'Style No', 'Style Link', 'Item Description', 'POM Page Description', 'Tolerance Model', and 'Customer'. The 'POM Page Description' column is highlighted with a red box. The first row is selected, indicated by a blue checkmark in the selection column and a purple background. A red arrow points to the selection column.

Request No	Style No	Style Link	Item Description	POM Page Description	Tolerance Model	Customer
00578926	WC01D002		DENIM BERMUDA	P.R. TICKING STRIPE	DENIM BERMUDA	WOMENS
00578926	WC01D002		DENIM BERMUDA	P.S. 69CTTN.21POLY.8RAY.2SPAN	DENIM BERMUDA	WOMENS
00578926	WC01D002		DENIM BERMUDA	P.W. 72%CTTN.17%POLY.9%RAY.2%SP	DENIM BERMUDA	WOMENS
00578926	WC01D002		DENIM BERMUDA	R.R.TICKING STRIPE	DENIM BERMUDA	WOMENS
00578926	WC01D002		DENIM BERMUDA	R.S.69CTTN.21POLY.8RAY.2SPAN	DENIM BERMUDA	WOMENS
00578926	WC01D002		DENIM BERMUDA	R.W.72%CTTN.17%POLY.9%RAY.2%SP	DENIM BERMUDA	WOMENS


Open

SMART COPY POM PAGE USING MULTI WINDOW (CONT'D)

- The selected POM page will open.
- Click More Actions > Smart Copy.

The screenshot shows the 'Points of Measurement' section of the POM software. A table lists various measurement points with columns for 'Code', 'POM Description', 'Tol(-)', and 'Tol(+)'. Below the table, there are columns for 'Grading' and 'Spec Meas' with numerical values. A 'More Actions...' dropdown menu is open on the right side, with 'Smart Copy' highlighted in red. A red arrow points to the 'More Actions...' button.

- A success message window will appear confirming POM page has been copied successfully.



- Navigate to the POM page of the original tech pack.
- The added POM Page will appear in the Points of Measure bar and drop down.

The screenshot shows the top navigation bar of the software with tabs for 'POM', 'Samples', 'BOM', 'Attachments', and 'Events'. Below the tabs, there are buttons for 'Change Size Range', 'Change Tolerance', 'Calculate Specification', 'Multi Window', and 'POI'. A 'Go To' dropdown menu is open, showing 'R.S.69CTTN.21POLY.8RAY.2SPAN' selected. A red arrow points to the dropdown menu.

Note: If the new POM page does not display, click More Actions > Refresh.

A 'More Actions...' dropdown menu is shown, listing various options such as 'Create Fit Eval', 'Add Points of Measu...', 'Copy POM Code(s)', 'Change Size Range', 'Change Tolerance', 'Calculate Specificat...', 'Create Size Set', 'Multi Window', 'POM Report', 'Delete POM Code(s)', 'Copy', 'Paste', 'View Fit Eval', and 'HTM Report'. The 'Refresh' option at the bottom is highlighted with a red box. A red arrow points to the 'More Actions...' button.