

Title:

PHOTO FRAME/FRAMED ART PRINT/FRAMED WALL ART KOHL'S – 202 – I Tier 1/Tier 2/Tier 3

Test Property	Test Method	Samples	Test Principle / Requirements	Rating (Section or exec. Summary which failed items can be referenced)
---------------	-------------	---------	-------------------------------	---

LABELING				
Labeling / Packaging Review	FPLA 16 CFR 500 & 19 CFR 134	All Samples	 Should be legibly marked with the following information: Distributor's name, trademark or other means of identification of the manufacturer or packer & address (City, State & Zip) Product identification Net quantity of the contents in terms of weight, measure or numerical count (Metric & US Standard) or a combination so as to give accurate information and facilitate value comparison by the consumer Country of origin (if imported) 	
Verify Label Claims	Visual Check	All Samples	The labeling must comply and valid with all claims.	
EPA TSCA Title VI – Composite Wood - Sample Declaration Form and Mill Certificate (if applicable)	40 CFR 770	All	If wood of any type is present in the sample, submitter shall provide a completed and signed Sample Declaration Form. Sections A, B, and E of the Sample Declaration Form must always be completed. • If regulated composite wood is not present in the sample, result is N/A. • If regulated composite wood is present in the sample: • Submitter shall provide a copy of the certificate issued by the Third Party Certifier (TPC) for the mill(s) from which the raw panels were purchased • All information on the certificate shall be consistent with the Sample Declaration Form • Section D of the Sample Declaration Form must also be completed Notes: • Include a copy of the Sample Declaration Form in the report • Regulated composite wood includes: • Hardwood plywood (HWPW) • Medium-density fiberboard (MDF) • Thin medium-density fiberboard (Thin MDF) • Particleboard (PB) • Mill certificate must indicate compliance with TSCA Title VI. It is no longer acceptable to have the certificate indicate compliance with TSCA Title VI.	
			The vi.	Page 1 o



Title:

PHOTO FRAME/FRAMED ART PRINT/FRAMED WALL ART KOHL'S – 202 – I Tier 1/Tier 2/Tier 3

Protocol Number:				
Test Property	Test Method	Samples	Test Principle / Requirements	Rating (Section or exec. Summary which failed items can be referenced)
LABELING continued				
EPA TSCA Title VI – Composite Wood - Raw Panel Labeling (if applicable)	40 CFR 770.45(a)	All Samples	 Panels or bundles of panels must be labeled with the following: The panel producer's name The lot number The number of the EPA TSCA Title VI Third Party Certifier (TPC) A statement of compliance to denote that the panels comply with TSCA Title VI Notes: A panel producer number may be used instead of a name to protect identity Raw panels are regulated composite wood products that have not been used to create a finished good The compliance statement must denote compliance with the TSCA Title VI. It is no longer acceptable to have the panel labeled as compliant with CARB's ATCM for formaldehyde in lieu of TSCA Title VI compliance statement. 	
Formaldehyde Emission of Composite Wood Product - State of California (if applicable)	Airborne Toxic Control Measure (ATCM), California Code of Regulations, Title 17, § 93120	All Samples	Composite wood products include finished goods composed of or containing hardwood plywood (HWPW) made with either a combination core (CC) or a veneer core (VC), particleboard (PB), and medium-density fiberboard (MDF)), or finished goods composed of such products made with no- added formaldehyde based (NAF-based) resins or ultra-low emitting formaldehyde (ULEF) resins, shall not release formaldehyde exceeding the regulatory limits. In lieu of testing, valid certificate or test report or certificate can be submitted if dated within one year.	
Labeling of Composite Wood Product - Formaldehyde Emission - State of California (if applicable)	Airborne Toxic Control Measure (ATCM), California Code of Regulations, Title 17, § 93120	All Samples	Composite wood products include finished goods composed of or containing hardwood plywood (HWPW) made with either a combination core (CC) or a veneer core (VC), particleboard (PB), and medium-density fiberboard (MDF)), or finished goods composed of such products made with no- added formaldehyde based (NAF-based) resins or ultra-low emitting formaldehyde (ULEF) resins, shall be labeled in accordance with the regulations and meet all applicable requirements. In lieu of testing, valid certificate or test report or certificate can be submitted if dated within one year.	



Title:

PHOTO FRAME/FRAMED ART PRINT/FRAMED WALL ART KOHL'S – 202 – I Tier 1/Tier 2/Tier 3

Test Property	Test Method	Samples	Test Principle / Requirements	Rating (Section or exec. Summary which failed items can be referenced)
LABELING continued				
Import Permit (For Natural Materials Only) If Applicable	US Department of Agriculture Animal and Plant Health Inspection Service (APHIS), Plant Protection and Quarantine (PPQ)		Product shall not have prohibited materials present per US Department of Agriculture, Animal and Plant Health Inspection Service (APHIS), Plant Protection and Quarantine (PPQ) Documentation and/ or proper permit(s) for specific product shall be supplied along with Testing Request form and samples. Permit information may be found at: <u>https://www.aphis.usda.gov/wps/portal/aphis/home/</u> It is the vendor's responsibility for the compliance to relevant requirements.	
Adult Tracking Label: **If space limitations exist, contact Kohl's Quality Assurance & Product Integrity teams to discuss minimum required information (MR.QA.PI@kohls.com)	Kohl's Requirement	Samples	Can be included on packaging when necessary: Kohl's Assigned Factory Number Manufacture Date (Month/Year) UPC #	

PHYSICAL CHARACTERISTICS							
Photo Display Dimension	Photo Display Dimension Std. Measure 3 Samples Record actual data. Claim:						
(L X W)				Actual:			

CONSTRUCTION QUALITIES					
Kohl's Workmanship Review	Visual Check /	All Samples	 All components shall be provided as claimed and shall not be deformed or fractured. All hardware shall be provided All welds shall be smoothly finished and free from pits and splatter All components shall not contain any burrs or sharp edges (test by touch or sight) Product shall not contain any loose components or unsecured fastening where rigidity is required 		



Title:

PHOTO FRAME/FRAMED ART PRINT/FRAMED WALL ART KOHL'S – 202 – I Tier 1/Tier 2/Tier 3

Test Property	Test Method	Samples	Test Principle / Requirements	Rating (Section or exec. Summary which failed items can be referenced)
---------------	-------------	---------	-------------------------------	---

PERFORMANCE				
*Static Loading On Wall - Mounting Hardware (Applicable To Product With An Overall Dimension Of 12" X 16" Or Above)	Kohl's TM 40	1 Sample	Apply the test load as per below table for one (1) hour at a distance of ¼ of depth of the cabinet, measured from the front edge of the cabinet. The application of test load shall be evenly distributed to the cabinet/bookshelf. There should be no loss of serviceability, no breakage, permanent deformation or bending. No adverse effects.	
			Tier 1/Tier 2 Tier 3 2 times of total 3 times of total weight weight	
*Wood Moisture Content (Table-top Fame is Exempt)	Std. Measure	1 Sample	Should not exceed 12% for wood based materials only	
#Claim Verification (If Claimed)	Visual Check / Actual Use	1 Sample	All designs and features must conform to actual claim	Claim:



Title:

PHOTO FRAME/FRAMED ART PRINT/FRAMED WALL ART KOHL'S – 202 – I Tier 1/Tier 2/Tier 3

Test Property	Test Method	Samples	Test Principle / Requirements	Rating (Section or exec. Summary which failed items can be referenced)
---------------	-------------	---------	-------------------------------	---

ANALYTICAL				
*Lead In Scrapable Surface Coating	CPSC-CH- E1003-09	1 Sample	≤90 ppm (0.0090% by weight) (CPSA – 16 CFR 1303)	
*Liquid Toxicity: (Applicable only to Liquid Styles)			·
-Propylene Glycol Content	GC/FID	1 Sample	Minimum 12.0% Note: Propylene Glycol should be used as antifreeze. Desired but not required	
-Presence Of Ethylene Glycol (Children's Products)	GC/GCMS	1 Sample	16 CFR 1500.231 Must not be present	
-Presence Of Diethylene Glycol (Children's Products)	GC	1 Sample	16 CFR 1500.231 Must not be present	
-Methanol (Children's Products)	GC	1 Sample	16 CFR 1500.231 Must not be present	
-Mercury (Children's Products)	AAS	1 Sample	16 CFR 1500.231 Must not be present	
-Methylene Chloride (Children's Products)	GC/MS	1 Sample	16 CFR 1500.231 Must not be present	
-Petroleum Distillates (Children's Products)	GC/MS	1 Sample	16 CFR 1500.231 Must not be present	
-Toluene (Children's Products)	GC/MS	1 Sample	16 CFR 1500.231 Must not be present	
-Xylene (Children's Products)	GC/MS	1 Sample	16 CFR 1500.231 Must not be present	
-Formaldehyde Content (%)	With Reference to ISO 14184-1 (UV-VIS Spectrophoto meter)	1 Sample	16 CFR 1500.13 (>1% is considered as a strong sensitizer/warning required)	
*Microbial Test: (Applicable only to Liquid Styles)			
*Standard Bacteria Count (HPC)	APHA 9215B	500 ml	500 HPC Maximum	
*Coliform Count *Mould & Yeast	APHA 9222B FDA 8 th , Rev. A, 1998, Chapter 18		Must not be present < 1 cfu/mL	



Title:

PHOTO FRAME/FRAMED ART PRINT/FRAMED WALL ART KOHL'S – 202 – I Tier 1/Tier 2/Tier 3

Protocol Number:

Test Property	Test Method	Samples	Test Principle / Requirements	Rating (Section or exec. Summary which failed items can be referenced)
---------------	-------------	---------	-------------------------------	---

PRICING AND ADDITIONAL NOTE:

*Please refer to Kohl's preferred third party labs for individual pricing.



Title:

PHOTO FRAME/FRAMED ART PRINT/FRAMED WALL ART

Protocol Number:

KOHL'S – 202 – I Tier 1/Tier 2/Tier 3

Protocol Version	Description of Change	Revised by / Date	Approved by / Date
202- 0	Initial Release	CY Chan Feb 10, 2004	Roger Mayerson Mar 08, 2004
202 - 1	Revise Microbial test – deleted USP 61 changed to Bacteria, Coliform, and Mold & Yeast.	Simon Leung May 06, 2004	Bill Stark May 10, 2004
202 - 2	Revise No. of working days	Simon Leung June 21, 2004	Roger Mayerson July 01 2004
202 - 3	Added Photo Display Dimension, Hardware Static Loading & Wood Moisture Tests. Deleted Use and Abuse Test. Price Adjustment.	Simon Leung Jun 08, 2009	Ro Jain Jun 15, 2009
202-A	Changed protocol number from 202-3 to 202-A. price adjustment	Elizabeth Armstrong April 1, 2010	Ro Jain April 1, 2010
202-В	Updated test method for scrapable surface coating to CPSC method, added carb label requirements. Lowered lead in scrapable surface coating from 600 to 90ppm	Elizabeth Armstrong September 15, 2011	Ro Jain September 15, 2011
202-C	Differentiate the performance rating to Tier 1/Tier 2/Tier 3 Align the pricing	John Wong Oct. 4, 2013	Ro Jain December 20, 2013
202-D	Updated lead content pricing	Candy Chan Jul 30, 2014	Jeetendra Shelatkar Aug 5, 2014
202-E	Renamed Static Loading test method	Birkoff Chen Sep 4, 2014	Teana Robinette Oct 27, 2014
202-F	Added Labeling – US EPA Formaldehyde Emission	Cindy Ng May 5, 2017	Teana Robinette May 8, 2017
202-G	Updated CARB & EPA Labeling	Elizabeth Armstrong June 22, 2018	Elizabeth Armstrong June 22, 2018
202-H	Added import permit & adult tracking label information	Elizabeth Armstrong April 24, 2019	Elizabeth Armstrong April 24, 2019
202-I	Updated contact information for adult tracking label information and updated composite wood requirements	Charlene Swanson June 23, 2020	Charlene Swanson June 23, 2020