

Title: **PLASTIC DECORATIONS OUTDOOR**
 Protocol Number: **KOHL'S – 209 - G Tier 1/Tier 2/Tier 3**

Test Property	Test Method	Samples	Test Principle / Requirements	Rating (Section or exec. Summary which failed items can be referenced)
---------------	-------------	---------	-------------------------------	---

LABELING

Labeling / Packaging Review	FPLA 16 CFR 500 & 19 CFR 134	All Samples	Should be legibly marked with the following information: <ul style="list-style-type: none"> Distributor's name, trademark or other means of identification of the manufacturer or packer & address (City, State & Zip) Product identification Net quantity of the contents in terms of weight, measure or numerical count (Metric & US Standard) or a combination so as to give accurate information and facilitate value comparison by the consumer Country of origin (if imported) 	
Verify Label Claims	Visual Check	All Samples	The labeling must comply and valid with all claims.	
Import Permit (For Natural Materials Only) If Applicable	US Department of Agriculture Animal and Plant Health Inspection Service (APHIS), Plant Protection and Quarantine (PPQ)	All	Product shall not have prohibited materials present per US Department of Agriculture, Animal and Plant Health Inspection Service (APHIS), Plant Protection and Quarantine (PPQ) Documentation and/ or proper permit(s) for specific product shall be supplied along with Testing Request form and samples. Permit information may be found at: https://www.aphis.usda.gov/wps/portal/aphis/home/ It is the vendor's responsibility for the compliance to relevant requirements.	
Adult Tracking Label: **If space limitations exist, contact Kohl's Quality Assurance & Product Integrity teams to discuss minimum required information (MR.QA.PI@kohls.com	Kohl's Requirement	All	Can be included on packaging when necessary: Kohl's Assigned Factory Number Manufacture Date (Month/Year) UPC #	

PHYSICAL CHARACTERISTICS

None				
------	--	--	--	--

Title: PLASTIC DECORATIONS OUTDOOR
Protocol Number: KOHL'S – 209 - G Tier 1/Tier 2/Tier 3

Test Property	Test Method	Samples	Test Principle / Requirements	Rating (Section or exec. Summary which failed items can be referenced)
---------------	-------------	---------	-------------------------------	---

CONSTRUCTION QUALITIES

Kohl's Workmanship Review	Visual Check / Actual Use	All Samples	<ul style="list-style-type: none"> All components shall be provided as claimed and shall not be deformed or fractured. All hardware shall be provided All welds shall be smoothly finished and free from pits and splatter All components shall not contain any burrs or sharp edges (test by touch or sight) Product shall not contain any loose components or unsecured fastening where rigidity is required Product shall not tip over during casual handling 	
---------------------------	---------------------------	-------------	--	--

PERFORMANCE

Effects Of Extreme Temperature/Humidity (Environmental)	Kohl's TM 30	1 Sample	24 hours @ 0° F (-18°C) and 24 hours @ 95% RH/120° F (49°C). No failure or adverse effect.					
*Handle Strength - Static (If Applicable)	Kohl's TM 34	1 Sample	Shall withstand no. of times volume capability weight or no. of times the total weight at a minimum. No failure or adverse effect. <table border="1" style="width:100%; margin-top:5px;"> <tr> <td>Tier 1/Tier 2</td> <td>Tier 3</td> </tr> <tr> <td>2 times</td> <td>3 times</td> </tr> </table>	Tier 1/Tier 2	Tier 3	2 times	3 times	
Tier 1/Tier 2	Tier 3							
2 times	3 times							
*Resistance To Water Leakage (Items Intended To Store Water Only)	Kohl's TM 39	1 Sample	Fill product with water to 2/3 full capacity. No leakage after no. of hours. <table border="1" style="width:100%; margin-top:5px;"> <tr> <td>Tier 1/Tier 2</td> <td>Tier 3</td> </tr> <tr> <td>24 hours</td> <td>36 hours</td> </tr> </table>	Tier 1/Tier 2	Tier 3	24 hours	36 hours	
Tier 1/Tier 2	Tier 3							
24 hours	36 hours							
#Claim Verification (If Claimed)	Visual Check / Actual Use	1 Sample	All designs and features must conform to actual claim	Claim:				

ANALYTICAL

*Lead In Scrapable Surface Coating	CPSC-CH-E1003-09	1 Sample	≤90 ppm (0.0090% by weight) (CPSA – 16 CFR 1303)	
------------------------------------	------------------	----------	--	--

ADDITIONAL NOTE:

*Please refer to Kohl's preferred third party labs for individual pricing and samples.



KOHL'S TEST PROTOCOL

Title: PLASTIC DECORATIONS OUTDOOR
Protocol Number: KOHL'S – 209 - F Tier 1/Tier 2/Tier 3

Protocol Version	Description of Change	Revised by / Date	Approved by / Date
207- 0	Initial Release	Simon Leung Dec 20, 2004	Roger Mayerson Dec 20, 2004
207- 1	Deleted Use and Abuse Test. Updated Workmanship Review. Added Handle Strength and Water Leakage Tests. Price Adjustment.	Simon Leung Jun 08, 2009	Ro Jain Jun 15, 2009
209- A	Added 95% RH Test Condition to Effects of Extreme Temperature. Changed protocol number from 207-2 to 209-A, price adjustment	Simon Leung April 1, 2010	Ro Jain April 1, 2010
209-B	Updated test method for scrapable surface coating to CPSC method. Lowered lead in scrapable surface coating from 600 to 90ppm	Elizabeth Armstrong September 15, 2011	Ro Jain September 15, 2011
209-C	Differentiate the performance rating to Tier 1/Tier 2/Tier 3	John Wong Oct. 4, 2013	Ro Jain Dec. 20, 2013
209-D	Updated lead content pricing	Candy Chan Jul 30, 2014	Jeetendra Shelatkar Aug 5, 2014
209-E	Renamed all in-house methods	Birkoff Chen Sep. 4, 2014	Teana Robinette Oct 27, 2014
209-F	Added import permit & adult tracking information	Elizabeth Armstrong April 24, 2019	Elizabeth Armstrong April 24, 2019
209-G	Updated adult tracking label requirements and contact information	Charlene Swanson June 24, 2020	Charlene Swanson June 24, 2020