

214-20

Belt-Scarf/ Decorative/ Detachable & Suspenders

PERFORMANCE	TEST METHOD	REQUIREMENT
INITIAL PACKAGE		
LABEL VERIFICATION		
Label Review - Washable Belts/ Suspenders	Care Label 16 CFR 423 Textile Fiber Products Identification Act 16 CFR 303 Wool Product Labeling Act-16 CFR 300 Fur Products Labeling Act – 16 CFR 301 Fur Product Identification Act – 15 U.S.C.69	Washable Suspenders : Fiber Content, Care, Country of Origin, Manufacturers Registration Number, Wool Products Registration Number must meet Federal Standards. Refer to Kohl's Labeling Guidelines If label is not sewn to garment, artwork of the proposed care/content label must be provided.
Label Review -Non-Washable Belts/ Suspenders	Care Label 16 CFR 423 Textile Fiber Products Identification Act 16 CFR 303 Wool Product Labeling Act-16 CFR 300 Fur Products Labeling Act – 16 CFR 301 Fur Product Identification Act – 15 U.S.C.69	Non- Washable Suspenders : Country of Origin, Manufacturers Registration Number, Wool Products Registration Number must meet Federal Standards. Fiber Content for Imitation leather Only.
Tracking Label: Children's product: ALL ages	Consumer Product Safety Improvement Act of 2008 (CPSIA) SEC. 103	Refer to Kohl's Tracking Label Section in the Labeling Guideline Policy. Following information must be provided: Retailer's Name (Kohl's) Style Number/Name Factory Number Date (Month/Year)
Adult Tracking Label: <i>**If space limitations exist, contact Kohl's Quality Assurance & Product Integrity teams to discuss minimum required information (quality.assurance@kohls.com, product.integrity@kohls.com).**</i>	Kohl's Requirement	Refer to Kohl's Tracking Label Section in the Labeling Guideline Policy. TO BE MARKED AS PASS/FAIL: Kohl's Assigned Factory Number Manufacture Date (Month/Year) UPC #
Fiber Content	AATCC 20/20A Textile Fiber Products Identification Act 16 CFR 303 Wool Product Labeling Act-16 CFR 300 Fur Products Labeling Act – 16 CFR 301 Fur Product Identification Act – 15 U.S.C.69	One Fiber Only: No Tolerance Two or More Fibers: +/- 3% max deviation from contracted fiber content Functional Fibers i.e. Spandex: +/- 2% max deviation from contracted fiber content
Flammability (All Scarf Belts)	16 CFR 1610	Class 1 Test non-exempt fabrics must be tested in every color
Import Permit (For Natural Materials Only)	US Department of Agriculture Animal and Plant Health Inspection Service (APHIS), Plant Protection and Quarantine (PPQ)	Product shall not have prohibited materials present per US Department of Agriculture, Animal and Plant Health Inspection Service (APHIS), Plant Protection and Quarantine (PPQ) Documentation and/ or proper permit(s) for specific product shall be supplied along with Testing Request form and samples. Permit information may be found at: https://www.aphis.usda.gov/wps/portal/aphis/home/ It is the vendor's responsibility for the compliance to relevant requirements.
Softlines Regulatory Supplemental Protocol	Refer to Protocol 501	All samples shall be reviewed against the requirements of the Softlines Regulatory Supplemental Protocol to determine if additional testing or labeling is required.

Performance Claims Protocol (401)	Refer to Protocol 401	All samples shall be reviewed against the requirements of the Performance Claims Protocol to determine if additional testing or labeling is required			
CONSTRUCTION QUALITY					
Monofilament Thread (applicable to children only)	Visual	No monofilament thread allowed			
Drawstrings and/or Ties (Children's of ALL ages)	ASTM F 1816-97	Must Comply with Kohl's Safety Requirement where specified			
Fragile Trims	Visual	Sizes 0-5T: Must comply with Kohl's Safety Requirement			
		Sizes over 5T & Adult: Report Actual Findings			
Hook & Loop Fasteners	Visual	Must have rounded corners – Refer to Product Safety Policy			
Sharp Points & Sharp Edges	CPSC 16 CFR 1500.48 - 49	No sharp points or sharp edges – Refer to Product Safety Policy			
PHYSICAL PROPERTIES					
Dimensional Change to Home Laundering (scarf belt)	AATCC 150 (3 washes)	WOVENS & KNITS	Tier 1	Tier 2	
	AATCC LP2	Shrinkage	5x5	5x5	
	(Length X Width)	Growth	1x1	1x1	
	Tide® Powder Detergent				
Appearance Retention	AATCC/ASTM TS-008 Modified	Must meet all applicable Kohl's			
Attachment Strength* Applies to Small Parts/Belt Loops/Zipper Tab etc.	16 CFR 1500.51-53 Pt. F(Saf Q)	Sizes 0-5T: No detachment at 17 lbs. for 10 seconds			
		(Must test in original state, after 1 wash, and after 5 washes)			
		Sizes over 5T & Adult: 15 lbs. for 10 seconds			
		(Fragile trims: beads, rhinestones etc.= 5 lbs. for 10 seconds minimum)			
Seam Strength/ Slippage -Wovens	ASTM D 1683		Tier 1	Tier 2	
			25.0	25.0	Tier 3 25.0
COLORFASTNESS					
Colorfastness to Chlorine AND Non-Chlorine Bleach	AATCC/ASTM TS-001	Shade Change: Grade 4 min			
Colorfastness to Crocking (both face and back)	AATCC 8/116 Original State If results fail in original state, perform after 1 Wash/Dry Cycle	All fabrics :			
			Tier 1	Tier 2	
		dry	4.0	4.0	
		wet	3.0	3.0	
ANALYTICAL					
Formaldehyde (scarf/textile belt only)	Kohl's TM-5 (only for 4 years and up)	Negative, If Spot Test is Positive, proceed with step 2			
	JIS L 1041:2000 –	Children <u>over 4</u> & Adults = 75 ppm max.			
	Sec. 5.3.1 (2) Method B, JIS Water Extraction	Children's 0-5T = 20 ppm max.			
pH Value (scarf/textile belt only)	AATCC 81	5.0 - 8.0 (zero tolerance)			
ADDITIONAL COLORWAY TESTING					
Flammability (All Scarf Belts)	16 CFR 1610	Class 1 Test non-exempt fabrics must be tested in every color			
Colorfastness to Chlorine AND	AATCC/ASTM TS-001	Shade Change: Grade 4 min			
Colorfastness to Crocking (both face and back)	AATCC 8/116 Original State If results fail in original state, perform after 1 Wash/Dry Cycle	All fabrics (except listed below):			
			Tier 1	Tier 2	
		dry	4.0	4.0	
		wet	3.0	3.0	
		Pigment Dyed/Printed, Lightly Brushed, Piled, Sulphur, Indigo & Silk blends:			
		dry	3.5	3.5	
		wet	2.0	2.0	
Formaldehyde (scarf/textile belt only)	Kohl's TM-5 (only for 4 years and up)	Negative, If Spot Test is Positive, proceed with step 2			
	JIS L 1041:2000 –	Children <u>over 4</u> & Adults = 75 ppm max.			
	Sec. 5.3.1 (2) Method B, JIS Water Extraction	Children's 0-5T = 20 ppm max.			
pH Value	AATCC 81	5.0 - 8.0 (zero tolerance)			
Appearance Retention	AATCC/ASTM TS-008 Modified	Must meet all applicable Kohl's Appearance Evaluation Requirements			
REQUIRED WHERE APPLICABLE AT ADDITIONAL COST					
Kohls Durability Evaluation *	Kohl's Durability Evaluation Tide® Powder Detergent	Fragile trims, heat transfer & screen prints - Must meet all applicable Kohl's Durability Evaluation Requirements			

Resistance to	ASTM D 4846	Requirement = 1.5-8 lbs. max.
Stretch and recovery of	ASTM D 4964	Extension :75 % Min
Nickel Content – as per kohls	Kohl's TM-18	Negative
Material identification	16 CFR 24	Refer Kohl's Labeling Guidelines
Colorfastness to Saliva *	64LFGB B 82.92-3, Part 1	Staining: Grade 4.5 min.
TOXICOLOGY TESTING – REQUIRED WHERE APPLICABLE AT ADDITIONAL COST		
Lead Content in Surface Coating – Scrapeable in each color *	CPSC-CH-E1003-09.1	Children of ALL Ages <90 ppm (0.009% total weight) Adults <90 ppm max (0.009% total weight) Refer to Kohl's Product Safety Policy for additional requirement on Composite Testing
Total Lead in Substrate Material * (Accessible components)	CPSC-CH-E1002-08.1/CPSC-CH-E1001-08.1	Children's of ALL ages - <100 ppm max (0.010% total weight) Refer to Kohl's Product Safety Policy for additional requirement on Composite Testing
Phthalates content	Consumer Product Safety Improvement Act of 2008 / 16 CFR 1307 / CPSC-CH-C1001-09.4 (Mod)	Children's toys and childcare articles, before and after use and abuse testing, shall not contain concentrations of more than 0.1% BBP, DBP, DEHP, DINP, DIBP, DPENP, DHEXP or DCHP individually. Component testing is allowed. Compositing up to 3 like materials is allowed. Product manufactured and imported as of April 25, 2018 must comply
Soluble Heavy Metals * Applies to Children's Toys	ASTM F 963	Children's Toys = Defined as a consumer product designed or intended by the manufacturer for a child, for use by the child when the child plays. Required for children's toys of ALL ages
		Mercury - 60 ppm
		Barium - 1000 ppm
		Antimony - 60 ppm
		Cadmium - 75 ppm
		Arsenic - 25 ppm
		Chromium - 60 ppm
		Selenium - 500 ppm
		Lead - 90 ppm
Lead, Cadmium and Phthalate* Applicable to children product including: - Child car seats - Clothing - Cosmetics for children under the age of 12 - Jewelry for children under the age of 12 - Products to help a child with sucking or teething, to facilitate sleep, relaxation, or the feeding of a child	<u>Lead and Cadmium</u> EPA SW 846 Method # 3050B/3051 (Mod.) / CPSCCH-E1003-09.1/ CPSC-CHE1002-08.1 / CPSC-CHE1001-08.1 <u>Phthalate</u> CPSC-CH-C1001-09.4 (Mod)	Washington Children's Safe Products Act ≤ 90 ppm (lead) ≤ 40 ppm (Cadmium) ≤ 0.1% (DEHP, BBP, DBP, DINP, DIDP, DnHP, DnOP, DIBP, DnPP or DCHP) (individually or in combination) Note: Actual test would be performed on below suggested accessible materials.
		Substances
		Suggested materials
		Lead
		Follow CPSC lead
		Cadmium
		Follow CPSC lead
		Phthalates
		Coating and Plasticized materials
		The Washington standard cannot be enforced for products to which a federal standard applies.
(*) asterisk = ALL COLORWAYS MUST BE TESTED		
Note: All garments offered for sale with detachable belts must contain the warning "Remove Belt Before Washing" in the care labels of the garment.		
Note: Scarf belts without hardware that can also be worn as a scarf must meet the labeling requirements of the Textile Fibers Products Identification act and the Care Labeling Rules		
PRICING AND ADDITIONAL NOTE: *Please refer to Kohl's preferred third party labs for individual pricing and samples needed.		
PROTOCOL VERSION	DESCRIPTION OF CHANGE	DATE REVISION / APPROVED BY
214-7	1. Added Formaldehyde requirement for	September 2013 /Vinoth
	2. Added – pH test to full package and	
	3. Updated Lead in Surface Coating – reduced	
	4.Updated Soluble Heavy Metals – test method	
214-8	Removed pricing for testing/took out	October 6th 2014/Nov. 31 2014/Leah Gross-Hutchison

	Intertek/added approved lab statement	
214-9	Lead, Cadmium and Phthalate in Washington Children's Safe Products Act	August 2016 - Becky Becker
214-10	1) Attachment Strength - Added "(Must test in original state, after 1 wash, and after 5 washes)" for sizes 0-5T. 2) Fragile Trims - updated size ranges to include 5T 3) Formaldehyde - updated size ranges to include 5T 4) Zipper Tab Twist - updated size ranges to include 5T	February 2017 - Becky Becker
214-11	1) Updated pH value to 5.0-8.0 (zero tolerance) 2) Updated Phthalates in each plasticized part/material such as PVC, Vinyl	October 2018 - Becky Becker
214-12	1) Updated Tracking Label to include Adult Tracking Label requirements	March 2019-Jackie Deppisch
214-13	1) Separated Adult Tracking Label and marked as DATA ONLY	March 2019-Jackie Deppisch
214-14	1) Updated Colorfastness to saliva to be most current and requirements to match other protocols	March 2019 - Charlene Swanson
214-15	1) Updated hand wash requirement to AATCC LP2 2) Updated Phthalates requirement to CPSC-CH-C1001-09.4 (Mod 3) Added Import Permit Requirements for natural materials only	April 2019 - Becky Becker
214-16	1) Updated Adult Tracking Label to REQUIREMENT	March 2020- Jackie Deppisch
214-16	1) Reformatted document 2) Removed "Ultra" from Tide detergent	March 2020 - Charlene Swanson
214-17	Removed Tier 3 from Protocol	Aug 2021 Elizabeth Armstrong
214-18	1) Added test line for all performance claims	March 2022 / Becky Becker
214-19	Added 501 Supplemental Labeling	November 2022/Jackie Deppisch
214-20	Removed year from ASTM F963 test	Violet Nelson / Feb 2024