

PROTOCOL # 221-I

ARTIFICIAL_TREE_and_FLOWER_FRUIT_COORDINATE_Tier-1,2

Performance Test	Test Method	Samples	Requirement	Rating (Section or exec. Summary which failed items can be referenced)
Initial Package				
Label Verification				
Labeling / Packaging Review	FPLA 16 CFR 500 & 19 CFR 134	All Samples	Should be legibly marked with the following information: - Distributor's name, trademark or other means of identification of the manufacturer or packer & address (City, State & Zip) - Product identification - Net quantity of the contents in terms of weight, measure or numerical count (Metric & US Standard) or a combination so as to give accurate information and facilitate value comparison by the consumer - Country of origin (if imported)	
Verify Label Claims	Visual Check	All Samples	The labeling must comply and valid with all claims.	
Adult Tracking Label: **If space limitations exist, contact Kohl's Quality Assurance & Product Integrity teams to discuss minimum required information (MR.QA.PI@kohls.com)	Kohl's Requirement	All Samples	Can be included on packaging when necessary: Kohl's Assigned Factory Number Manufacture Date (Month/Year) UPC #	
Import Permit (For Natural Materials Only)	US Department of Agriculture Animal and Plant Health Inspection Service (APHIS), Plant Protection and Quarantine (PPQ)	All Samples	Product shall not have prohibited materials present per US Department of Agriculture, Animal and Plant Health Inspection Service (APHIS), Plant Protection and Quarantine (PPQ) Documentation and/ or proper permit(s) for specific product shall be supplied along with Testing Request form and samples. Permit information may be found at: https://www.aphis.usda.gov/wps/portal/aphis/home/ It is the vendor's responsibility for the compliance to relevant requirements	
Marking and Instruction				
Instructional Literature (If Applicable)	Visual Check	1 Sample	Shall be legible and easy to read. Shall provide proper assembly instruction.	
Analytical				
*Lead in Scapable Surface Coating	CPSC-CH-E1003-09	1 Sample	≤90 ppm (0.0090% by weight) (CPSA – 16 CFR 1303)	
*CA Prop 65	Refer to Protocol 1300	All Samples	All samples shall be reviewed against the requirements of California Proposition 65 to determine if additional testing or labeling is required.	
Physical Characteristics				
Overall Dimension (Height, Length or Diameter)	Std. Measure	3 Samples	Max. +5% / -0% of claimed dimension. Record actual data if there is no claim.	Claim: Actual:
Construction Qualities				
Kohl's Workmanship Review	Visual Check / Actual Use	All Samples	- All components shall be provided as claimed and shall not be deformed or fractured. - All hardware shall be provided - All welds shall be smoothly finished and free from pits and splatter - All components shall not contain any burrs or sharp edges (test by touch or sight) - Product shall not contain any loose components or unsecured fastening where rigidity is required - Product shall not tip over during casual handling	
Performance				
Flammability	16 CFR 1500.44	1 Sample	Less than 0.1"/sec.	
Loading Capacity Of Holder/Hanger/Mount	Std. Measure	1 Sample	Must withstand no. of times the total weight for 4 hours. No failure or adverse effect. Tier 1 = 2 times Tier 2 = 3 times	
Tree Base Support/Stand	Std. Measure	1 Sample	Shall withstand no. of lb static loading for 24 hours. No failure or adverse effect. Tier 1 = 15 lb Tier 2 = 25 lb	
*Stability (Applicable To Tree Or Similar Design Only)	Kohl's TM 38	1 Sample	Shall not tip over when placed on a 10 deg incline from level.	
Effects Of Extreme Temperature/Humidity (Environmental)	Kohl's TM 30	1 Sample	24 hours @ 0° F (-18°C) and 24 hours @ 95% RH/120° F (49°C). No failure or adverse effect.	
*Wood Moisture Content	Std. Measure	1 Sample	Should not exceed 12% for wood based material only	
#Claim Verification (If Claimed)	Visual Check / Actual Use	1 Sample	All designs and features must conform to actual claim	Claim:
<i>In addition to this protocol, any product designed for, intended for or appealing primarily to children, requires additional testing per Kohl's Testing Protocol #601. KOHL'S, AGENT'S & VENDORS USE ONLY</i>				

