

Title: CHRISTMAS STOCKING HOLDER
 Protocol Number: KOHL'S – 225-H Tier 1/Tier 2/Tier 3

Test Property	Test Method	Samples	Test Principle / Requirements	Rating (Section or exec. Summary which failed items can be referenced)
---------------	-------------	---------	-------------------------------	---

LABELING				
Labeling / Packaging Review	FPLA 16 CFR 500 & 19 CFR 134	All Samples	Should be legibly marked with the following information: <ul style="list-style-type: none"> Distributor's name, trademark or other means of identification of the manufacturer or packer & address (City, State & Zip) Product identification Net quantity of the contents in terms of weight, measure or numerical count (Metric & US Standard) or a combination so as to give accurate information and facilitate value comparison by the consumer Country of origin (if imported) 	
Verify Label Claims	Visual Check	All Samples	The labeling must comply and valid with all claims.	
Import Permit (For Natural Materials Only)	US Department of Agriculture Animal and Plant Health Inspection Service (APHIS), Plant Protection and Quarantine (PPQ)	All Samples	Product shall not have prohibited materials present per US Department of Agriculture, Animal and Plant Health Inspection Service (APHIS), Plant Protection and Quarantine (PPQ) Documentation and/ or proper permit(s) for specific product shall be supplied along with Testing Request form and samples. Permit information may be found at: https://www.aphis.usda.gov/wps/portal/aphis/home/ It is the vendor's responsibility for the compliance to relevant requirements.	Pass/Fail
Adult Tracking Label: **If space limitations exist, contact Kohl's Quality Assurance & Product Integrity teams to discuss minimum required information (MR.QA.PI@kohls.com)	Kohl's Requirement	All Samples	Can be included on packaging when necessary: Kohl's Assigned Factory Number Manufacture Date (Month/Year) UPC #	

PHYSICAL CHARACTERISTICS				
None				
CONSTRUCTION QUALITIES				
Kohl's Workmanship Review	Visual Check / Actual Use	All Samples	<ul style="list-style-type: none"> All components shall be provided as claimed and shall not be deformed or fractured. All hardware shall be provided All welds shall be smoothly finished and free from pits and splatter All components shall not contain any burrs or sharp edges (test by touch or sight) Product shall not contain any loose components or unsecured fastening where rigidity is required 	

Title: CHRISTMAS STOCKING HOLDER
 Protocol Number: KOHL'S – 225-H Tier 1/Tier 2/Tier 3

Test Property	Test Method	Samples	Test Principle / Requirements	Rating (Section or exec. Summary which failed items can be referenced)
---------------	-------------	---------	-------------------------------	---

PERFORMANCE					
Loading Capacity Of Holder	Std. Measure	1 Sample	Should withstand no. of lbs static loading at intended use position without tipping over. No holder breakage, permanent deformation or bending.		
			Tier 1/Tier 2		Tier 3
			5 lbs		7 lbs
#Claim Verification (If Claimed)	Visual Check / Actual Use	1 Sample	All designs and features must conform to actual claim	Claim:	

ANALYTICAL				
*Lead In Scrapable Surface Coating	CPSC-CH-E1003-09	1 Sample	≤90 ppm (0.0090% by weight) (CPSA – 16 CFR 1303)	
* CA Prop 65	Refer to supplementary CA Prop 65 Protocol 1300	All Samples	All samples shall be reviewed against the requirements of California Proposition 65 to determine if additional testing or labeling is required.	

ADDITIONAL NOTE:

*Please refer to Kohl's preferred third party labs for individual pricing and samples.

Title: CHRISTMAS STOCKING HOLDER
 Protocol Number: KOHL'S – 225-G Tier 1/Tier 2/Tier 3

Protocol Version	Description of Change	Revised by / Date	Approved by / Date
215- 0	Initial Release	CY Chan Feb 10, 2004	Roger Mayerson Mar 08, 2004
215- 1	Updated Test Requirement for Loading Capacity of Holder	Simon Leung Jun 08, 2009	Ro Jain Jun 15, 2009
225-A	Changed protocol number from 215-1 to 225-A, price adjustment	Elizabeth Armstrong April 1, 2010	Ro Jain April 1, 2010
225-B	Updated test method for scrapable surface coating to CPSC method. Lowered lead in scrapable surface coating from 600 to 90ppm	Elizabeth Armstrong September 15, 2011	Ro Jain September 15, 2011
225-C	Differentiate the performance rating to Tier 1/Tier 2/Tier 3	John Wong Oct. 4, 2013	Ro Jain Dec 20, 2013
225-D	Updated lead content pricing	Candy Chan Jul 30, 2014	Jeetendra Shelatkar Aug 5, 2014
225-E	Add CA Prop 65	Zoe Yeung Apr 23, 2015	Jeetendra Shelatkar April 29, 2015
225-F	Update loading standards	Teana Robinette March 23, 2018	Teana Robinette March 23, 2018
225-G	Added Import Permit & Adult Tracking Label Requirements	Jackie Deppisch April 24, 2019	Jackie Deppisch April 24, 2019
225-H	Updated adult tracking label requirements and contact information.	Charlene Swanson June 26, 2020	Charlene Swanson June 26, 2020