

KOHL'S TEST PROTOCOL

Title: PIGGY BANK/COIN BANK (CERAMIC)

Protocol Number: 233-B

Test Property	Test Method	Samples	Test Principle / Requirements	Rating (Section or exec. Summary which failed items can be referenced)
---------------	-------------	---------	-------------------------------	---

LABELING Labeling / Packaging	FPLA	All	Should be legibly marked with the following	
Review	16 CFR 500 & 19 CFR 134	Samples	 information: Distributor's name, trademark or other means of identification of the manufacturer or packer & address (City, State & Zip) Product identification Net quantity of the contents in terms of weight, measure or numerical count (Metric & US Standard) or a combination so as to give accurate information and facilitate value comparison by the consumer Country of origin (if imported) 	
Verify Label Claims	Visual Check	All Samples	The labeling must comply and valid with all claims.	
Import Permit (For Natural Materials Only) If Applicable	US Department of Agriculture Animal and Plant Health Inspection Service (APHIS), Plant Protection and Quarantine (PPQ)	All Samples	Product shall not have prohibited materials present per US Department of Agriculture, Animal and Plant Health Inspection Service (APHIS), Plant Protection and Quarantine (PPQ) Documentation and/ or proper permit(s) for specific product shall be supplied along with Testing Request form and samples. Permit information may be found at: https://www.aphis.usda.gov/wps/portal/aphis/ho me/ It is the vendor's responsibility for the compliance to relevant requirements.	
Adult Tracking Label: **If space limitations exist, contact Kohl's Quality Assurance & Product Integrity teams to discuss minimum required information (MR.QA.PI@kohls.com)	Kohl's Requirement	All Samples	Can be included on packaging when necessary: Kohl's Assigned Factory Number Manufacture Date (Month/Year) UPC #	
PHYSICAL CHARACTERIST	ICS			
Overall Dimensions (L x W x H)	Standard Measure	1 Sample	· · · , · · · · · · · · · · · · · · · ·	Claim: Actual:



Title: PIGGY BANK/COIN BANK (CERAMIC)

Protocol Number: 233-B

Test Property	Test Method	Samples	Test Principle / Requirements	Rating (Section or exec. Summary which failed items can be referenced)
---------------	-------------	---------	-------------------------------	---

FLAMMABILTY							
Flammability of Solids (if applicable)	16 CFR 1500.44	1 Sample	Shall not burn at a rate exceeding 0.1 in/sec				

CONSTRUCTION QUALIT	TIES			
Kohl's Workmanship Review	Visual Check / Actual Use	All Samples	 All components shall be provided as claimed and shall not be deformed or fractured. All hardware shall be provided All welds shall be smoothly finished and free from pits and splatter All components shall not contain any burrs or sharp edges (test by touch or sight) Product shall not contain any loose components or unsecured fastening where rigidity is required Product shall not tip over during casual 	
Monofilament Thread (applicable to children only)	Visual	All Samples	No monofilament thread allowed	

PERFORMANCE	PERFORMANCE				
Surface Scratching	Actual Use	1 Sample	No scratching of test surface (wood, glass) 3 cycles of 6 inches back and forth.		
Tilt Resistance	Kohl's TM 36	1 Sample	No tipping or instability – hold at 10° angle. Test when product is empty and full.		
Drop Test (for non-fragile items)	Actual Use	1 Sample	Shall withstand 3 drops from 3 feet height onto vinyl clad cement floor with no failure.		
Effects of extreme temperature/humidity (environmental)	Kohl's TM 30	1 Sample	24 hours @ 0°F (-18°C) 24 hours @ 95% RH/120°F (49°C) – no failure or visual change.		
Cycle Test/Test for buttons, switches, and/or moving components (if applicable)	Actual Use	1 Sample	Shall have no breakage, loss of functionality, loss of serviceability after 200 times/cycles of buttons, switches, and/or moving components.		
Ease of Assembly/Installation (if applicable)	Actual Use	1 Sample	Shall present no difficulties during assembly and installation when following instructions.		
Durability of Coin Removal Means (if applicable)	Actual Use	1 Sample	Shall withstand 100 cycles (1 cycle = coin(s) in/coin(s) out) of coin removal without loss of serviceability. Plug shall not break when removing from product, inspect after last cycle.		



Title: PIGGY BANK/COIN BANK (CERAMIC)

Protocol Number: 233-B

Test Property	Test Method	Samples	Test Principle / Requirements	Rating (Section or exec. Summary which failed items can be referenced)
PERFORMANCE – Continu	led			
Resistance to Corrosion	ASTM B117	1 Sample	Shall withstand 24 hours in 1% salt spray (fog)	
(metal components only)			with no major corrosion or visual change.	
#Claim Verification	Visual Check	1 Sample	All designs and features must conform to	Claim:
(If Claimed)	/ Actual Use		actual claim	

ANALYTICAL				
*Lead In Scrapable Surface Coating	CPSC-CH- E1003-09	1 Sample	≤90ppm (0.0090% by weight). (CPSA – 16 CFR 1303)	
*Sharp Points & Edges (If applicable)	16 CFR 1500.48 & 49	1 Sample	Products intended for children shall not exhibit non-functional sharp points and edges.	
* CA Prop 65	Refer to Protocol 1300	All Samples	All samples shall be reviewed against the requirements of California Proposition 65 to determine if additional testing or labeling is required	* CA Prop 65



KOHL'S TEST PROTOCOL

Title: PIGGY BANK/COIN BANK (CERAMIC)

Protocol Number: 233-B

Test Property	Test Method	Samples	Test Principle / Requirements	Rating (Section or exec. Summary which failed items can be referenced)
---------------	-------------	---------	-------------------------------	---

ADDITIONAL NOTE:

*Please refer to Kohl's preferred third party labs for individual pricing and samples.



KOHL'S TEST PROTOCOL

Title: Protocol Number: PIGGY BANK/COIN BANK (CERAMIC) KOHL'S – 233-B

Protocol Version	Description of Change	Revised by / Date	Approved by / Date
233-A	Initial Release	Charlene Swanson December 2019	Charlene Swanson December 2019
233-В	Updated adult tracking label requirements and contact information, fixed incorrect page number(s)	Charlene Swanson June 29, 2020	Charlene Swanson June 29, 2020