

PROTOCOL # 243 - A

WALL DECAL (I.E. STICKY DECAL)

Performance Test	Test Method	Samples	Requirement	Rating (Section or exec. Summary which failed items can be referenced)
LABELING				
Labeling / Packaging Review	FPLA 16 CFR 500 & 19 CFR 134	All Samples	Should be legibly marked with the following information: <ul style="list-style-type: none"> Distributor's name, trademark or other means of identification of the manufacturer or packer & address (City, State & Zip) Product identification Net quantity of the contents in terms of weight, measure or numerical count (Metric & US Standard) or a combination so as to give accurate information and facilitate value comparison by the consumer Country of origin (if imported) 	
Verify Label Claims	Visual Check	All Samples	The labeling must comply and valid with all claims.	
Import Permit (For Natural Materials Only) If Applicable	US Department of Agriculture Animal and Plant Health Inspection Service (APHIS), Plant Protection and Quarantine (PPQ)	All	Product shall not have prohibited materials present per US Department of Agriculture, Animal and Plant Health Inspection Service (APHIS), Plant Protection and Quarantine (PPQ) Documentation and/ or proper permit(s) for specific product shall be supplied along with Testing Request form and samples. Permit information may be found at: https://www.aphis.usda.gov/wps/portal/aphis/home/ It is the vendor's responsibility for the compliance to relevant requirements.	
CPSIA Tracking Label	Visual Check	All Samples	Kohls Tracking label Requirements – Includes "Kohl's", the product style number or name, the manufacturer's factory number and the month and year the product was manufactured. Shall be permanently and distinguishably marked on the product.	
Adult Tracking Label: **If space limitations exist, contact Kohl's Quality Assurance & Product Integrity teams to discuss minimum required information (mr.qa.pi@kohls.com)	Kohl's Requirement	All	Can be included on packaging when necessary: <ul style="list-style-type: none"> Kohl's Assigned Factory Number Manufacture Date (Month/Year) UPC # 	
PHYSICAL CHARACTERISTICS				
Count	Visual Check	1 Sample	Shall meet label claims	Claim: Actual:
CONSTRUCTION QUALITIES				
Kohl's Workmanship Review	Visual Check / Actual Use	All Samples	<ul style="list-style-type: none"> All components shall be provided as claimed and shall not be deformed or fractured. All hardware shall be provided All welds shall be smoothly finished and free from pits and splatter All components shall not contain any burrs or sharp edges (test by touch or sight) Product shall not contain any loose components or unsecured fastening where rigidity is required Product shall not tip over during casual handling 	
Sharp Points & Edges	16 CFR 1500.48 & 49	1 Sample	Products intended for children shall not exhibit non-functional sharp points or sharp edges	
Small Parts	16 CFR 1500.50 / 16 CFR 1501	1 Sample	Products intended for children under 3 years of age shall not include removable, liberated components, or fragments of the item before and after use and abuse that are small enough (without being compressed) to fit entirely within the small parts cylinder.	
PERFORMANCE				
Pressure sensitive adhesion strength	Actual Use	1 Sample	<ul style="list-style-type: none"> As Received: 1 lb/in minimum After cold treated (0° F) @ 4 hours: 1 lb/in minimum After heat treated (100° F) @ 4 hours: 1 lb/in minimum 	
Adhesion	Actual Use	1 Sample	Perimeter of product shall not curl or release after 4 hours at ambient room temperature, when applied to a painted test surface Note: Test with specimen in size 2 in. x 2 in.	
Ease of Assembly / Installation (If applicable)	Actual Use	1 Sample	Shall present no difficulties during assembly and installation when following instructions	
Functionality	Actual Use	1 Sample	Shall function as intended as received	

*Colorfastness To Dry Crocking (If Applicable)	AATCC 8/116	1 Sample	Class 4.0 (textile) Class 3.0 (vinyl/leather/suede/denim/leather) Note: Decorative trim applied by embroidery, overlay, applique etc. is exempt	
*Colorfastness To Wet Crocking (If Applicable)	AATCC 8/116	1 Sample	Class 3.0 (textile) Class 2.0 (vinyl/leather/suede/denim/leather) Note: Decorative trim applied by embroidery, overlay, applique etc. is exempt	
Colorfastness to Light (If applicable)	AATCC 16.3 (20 AFU)	1 Sample	Grade 4 min.	
Sutherland Rub Test (If applicable)	ASTM D5264	1 Sample	For paper with color printing: No noticeable color shall rub off on the specimen after 100 strokes. Rub against copier paper receptor under 4 lbs (1.81kg) top loading at 106 cycles per minute	
#Claim Verification (If Claimed)	Visual Check / Actual Use	1 Sample	All designs and features must conform to actual claim	Claim: Actual:
Flammability of Solids (If applicable)	16 CFR 1500.44	1 Sample	Shall not burn at a rate exceeding 0.1 in/sec	
Flammability of Vinyl Material (If applicable)	16 CFR 1611	1 Sample	Shall not exceed 1.2 in/sec of average rate of burning	
ANALYTICAL				
*pH / Acid Free (If Claimed)	TAPPI T435	1 Sample	Record actual pH value	
*Lead In Scrapable Surface Coating	CPSC-CH-E1003-09	1 Sample	≤ 90 ppm (0.009% by weight) (CPSA – 16 CFR 1303)	
*Lead In Substrate Material (Accessible Component) (Applicable To All Children's Products)	CPSC-CH-E1001-08 and/or CPSC-CH-E1002-08	1 Sample	≤ 100 ppm (0.010% by weight) (CPSA)	
Chemicals of High Concern for Children (State of Washington)	Revised Code of Washington, Chapter 70.240.040 & Washington Administrative Code, Chapter 173-334	1 Sample	For children product, as defined, and accessible components thereof. Record the concentration of chemicals on the Chemicals of High Concern for Children (CHCC) list. No pass / fail verdict. NOTE: 1) For children under 12 years of age. 2) "Children's product" includes toy; children's cosmetic; children's jewelry; product designed or intended by the manufacturer to help a child with sucking or teething, to facilitate sleep, relaxation, or the feeding of a child, or to be worn as clothing by children; or child car seat. 3) Chemical on the CHCC list that is an intentionally added chemical present in a product component shall be reported to the Department of Ecology at any concentration above the practical quantification limit. Chemical on the CHCC list that is a contaminant present in product component shall be reported to the Department at any concentration above 100 ppm unless the manufacturer had in place a manufacturing control program and exercised due diligence to minimize the presence of the contaminant.	
Priority Chemicals (State of Maine)	Maine Revised Statutes Annotated (MRSA), Title 38, Chapter 16-D, Code of Maine Rules (CMR), Chapter 880, 882-890	1 Sample	For children product, as defined, and accessible components thereof that contains intentionally-added priority chemicals. Record the concentration of the priority chemicals. No pass / fail verdict. NOTE: 1) Children's product means a consumer product intended for, made for or marketed for use by children under 12 years of age, such as baby products, toys, car seats, personal care products and clothing, and any consumer product containing a chemical of high concern that when used or disposed of will likely result in a child under 12 years of age or a fetus being exposed to that chemical. 2) Manufacturer shall report to the Department of Environmental Protection that a product contains intentionally-added priority chemicals. 3) This requirement is NOT applicable to a priority chemical that occurs in a product component only as a contaminant if the manufacturer had in place a manufacturing control program and exercised due diligence to minimize the presence of the contaminant in the component.	

Chemicals of High Concern to Children (State of Vermont)	US State Law, Vermont Statutes Annotated (VSA), Title 18, Chapter 38A	1 Sample	<p>For children product, as defined, and accessible components thereof.</p> <p>Record the concentration of Chemicals of High Concern to Children (CHCC). No pass / fail verdict.</p> <p>NOTE:</p> <p>1) For children under 12 years of age.</p> <p>2) Children product includes toy; children cosmetic; children jewelry; product designed or intended by the manufacturer to help a child with sucking or teething, to facilitate sleep, relaxation, or the feeding of a child, or to be worn as clothing by children; or child car seat.</p> <p>3) A manufacturer of a children's product or a trade association representing a manufacturer of children's products, shall submit the disclosure notice for each chemical of high concern to children in a children's product to the Department:</p> <p>a) Intentionally added to a children's product at a level above the PQL produced by the manufacturer; or</p> <p>b) Present in a children's product produced by the manufacturer as a contaminant at a concentration of more than 100 ppm.</p>															
High Priority Chemicals of Concern to Children's Health (State of Oregon)	US State Law, Toxic-Free Kids Act / Oregon Administrative Rules 333-016	1 Sample	<p>For children product, as defined.</p> <p>Record the concentration of High Priority Chemicals of Concern to Children's Health (HPCCCH). No pass / fail verdict.</p> <p>NOTE:</p> <p>1) Children's product means any of the following products and any component part of them that are made for, marketed for use by or marketed to children under 12 years of age: a product designed or intended by the manufacturer to facilitate sucking, teething, sleep, relaxation, feeding or drinking; children's clothing and footwear; car seats; children's cosmetics; children's jewelry; or toys.</p> <p>2) A manufacturer of children's product sold or offered for sale that contains a HPCCCH intentionally added with concentration above the practical quantification limit or contaminated with a concentration above 100 ppm, shall submit a biennial notice to the Oregon Health Authority that contains all the information required in these rules, unless the manufacturer or product is exempt.</p> <p>3) A manufacturer of products for children under three years old, children's cosmetics or children's products that are intended to be placed in the mouth that is reporting the presence of a HPCCCH such a product for a third time shall ensure that they have taken one of the following actions: remove HPCCCH, substitute HPCCCH with less hazardous alternative or have a waiver approved by the Oregon Health Authority.</p>															
Heavy Metals in Children's Product (Suffolk County of New York State)	US State Law, Suffolk County Local Law No.22-2015 (The Toxic Free Toys Act) amended by Local Law No.26-2017	1 Sample	<p>Children's products shall not contain the following chemicals exceeding the specified limits (ppm):</p> <table border="0"> <tr> <td>Heavy Metal:</td> <td>Limit:</td> </tr> <tr> <td>Antimony</td> <td>60ppm (accessible)</td> </tr> <tr> <td>Arsenic</td> <td>25ppm (accessible)</td> </tr> <tr> <td>Cadmium</td> <td>75ppm (accessible)</td> </tr> <tr> <td>Lead</td> <td>100ppm (accessible substrate)</td> </tr> <tr> <td>Lead</td> <td>90ppm (surface coatings)</td> </tr> <tr> <td>Mercury</td> <td>60ppm (accessible)</td> </tr> </table> <p>1) "Children's product" means a product primarily intended for, made for, or marketed for use by children aged 12 and under, excluding batteries, consumer electronics or electronic components, paper products or a drug, biologic, medical device, food, or food additive regulated by the US FDA.</p> <p>2) If the federal laws are amended to include additional hazardous substances beyond those listed above, children's products shall also comply with the extra requirements based on federally prescribed levels and test methods.</p>	Heavy Metal:	Limit:	Antimony	60ppm (accessible)	Arsenic	25ppm (accessible)	Cadmium	75ppm (accessible)	Lead	100ppm (accessible substrate)	Lead	90ppm (surface coatings)	Mercury	60ppm (accessible)	
Heavy Metal:	Limit:																	
Antimony	60ppm (accessible)																	
Arsenic	25ppm (accessible)																	
Cadmium	75ppm (accessible)																	
Lead	100ppm (accessible substrate)																	
Lead	90ppm (surface coatings)																	
Mercury	60ppm (accessible)																	

Heavy Metals in Children's Product (Albany County of New York State)	US State Law, Albany County Local Law No.1 for 2015, as amended (The Toxic Free Toys Act)	1 Sample	<p>Children's products not covered by federal legislation shall not contain the following heavy metals exceeding the specified limits:</p> <table border="1" data-bbox="857 157 1247 567"> <thead> <tr> <th rowspan="2">Heavy Metal</th> <th colspan="2">Limit</th> </tr> <tr> <th>Surface coating</th> <th>Accessible substrate</th> </tr> </thead> <tbody> <tr> <td>Antimony (Does not apply to polyester)</td> <td>60 ppm (soluble)</td> <td>60 ppm (soluble) *</td> </tr> <tr> <td>Arsenic</td> <td>25 ppm (soluble)</td> <td>25 ppm (soluble) *</td> </tr> <tr> <td>Cadmium</td> <td>75 ppm (soluble)</td> <td>75 ppm (soluble) *</td> </tr> <tr> <td>Lead</td> <td>90 ppm (soluble)</td> <td>100 ppm (total)</td> </tr> <tr> <td>Mercury</td> <td>60 ppm (soluble)</td> <td>60 ppm (soluble) *</td> </tr> </tbody> </table> <p>* For toys and their components only, calculated pursuant to ASTM F963.</p> <p>A person selling or offering for sale children's products shall submit annually the Attestation of Compliance (AOC) to the Department. It shall be submitted no later than 30 days following the first day of operation. The duly signed AOC shall mean to attest the products are compliant with both Federal and Albany County Laws. (It is vendor's responsibility to comply this requirements.)</p> <p>NOTE: 1) Children's product means a toy or other articles, primarily intended for use by children. 2) For children's product covered by federal legislation, heavy metals under federal law, including CPSA and FHSA, or enforcement policy administered by the federal government shall be applied in the same manner and with the same force.</p>	Heavy Metal	Limit		Surface coating	Accessible substrate	Antimony (Does not apply to polyester)	60 ppm (soluble)	60 ppm (soluble) *	Arsenic	25 ppm (soluble)	25 ppm (soluble) *	Cadmium	75 ppm (soluble)	75 ppm (soluble) *	Lead	90 ppm (soluble)	100 ppm (total)	Mercury	60 ppm (soluble)	60 ppm (soluble) *	
Heavy Metal	Limit																							
	Surface coating	Accessible substrate																						
Antimony (Does not apply to polyester)	60 ppm (soluble)	60 ppm (soluble) *																						
Arsenic	25 ppm (soluble)	25 ppm (soluble) *																						
Cadmium	75 ppm (soluble)	75 ppm (soluble) *																						
Lead	90 ppm (soluble)	100 ppm (total)																						
Mercury	60 ppm (soluble)	60 ppm (soluble) *																						
*CA Prop 65	Refer to Protocol 1300	All Samples	All samples shall be reviewed against the requirements of California Proposition 65 to determine if additional testing or labeling is required																					
PFAS Supplemental Protocol	Refer to Protocol 1600	All Samples	All samples shall be reviewed against the requirements of PFAS Supplement Protocol to determine if additional testing or labeling is required																					
<p>ADDITIONAL NOTE:</p> <p>In addition to this protocol, any products designed for, intended for or appealing primarily to children, requires additional testing per Kohl's Testing Protocol #601</p> <p>*Please refer to Kohl's preferred third party labs for individual pricing and samples.</p>																								

Protocol Version	Description of Change	Revised by / Date	Approved by / Date
243-A	Protocol creation	Kevin Makocy 6/24/2022	Kevin Makocy 6/24/2022