

Title: **JEWELRY SHIELD**
 Protocol Number: **KOHL'S – 925 _B**

Test Property	Test Method	Samples	Test Principle / Requirements	Rating (Section or exec. Summary which failed items can be referenced)
---------------	-------------	---------	-------------------------------	---

LABELING				
Labeling / Packaging Review	FPLA 16 CFR 500 & 19 CFR 134	1 Sample	Should be legibly marked with the following information: <ul style="list-style-type: none"> Distributor's name, trademark or other means of identification of the manufacturer or packer & address (City, State & Zip) Product identification Net quantity of the contents in terms of weight, measure or numerical count (Metric & US Standard) or a combination so as to give accurate information and facilitate value comparison by the consumer Country of origin (if imported) 	
Instructions	Visual Check	All Samples	Shall be legible and easy to read; complete and accurate.	
Verify Label Claims	Visual Check	All Samples	The labeling must comply and valid with all claims.	
Adult Tracking Label: **If space limitations exist, contact Kohl's Quality Assurance & Product Integrity teams to discuss minimum required information mr.qa.pi@kohls.com	Kohl's Requirement	All	Can be included on packaging when necessary: Kohl's Assigned Factory Number Manufacture Date (Month/Year) UPC #	

PHYSICAL CHARACTERISTICS				
Net Weight/Net Content (oz./g or fl. oz. / mL)	Std. Measure	All Samples	As claimed (Max. +5% / -0%)	Claimed: Actual:

CONSTRUCTION QUALITIES				
Kohl's Workmanship Review	Visual Check	1 Sample	<ul style="list-style-type: none"> All components shall be provided as claimed and shall not be deformed or fractured. All hardware shall be provided All welds shall be smoothly finished and free from pits and splatter All components shall not contain any burrs or sharp edges (Test by touch or sight) Product shall not contain any loose components or unsecured fastening where rigidity is required Product shall not tip over during casual handling 	

Title: **JEWELRY SHIELD**
 Protocol Number: **KOHL'S – 925 _B**

Test Property	Test Method	Samples	Test Principle / Requirements	Rating (Section or exec. Summary which failed items can be referenced)
---------------	-------------	---------	-------------------------------	---

PERFORMANCE				
Cyclic Test - Cap	Actual Use	1 sample	Operable component shall withstand 100 times actual use cycles without failure or loss of functionality.	
Leakage Test (For container filled with liquid)	Visual Check	1 sample	The closure is hand-tightened and the container is put upside down. No leakage shall be observed after 2 hours.	
Effects of Humidity	Kohl's TM 31	1 Sample	No failure @ 95% RH @ 100° F (38° C) for 24 Hours	
#Claim Verification (If Claimed)	Visual Check / Actual Use	1 Sample	All designs and features must conform to actual claim.	Claim:

TOXICITY				
*Toxicological Risk Assessment (TRA) On The Formulation	16 CFR 1500.3	All samples	Evaluate the safety of the product by a toxicologist. Review the hazard, exposure and risk associated with the ingredient. <i>Vendor can submit a 3rd party test report for review if it is within two years of the report issue date.</i>	

ANALYTICAL				
*Lead In Scrapable Surface Coating	CPSC-CH-E1003-09	1 Sample	≤90 ppm (0.0090% by weight) (CPSA – 16 CFR 1303)	
*CA Prop 65	Refer to Protocol 1300	All Samples	All samples shall be reviewed against the requirements of California Proposition 65 to determine if additional testing or labeling is required.	
Hazardous Substance – Liquid Screen Test (applicable to liquid samples)	16 CFR 1500.14(b)(1) to (5)	1 Sample	Products containing substance above the respective requirement shall have special labeling: ≥ 10% (Diethylene glycol) ≥ 10% (Ethylene glycol) ≥ 5% (Benzene) ≥ 10% (Toluene) ≥ 10% (Xylene) ≥ 10% (Petroleum Distillate) ≥ 4% (Methanol) ≥ 10% (Turpentine) In lieu of testing, test report dated within ONE year can be submitted for review.	



KOHL'S TEST PROTOCOL

APPROVED: June 15, 2020

Title: JEWELRY SHIELD
Protocol Number: KOHL'S – 925 _B

Test Property	Test Method	Samples	Test Principle / Requirements	Rating (Section or exec. Summary which failed items can be referenced)
---------------	-------------	---------	-------------------------------	---

SAFETY DATA SHEET				
*Safety Data Sheet (SDS)	29 CFR 1910.1200 (g)	All samples	29 CFR 1910.1200 (g) Vendor can submit SDS for review.	



KOHL'S TEST PROTOCOL

APPROVED: June 15, 2020

Title: JEWELRY SHIELD
Protocol Number: KOHL'S – 925 _B

Test Property	Test Method	Samples	Test Principle / Requirements	Rating (Section or exec. Summary which failed items can be referenced)
---------------	-------------	---------	-------------------------------	---

ADDITIONAL NOTE:

*Please refer to Kohl's preferred third party labs for individual pricing and samples.

