

# NAVIGATING TECH SPEC REPORT

## TECH SPEC OVERVIEW


1. **Plain sketch image** pulls from the Attachments Tab, first image.
2. First image must say "IMAGE" in Attachment No field in order for thumbnail image to show.
3. **Base Style Phase** pulls from the Overview Tab, Base Tech Spec (as needed).

Overview Design Intent Constructions Instructions POM Samples BOM Attachments

Refresh Attachments Report

### ONEPLM DATA LOCATION

| Sort                     | Attachment No | Attachment Type | Description |
|--------------------------|---------------|-----------------|-------------|
| <input type="checkbox"/> | 1             | IMAGE           | DESIGN CARD |



Overview Design Intent Constructions Instructions POM Samples BOM Attachments Events Change Tracking 1 >>

Request Sample Tech Spec All Tech Spec/Fit Active Style Handoff Report Refresh

### ONEPLM DATA LOCATION

Large Image

Style Information

|                   |                    |                   |                              |
|-------------------|--------------------|-------------------|------------------------------|
| Style No          | Style Description  | Development Stage | TD Style Development Handoff |
| DJ00K000GH        | AMYTEST0120        | NEW               | 01/20/2022                   |
| TD Dev Location   | Technical Designer | Base Request No   | Design Handoff Date          |
| MILWAUKEE         | TANYA - TD         |                   |                              |
| Design Definition | Gender             |                   |                              |
| KOHL'S DESIGN     |                    |                   |                              |

Base Tech Spec (as needed)


|                                                                                  |                      |
|----------------------------------------------------------------------------------|----------------------|
| Phase                                                                            | Base Style No        |
| APPROVED BASED                                                                   | MS31W150             |
| Base Tech spec Comments                                                          |                      |
| SEE COMMENTS HERE FOR DIRECTIONS ON WHAT SHOULD BE REFERENCED ON BASE TECH SPEC. |                      |
| Base Style Season                                                                | Base Style Dev Stage |
| SP23                                                                             | COSTING              |

**KOHL'S**


**FA23**  
Stage: NEW


**DJ00K000GH**  
**AMYTEST0120 V2021R1FP11 TESTING**

Tech Spec Overview



|                         |                    |                      |              |                          |                  |                             |            |                                |                                                                                  |
|-------------------------|--------------------|----------------------|--------------|--------------------------|------------------|-----------------------------|------------|--------------------------------|----------------------------------------------------------------------------------|
| <b>Brand</b>            | BRAND X            | <b>Division</b>      | YOUNG WOMENS | <b>Request No.</b>       | 00661402         | <b>Create Date</b>          | 2022-01-20 | <b>Cut Date</b>                |                                                                                  |
| <b>X-Factory Date</b>   |                    | <b>Product Type</b>  | BOTTOMS      | <b>Product Manager</b>   | SAMANTHA TEETERS | <b>Designer</b>             |            | <b>Tech Designer</b>           | TANYA - TD                                                                       |
| <b>Base Style Phase</b> | APPROVED BASED OFF | <b>Base Style No</b> | MS31W150     | <b>Base Style Season</b> | SP23             | <b>Base Style Dev Stage</b> | COSTING    | <b>Base Tech Spec Comments</b> | SEE COMMENTS HERE FOR DIRECTIONS ON WHAT SHOULD BE REFERENCED ON BASE TECH SPEC. |





REPORT VIEW

Modified By: TKMA514 on 2022-07-07


Print Date/Time: 07/08/2022 06:37 AM 1 of 13 CONFIDENTIALITY NOTICE: This document is property of Kohl's, Inc.



# NAVIGATING TECH SPEC REPORT

## TECH SPEC DESIGN INTENT

- APPAREL ONLY:** Technical construction sketch pulls from the Design Intent Tab.
- HOME ONLY:** Technical construction sketch, fabric ID, bill of materials, and assembly instructions pull from the Design Intent Tab.



# NAVIGATING TECH SPEC REPORT

## APPAREL ONLY: TECH SPEC CONSTRUCTIONS

1. May be left blank OR contain special constructions that repeat across many styles.
2. Pulls from the Constructions Tab.

Horizontal View Report Construction Report **ONEPLM DATA LOCATION**

▼ Construction < 1 > Go To CONSTRUCTION ▼

▼ Header Information

▼ Constructions

Construction Details

| Sort                     | Description           | Construction Type   | Construction Element |
|--------------------------|-----------------------|---------------------|----------------------|
| <input type="checkbox"/> | HANGER LOOP-2PC-CROSS | LADIES HANGER LOOPS | APPAREL              |

Diagram: Ladies Hanger Loop Placement. L R VER

**KOHL'S** **SP14** **CHERYL TEST**  
Stage: DEVELOPMENT BASE - SS VNECK TEE  
Constructions

|          |        |                |        |                 |            |                 |               |             |             |               |                  |
|----------|--------|----------------|--------|-----------------|------------|-----------------|---------------|-------------|-------------|---------------|------------------|
| Brand    | SONOMA | Division       | WOMENS | Customer        |            | Business        |               | Request No. | 00536132    | Create Date   | 2018-09-10       |
| Cut Date |        | X-Factory Date |        | Est. In DC Date | 06/07/2015 | Product Manager | MIKALA HEROLD | Designer    | MEGAN BELTZ | Tech Designer | CHERYL ROSENTHAL |

**Ladies Hanger Loop Placement**

**REPORT VIEW**

1-PIECE DRAPE

- Insert into mid-point of shoulder seams  
- Drape over front of hanger

Print Date/Time: 03/21/2019 05:01 PM 1 of 4 CONFIDENTIALITY NOTICE: This document is property of Kohl's Department Stores, Inc.



# NAVIGATING TECH SPEC REPORT

## TECH SPEC INSTRUCTIONS

- APPAREL ONLY:** May be left blank OR contain label placement options that do not fall into standard options found under Labels and Packaging on K-link.  
**Example:** Reversible styles
- HOME ONLY:** Label information pulls from the Instructions tab.

Overview Design Intent Constructions **Instructions** Standards POM Samples BOM Attachments

▼ Instruction < 1 > Go To LADIES TOPS LABELS ▼

Instructions Report

▼ Header Information

Instruction information

Model Name LADIES TOPS LABELS

**ONEPLM DATA LOCATION**

▼ Instructions

| Sort                     | Code                        | Type                  |
|--------------------------|-----------------------------|-----------------------|
| <input type="checkbox"/> | LADIES TOPS SIDE SEAM LABEL | LABELING INSTRUCTIONS |

**KOHL'S** SP21 Stage: DEVELOPMENT WT02A105 OPEN BACK BANDED BOTTOM TANK Instructions

|                |         |              |               |                 |               |             |                  |               |              |
|----------------|---------|--------------|---------------|-----------------|---------------|-------------|------------------|---------------|--------------|
| Brand          | TEKGEAR | Division     | ACTIVE WOMENS | Request No.     | 00599610      | Create Date | 2019-09-04       | Cut Date      |              |
| X-Factory Date |         | Product Type | TOPS          | Product Manager | KRISTIN DEPEW | Designer    | JENNIFER CEPLUCH | Tech Designer | ASHLEY NUNEZ |

Instruction Information

Type

**Kohls Label Placement**

Ladies Tops Label Placement Side Seam Label

Instructions:  
Insert label "X" above finished hem, sweep seam or top of side vent

If applicable, place all other labels beneath label

If applicable, EAS tag placed 1/4" above inserted into side seam

"X" =  
3 1/2" - tops  
Dresses/Skirts - place label between hip and sweep

Please use this as a guideline for placement. See PMS Design 112111 for actual placement.

Instruction Details

Comment

Print Date/Time: 09/15/2020 06:45 AM 14 of 72 CONFIDENTIALITY NOTICE: This document is property of Kohl's, Inc.

**REPORT VIEW**



# NAVIGATING TECH SPEC REPORT

## TECH SPEC POM – POINTS OF MEASURE

1. The graded measurement specifications pull from the POM Tab.
2. Multiple POM pages can be found in the same tech spec for fabrication and special sizing.
3. **APPAREL ONLY:** POM page descriptions are named in the below order:  
**SECTION 1:** Size (R, E, P, B, T, 12M, 3T, 6)  
**SECTION 2:** (may not be required) Additional size or garment in a set. Ex: C – curvy fit OR TOP/BTM – 2 piece set  
**SECTION 3:** Generic fabric description  
**SECTION 4:** (may not be required) Vendor or additional fabric information

Overview Design Intent Constructions Instructions Standards **POM** Samples BOM Attachments Events >>

PLM Points of Measurement

View Fit Eval Create Fit Eval Add Points of Measure Copy POM Code(s) Change Size Range Change Tolerance Calculate Specification Multi Window POM Report Delete POM Code(s)

Points of Measurement < 1 2 >

Go To R.D.N.P.-JERSEY - REG R.D.N.P.-JERSEY - REG P.D.N.P.-JERSEY - PLUS

Parent Information **ONEPLM DATA LOCATION**

Description: OPEN BACK BANDED BC Development Stage: DEVELOPMENT Style Status: CONFIRMED Technical Designer: ASHLEY NUNEZ Designer: JENNIFER CEPLUC

Tolerance Information: Page Sort: 1 POM Page Description: R.D.N.P.-JERSEY - REG Grading Information: Size Range: LADIES (000-20) Grading Size: 10 POM Material: Material 1: 82421

**KOHL'S** Stage: **SP21** **WT02A106** OPEN BACK BANDED BOTTOM TANK Points of Measure

**POM Page Description:** R.JRSY.D.N.P

| Brand       | TEKGEAR | Division | ACTIVE WOMENS           | Customer       | WOMENS | Tech Designer | ASHLEY NUNEZ | Business     | ACTIVE  | Size Indicator | REGULAR |
|-------------|---------|----------|-------------------------|----------------|--------|---------------|--------------|--------------|---------|----------------|---------|
| Fit Eval ID | 110383  | Vendor   | ECLAT TEXTILE CO., LTD. | Workflow Alert |        | PP Deadline   |              | Fit Approved | APPR    | PP Approved    | NA      |
| Fit Eval ID | 109376  | Vendor   | ECLAT TEXTILE CO., LTD. | Workflow Alert |        | PP Deadline   |              | Fit Approved | PENDING | PP Approved    |         |
| Fit Eval ID | 101138  | Vendor   | ECLAT TEXTILE CO., LTD. | Workflow Alert | 86     | PP Deadline   | 02/03/2020   | Fit Approved | YES     | PP Approved    | NA      |

FORM1 KOS-WMS0010-1509 FORM2

Grade Table: LADIES

Material 1: 82421 K 92/8 POLYESTER/SPANDEX JERSEY 150.00 GM2

Material 2: 67290 K 100 POLYESTER INTERLOCK 145 GM2

Material 3: 51160 51160

Material 4: 51160 51160

| P/S | POM Code | POM Description                   | TOL (-) | TOL (+) | 2 | 6 | 10 | 14 | 18 | 20 |
|-----|----------|-----------------------------------|---------|---------|---|---|----|----|----|----|
|     | A000     | N-MELANGE 100% POLY JERSEY 180GMS |         |         |   |   |    |    |    |    |
|     | A000     | P- PRINTED INTERLOCK 145G/M2      |         |         |   |   |    |    |    |    |

**REPORT VIEW**

**KOHL'S** Stage: **SP21** **WT02A106** OPEN BACK BANDED BOTTOM TANK Points of Measure

**POM Page Description:** P.JRSY.D.N.P

| Brand       | TEKGEAR | Division | ACTIVE WOMENS           | Customer       | WOMENS | Tech Designer | ASHLEY NUNEZ | Business     | ACTIVE | Size Indicator | PLUS |
|-------------|---------|----------|-------------------------|----------------|--------|---------------|--------------|--------------|--------|----------------|------|
| Fit Eval ID | 109866  | Vendor   | ECLAT TEXTILE CO., LTD. | Workflow Alert |        | PP Deadline   |              | Fit Approved | NEW    | PP Approved    |      |
| Fit Eval ID | 110316  | Vendor   | ECLAT TEXTILE CO., LTD. | Workflow Alert | 9      | PP Deadline   | 06/26/2020   | Fit Approved | NEW    | PP Approved    |      |
| Fit Eval ID | 110379  | Vendor   | ECLAT TEXTILE CO., LTD. | Workflow Alert |        | PP Deadline   |              | Fit Approved | NEW    | PP Approved    |      |

FORM1 KOS-WPL0018-1511 FORM2

Grade Table: LADIES PLUS

Material 1: 82421 K 92/8 POLYESTER/SPANDEX JERSEY 150.00 GM2

Material 2: 67290 K 100 POLYESTER INTERLOCK 145 GM2

| P/S | POM Code | POM Description                                     | TOL (-) | TOL (+) | 18W | 22W | 25W | 30W |
|-----|----------|-----------------------------------------------------|---------|---------|-----|-----|-----|-----|
|     | A000     | D-TRIPLE DROP NEEDLE 92/8 POLY/SPAN 150G/M2 WICKING |         |         |     |     |     |     |
|     | A000     | P- PRINT INTERLOCK                                  |         |         |     |     |     |     |



# NAVIGATING TECH SPEC REPORT

## TECH SPEC POM – POINTS OF MEASURE (CONT'D)

1. P = PRIMARY – critical for fit
2. S = Secondary measurements
3. Multiple fabrications can be tied to one POM page. If the fabrication needs to be evaluated, it will have a separate fit eval and fit eval status listed for FIT APPROVAL and PP APPROVAL.
4. Production cannot start until both:  
FIT APPROVED: YES  
PP APPROVED: YES OR N/A

**If the FIT APPROVED field =**

- BLANK – Fit sample has not been requested.
- PENDING – Fit sample was requested but not yet approved.
- YES – Approved.

**If the PP APPROVED field =**

- BLANK – Fit sample is not approved.
- N/A – PP is not required.

**KOHL'S**                      **SP21**                      **WT02A106**  
**Stage: DEVELOPMENT**                      **OPEN BACK BANDED BOTTOM TANK**  
 Points of Measure



|                              |         |          |                         |                     |        |               |              |              |         |                |         |
|------------------------------|---------|----------|-------------------------|---------------------|--------|---------------|--------------|--------------|---------|----------------|---------|
| <b>POM Page Description:</b> |         |          |                         | <b>R.JRSY.D.N.P</b> |        |               |              |              |         |                |         |
| Brand                        | TEKGEAR | Division | ACTIVE WOMENS           | Customer            | WOMENS | Tech Designer | ASHLEY NUNEZ | Business     | ACTIVE  | Size Indicator | REGULAR |
| Fit Eval ID                  | 110383  | Vendor   | ECLAT TEXTILE CO., LTD. | Workflow Alert      |        | PP Deadline   |              | Fit Approved | APPR    | PP Approved    | NA      |
| Fit Eval ID                  | 109376  | Vendor   | ECLAT TEXTILE CO., LTD. | Workflow Alert      |        | PP Deadline   |              | Fit Approved | PENDING | PP Approved    |         |
| Fit Eval ID                  | 101138  | Vendor   | ECLAT TEXTILE CO., LTD. | Workflow Alert      | 66     | PP Deadline   | 02/03/2020   | Fit Approved | YES     | PP Approved    | NA      |

|                                                   |        |                                            |  |  |  |  |  |            |       |                                   |  |  |  |
|---------------------------------------------------|--------|--------------------------------------------|--|--|--|--|--|------------|-------|-----------------------------------|--|--|--|
| <b>FORM1</b> <b>KOS-WMS0010-1509</b> <b>FORM2</b> |        |                                            |  |  |  |  |  |            |       |                                   |  |  |  |
| Grade Table                                       | LADIES |                                            |  |  |  |  |  |            |       |                                   |  |  |  |
| Material 1                                        | 82421  | K 92/8 POLYESTER/SPANDEX JERSEY 150.00 GM2 |  |  |  |  |  | Material 2 | 67290 | K 100 POLYESTER INTERLOCK 145 GM2 |  |  |  |
| Material 3                                        |        |                                            |  |  |  |  |  | Material 4 | 51160 | 51160                             |  |  |  |

| P/S | POM Code      | POM Description                                                                  | TOL (-) | TOL (+) | 2      | 6      | 10     | 14     | 18     | 20     |
|-----|---------------|----------------------------------------------------------------------------------|---------|---------|--------|--------|--------|--------|--------|--------|
|     | A000          | N-MELANGE 100% POLY JERSEY 160GMS                                                |         |         |        |        |        |        |        |        |
|     | A000          | P- PRINTED INTERLOCK 145G/M2                                                     |         |         |        |        |        |        |        |        |
|     | A000          | D-TRIPLE DROP NEEDLE 92/8 POLY/SPAN 150G/M2 WICKING                              |         |         |        |        |        |        |        |        |
| P   | A001-LA000-20 | LADIES ALPHA SIZES XXS(000-00) XS(0-2) S(4-6) M(8-10) L(12-14) XL(16-18) XXL(20) |         |         |        |        |        |        |        |        |
| P   | A300          | LEN HPS TO HEM CF                                                                | -1/2    | 1/2     | 26     | 26 1/2 | 27     | 27 1/2 | 28     | 28 1/4 |
|     | A316          | FRT/BK LENGTH DIFFERENCE                                                         | -1/4    | 1/4     | 3/4    | 3/4    | 3/4    | 3/4    | 3/4    | 3/4    |
| P   | A100          | NK WIDTH@EDGE                                                                    | -1/4    | 1/4     | 6 1/4  | 6 1/4  | 6 1/2  | 6 3/4  | 7      | 7 1/8  |
| S   | A110          | FRT NK DROP@EDGE                                                                 | -1/8    | 1/8     | 6 1/4  | 6 3/8  | 6 1/2  | 6 3/4  | 6 7/8  | 6 7/8  |
| S   | A120          | BK NK DROP@EDGE                                                                  | -1/8    | 1/8     | 1 1/8  | 1 1/8  | 1 1/4  | 1 1/4  | 1 3/8  | 1 1/2  |
| P   | A122          | MINIMUM HEAD STRETCH                                                             | 0       |         | 24     | 24     | 24     | 24     | 24     | 24     |
|     | A185          | *MG* STRAP WIDTH TOTAL MSR @ SHOULDER SEAM                                       | -1/8    | 1/8     | 1 1/4  | 1 3/8  | 1 1/2  | 1 5/8  | 1 3/4  | 1 3/4  |
| S   | A253          | XFRT/BK PLCMT #* FM HPS                                                          | 0       | 0       | 5 3/4  | 5 7/8  | 6      | 6 1/4  | 6 3/8  | 6 3/8  |
| S   | A254          | ACROSS FRONT                                                                     | -3/8    | 3/8     | 10 1/4 | 10 3/4 | 11 1/4 | 12     | 12 5/8 | 12 7/8 |
|     | A257X         | XBK PLCMT FM CB NK-RACERBK                                                       | -1/8    | 1/8     | 4 1/4  | 4 3/8  | 4 1/2  | 4 3/4  | 4 7/8  | 4 7/8  |
|     | A257          | XBK #* FM CB NK-RACERBACK                                                        | -1/4    | 1/4     | 3 1/2  | 3 3/4  | 4      | 4 1/4  | 4 1/2  | 4 5/8  |
| P   | A280H         | CHEST 1" BLW AH RLXD-1/2 MEAS                                                    | -1/2    | 1/2     | 16     | 17     | 18     | 19 1/2 | 21 1/4 | 22 1/4 |

**REPORT VIEW**



# NAVIGATING TECH SPEC REPORT

## TECH SPEC FIT EVAL

1. The fit eval contains all sample evaluation comments for all fit samples submitted during the Development Stage.
2. The fit eval report pulls from each fit evaluation of the tech spec.

### POM Page Description

**FORM 1 & 2:** Kohl's dressform to be used for fit evaluation.

**PP Deadline:** Date that PP sample must be approved.

**Sample Status:** Status of the fit approval for fabrication/size on this fit eval.

Overview | Attachments | Change Tracking

**Fit Evaluation Designer Overview**

Initiate Sample | Update POM Association | Multi Window | View Style | POM Association | Sample Tag

**Fit Evaluation Designer Information**

**Parent Information**

|                 |                  |                   |             |                    |                         |
|-----------------|------------------|-------------------|-------------|--------------------|-------------------------|
| Style No        | WT02A106         | Request No        | 00599610    | Description        | OPEN BACK BANDED BOTTOM |
| Fiscal Season   | SP21             | Brand             | TEKGEAR     | Division           | ACTIVE WOMENS           |
| Dept            | 743              | Development Stage | DEVELOPMENT | Style Status       | CONFIRMED               |
| Est. In DC Date |                  | Actual Qty        |             | Technical Designer | ASHLEY NUNEZ            |
| Ecom Excl       | N                | Fast Track        | N           |                    |                         |
| Designer        | JENNIFER CEPLUCH | Style Link        |             |                    |                         |

**Sample Selection**

| Fit Sample | Size Code | Sample No | Sample Type     | Fit Sample Status | Dec     |
|------------|-----------|-----------|-----------------|-------------------|---------|
| All        | 10        |           |                 |                   |         |
| Sample 5   | 10        | 979993    | FIT SAMPLE      | APPROVED          | 01/3/20 |
| Sample 4   | 10        | 977356    | 3D - FIT SAMPLE | NOT APPROVED      | 01/1/20 |
| Sample 3   | 10        | 962772    | FIT SAMPLE      | NOT APPROVED      | 01/1/20 |
| Sample 2   | 10        | 962771    | FIT SAMPLE      | REJECTED          | 12/3/19 |
| Sample 1   | 10        |           | COUNTER SAMPLE  | NOT EVALUATED     | 12/3/19 |

**Evaluation Information**

|                       |                     |                      |                        |                    |    |
|-----------------------|---------------------|----------------------|------------------------|--------------------|----|
| Agent                 | LI & FUNG TAIWAN    | Vendor               | ECLAT TEXTILE CO., LTD | Factory            |    |
| Adopted Style Handoff | 11/29/2019          | PP Deadline          | 02/03/2020             | UM                 |    |
| Number Format         | Fraction            | POM Page Description | R.JRSY.D.N.P           | IIN                |    |
| Created On            | 2019-12-08 18:57:14 | Modified on          | 2020-08-19 14:39:54    | Fit Workflow Alert | 66 |

**Sample Information**

|             |          |                      |            |                   |           |
|-------------|----------|----------------------|------------|-------------------|-----------|
| Fit Sample  | Sample 5 | Sample Type          | FIT SAMPLE | Fit Sample Status | APPROVED  |
| Reason Code |          | Date Received        | 01/21/2020 | Ownership         | KOHL'S TD |
|             |          | Decision Status Date | 01/30/2020 |                   |           |

ONEPLM DATA LOCATION

**KOHL'S**

Stage: **DEVELOPMENT**

**WT02A106**

**OPEN BACK BANDED**

**BOTTOM TANK**

Fit Eval - Spec

REPORT VIEW

Fit Eval No: 101138

**POM Page Description:** R.JRSY.D.N.P

|               |                  |               |                         |                |                  |                 |               |                |            |
|---------------|------------------|---------------|-------------------------|----------------|------------------|-----------------|---------------|----------------|------------|
| Fiscal Season | SP21             | Brand         | TEKGEAR                 | Division       | ACTIVE WOMENS    | Customer        | WOMENS        | Created On     | 2019-12-08 |
| Request No    | 00599610         | Tech Designer | ASHLEY NUNEZ            | Designer       | JENNIFER CEPLUCH | Product Manager | KRISTIN DEPEW | Size Indicator | REGULAR    |
| Agent         | LI & FUNG TAIWAN | Vendor        | ECLAT TEXTILE CO., LTD. | Workflow Alert | 66.000000        | PP Deadline     | 02/03/2020    |                |            |

**Sample Information**

|              |            |             |            |                       |                                                       |                      |            |
|--------------|------------|-------------|------------|-----------------------|-------------------------------------------------------|----------------------|------------|
| Sample Round | Sample 5   | Sample Type | FIT SAMPLE | Fit Sample Size       | 10                                                    | Fit Approved         | YES        |
| Date Fit     | 01/30/2020 | Fit With    | SPORTS BRA | Fit Session Attendees | FIT ON 01/23/20 AND FIT AGAIN FOR BUYING TEAM ON 1/30 | Sample Request Date  | 01/16/2020 |
|              |            |             |            |                       |                                                       | Sample Status        | APPROVED   |
|              |            |             |            |                       |                                                       | Decision Status Date | 01/30/2020 |

FORM1 KOS-WMS0010-1509

FORM2



# NAVIGATING TECH SPEC REPORT

## TECH SPEC FIT EVAL - MEASUREMENTS


- The fit eval report pulls from each fit evaluation of the tech spec.  
**Measurer 1:** Vendor CTD fills in their sample measurements.  
**Measurer 2:** Kohls TD OR CTD Mentor fills in their measurements.  
**Rev:** Revised spec based on fit eval. KTD or CTD fills in based on sample ownership.

| ONEPLM DATA LOCATION |     |            |            |                                               |                      |        |      |                   |                  |                     |                   |                  |                     |     |             |
|----------------------|-----|------------|------------|-----------------------------------------------|----------------------|--------|------|-------------------|------------------|---------------------|-------------------|------------------|---------------------|-----|-------------|
| Points of Measure    |     |            |            |                                               | Sample Specification |        |      |                   |                  |                     |                   |                  |                     |     |             |
| QA                   | P/S | Attachment | Code       | POM Description                               | Tol(-)               | Tol(+) | Spec | Measurer 1 Actual | Measurer 1 Delta | Measurer 1 Comments | Measurer 2 Actual | Measurer 2 Delta | Measurer 2 Comments | Rev | Modified By |
|                      |     |            | A000       | N-MELANGE 100% POLY JERSEY 160GMS             |                      |        |      |                   |                  |                     |                   |                  |                     |     | TK37972     |
|                      |     |            | A000       | D-TRIPLE DROP NEEDLE 92/8 POLY/SPAN 150       |                      |        |      |                   |                  |                     |                   |                  |                     |     | TK37972     |
|                      |     |            | A000       | P- PRINTED INTERLOCK 145G/M2                  |                      |        |      |                   |                  |                     |                   |                  |                     |     | TK37972     |
|                      | P   |            | A001-LA000 | LADIES ALPHA SIZES XXS(000-00) XS(0-2) S(4-1) |                      |        |      |                   |                  |                     |                   |                  |                     |     | TK37972     |
|                      | P   |            | A300       | LEN HPS TO HEM CF                             | -1/2                 | 1/2    | 27   | 27 1/8            | 1/8              |                     |                   |                  |                     |     | TSS77418TD2 |

**KOHL'S**

**SP21**  
Stage: DEVELOPMENT

**WT02A106**  
OPEN BACK BANDED  
BOTTOM TANK  
Fit Eval - Spec



Fit Eval No: 101138

POM Page Description: R.JRSY.D.N.P

|               |                  |               |                         |                |                  |                 |               |                |            |
|---------------|------------------|---------------|-------------------------|----------------|------------------|-----------------|---------------|----------------|------------|
| Fiscal Season | SP21             | Brand         | TEKGEAR                 | Division       | ACTIVE WOMENS    | Customer        | WOMENS        | Created On     | 2019-12-08 |
| Request No    | 00599610         | Tech Designer | ASHLEY NUNEZ            | Designer       | JENNIFER CEPLUCH | Product Manager | KRISTIN DEPEW | Size Indicator | REGULAR    |
| Agent         | LI & FUNG TAIWAN | Vendor        | ECLAT TEXTILE CO., LTD. | Workflow Alert | 66.000000        | PP Deadline     | 02/03/2020    |                |            |

**REPORT VIEW**

| Sample Information |            |             |            |                       |                                                       |                     |            | Fit Approved         |            |
|--------------------|------------|-------------|------------|-----------------------|-------------------------------------------------------|---------------------|------------|----------------------|------------|
| Sample Round       | Sample 5   | Sample Type | FIT SAMPLE | Fit Sample Size       | 10                                                    | Sample Request Date | 01/16/2020 | Date Received        | 01/21/2020 |
| Date Fit           | 01/30/2020 | Fit With    | SPORTS BRA | Fit Session Attendees | FIT ON 01/23/20 AND FIT AGAIN FOR BUYING TEAM ON 1/30 | Sample Status       | APPROVED   | Decision Status Data | 01/30/2020 |

| FORM1      | KOS-WMS0010-1509 |                                            |            | FORM2 |                                   |            |       |                                |
|------------|------------------|--------------------------------------------|------------|-------|-----------------------------------|------------|-------|--------------------------------|
| Material 1 | 82421            | K 92/8 POLYESTER/SPANDEX JERSEY 150.00 GM2 | Material 2 | 67290 | K 100 POLYESTER INTERLOCK 145 GM2 | Material 3 | 51150 | K 100 POLYESTER JERSEY 135 GM2 |

| Code          | Description                                                                      | Tol(-) | Tol(+) | Spec   | Measurer 1 Actuals | Measurer 1 Delta | Meas 1 Comments | Measurer 2 Actuals | Measurer 2 Delta | Meas 2 Comments | Rev |
|---------------|----------------------------------------------------------------------------------|--------|--------|--------|--------------------|------------------|-----------------|--------------------|------------------|-----------------|-----|
| A000          | N-MELANGE 100% POLY JERSEY 160GMS                                                |        |        |        |                    |                  |                 |                    |                  |                 |     |
| A000          | P- PRINTED INTERLOCK 145G/M2                                                     |        |        |        |                    |                  |                 |                    |                  |                 |     |
| A000          | D-TRIPLE DROP NEEDLE 92/8 POLY/SPAN 150G/M2 WICKING                              |        |        |        |                    |                  |                 |                    |                  |                 |     |
| A001-LA000-20 | LADIES ALPHA SIZES XXS(000-00) XS(0-2) S(4-6) M(8-10) L(12-14) XL(16-18) XXL(20) |        |        |        |                    |                  |                 |                    |                  |                 |     |
| A300          | LEN HPS TO HEM CF                                                                | -1/2   | 1/2    | 27     | 27 1/8             | 1/8              |                 |                    |                  |                 |     |
| A316          | FRT/BK LENGTH DIFFERENCE                                                         | -1/4   | 1/4    | 3/4    | 3/4                | 0                |                 |                    |                  |                 |     |
| A100          | NK WIDTH@EDGE                                                                    | -1/4   | 1/4    | 6 1/2  | 6 3/4              | 1/4              |                 |                    |                  |                 |     |
| A110          | FRT NK DROP@EDGE                                                                 | -1/8   | 1/8    | 6 1/2  | 6 1/2              | 0                |                 |                    |                  |                 |     |
| A120          | BK NK DROP@EDGE                                                                  | -1/8   | 1/8    | 1 1/4  | 1 3/8              | 1/8              |                 |                    |                  |                 |     |
| A122          | MINIMUM HEAD STRETCH                                                             | 0      |        | 24     | 24                 | 0                |                 |                    |                  |                 |     |
| A165          | "MG" STRAP WIDTH TOTAL MSR @ SHOULDER SEAM                                       | -1/8   | 1/8    | 1 1/2  | 1 1/2              | 0                |                 |                    |                  |                 |     |
| A253          | XFRT/BK PLCMT # FM HPS                                                           | 0      | 0      | 6      | 6                  | 0                |                 |                    |                  |                 |     |
| A254          | ACROSS FRONT                                                                     | -3/8   | 3/8    | 11 1/4 | 11 3/8             | 1/8              |                 |                    |                  |                 |     |
| A257X         | XBK PLCMT FM CB NK-RACERBK                                                       | -1/8   | 1/8    | 4 1/2  | 4 1/2              | 0                |                 |                    |                  |                 |     |
| A257          | XBK # FM CB NK-RACERBACK                                                         | -1/4   | 1/4    | 4      | 4                  | 0                |                 |                    |                  |                 |     |
| A260H         | CHEST 1" BLW AH RLXD-1/2 MEAS                                                    | -1/2   | 1/2    | 18     | 18 1/4             | 1/4              |                 |                    |                  |                 |     |

Print Date/Time: 09/15/2020 06:45 AM 43 of 72 CONFIDENTIALITY NOTICE: This document is property of Kohl's, Inc.



# NAVIGATING TECH SPEC REPORT


## TECH SPEC FIT EVAL - COMMENTS

1. The fit eval report pulls from each fit evaluation of the tech spec.

**Measurer 1:** Vendor CTD's evaluation of the fit sample.

**Measurer 2:** Kohls TD OR CTD mentor's feedback and additional evaluation comments of the fit sample.

| Overview                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | Attachments | Change Tracking | ONEPLM DATA LOCATION                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------|-----------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Measurer 1 Fit Comments</b><br><p>* Decision also based on TNA to secure X-factory.*<br/>           Cut date: 03/FEB/20<br/>           X-Factory date: 25/MAR/20</p> <p>CTD decision: No need PR Sample and proceed for production.<br/>           (Reminder: a QA reference sample will be needed)</p> <p>Mickie Wong<br/>           01/31/2020</p> <p>.....</p> <p>Date: 2020/JAN/21<br/>           Style #: WT02A106RD<br/>           Sample Type: 2ND FIT Sample<br/>           Sample Color: BLUE<br/>           CTD Name, Title, Level: ECLAT, Associate CTD, Marian Chang, level 2</p> <p>Factory Name: SON HA<br/>           COP: VN<br/>           UNITS: &gt;30K</p> <p>SAMPLE WASH INFO<br/>           Non- wash: N/A<br/>           Fabric Wash: N/A<br/>           Garment wash: N/A</p> <p>STYLE/FABRIC INFO<br/>           Fabric: actual<br/>           Fabric 1: BKT108115 92/8 POLY/SPAN -150 G/M2, ECLAT TEXTILE CO., LTD<br/>           Fabric 2: CH1323 100%POLYESTER 145g/m2, UNITED BERRY CO., LTD.</p> <p>Fabric, Interlining: n/a</p> |             |                 | <b>Measurer 2 Fit Comments</b><br><p>Date: 01/30/20<br/>           Sample Type: 2ND FIT SAMPLE<br/>           Sample Color: PURPLE<br/>           KTD: ASHLEY NUNEZ<br/>           KTD FIT EVAL STATUS: FIT APPROVED by Kohls TD- Follow Below Comments for Corrections. No further sample or documentation is required by Kohls TD in OnePLM. Vendor/CTD to decide if PP is needed in preparation for production. In limited cases, Agent can advise to make PP sample. A QA Reference sample must be available before production begins. Submit TOP sample in Base Size for Core Essential Programs for Kohls TD for Reference</p> <p>PATTERNS: Please attach electronic pattern in One PLM as a .dxf or .dsn format. Fit sample patterns to be uploaded to the Fit Eval Page &amp; Final Approved Fit or PP patterns to be uploaded to the Attachment Page. Pattern should include a 10" X10" square.</p> <p>GENERAL COMMENTS:<br/>           See comments and photos attached.</p> <p>CONSTRUCTION COMMENTS:<br/>           1. Overall construction and workmanship has improved, however please add CPA to maintain for bulk.<br/>           2. Please add CPA for armhole symmetrical, roping/stretching at top of keyhole binding, and CB binding to be centered.</p> <p>FIT COMMENTS:<br/>           1. Overall balance and fit has improve, please maintain.</p> <p>Thank you<br/>           KTD<br/>           Ashley Nunez</p> |



| <b>KOHL'S</b><br><b>REPORT VIEW</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |  | <b>SP21</b><br>Stage: DEVELOPMENT                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         | <b>WT02A106</b><br><b>OPEN BACK BANDED</b><br><b>BOTTOM TANK</b><br>Fit Eval - Spec |  |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| <b>Measurer 1 Fit Comments</b><br><p>* Decision also based on TNA to secure X-factory.*<br/>           Cut date: 03/FEB/20<br/>           X-Factory date: 25/MAR/20</p> <p>CTD decision: No need PR Sample and proceed for production.<br/>           (Reminder: a QA reference sample will be needed)</p> <p>Mickie Wong<br/>           01/31/2020</p> <p>.....</p> <p>Date: 2020/JAN/21<br/>           Style #: WT02A106RD<br/>           Sample Type: 2ND FIT Sample<br/>           Sample Color: BLUE<br/>           CTD Name, Title, Level: ECLAT, Associate CTD, Marian Chang, level 2</p> <p>Factory Name: SON HA<br/>           COP: VN<br/>           UNITS: &gt;30K</p> <p>SAMPLE WASH INFO<br/>           Non- wash: N/A<br/>           Fabric Wash: N/A<br/>           Garment wash: N/A</p> <p>STYLE/FABRIC INFO<br/>           Fabric: actual<br/>           Fabric 1: BKT108115 92/8 POLY/SPAN -150 G/M2, ECLAT TEXTILE CO., LTD<br/>           Fabric 2: CH1323 100%POLYESTER 145g/m2, UNITED BERRY CO., LTD.</p> <p>Fabric, Interlining: n/a</p> |  | <b>Measurer 2 Fit Comments</b><br><p>Date: 01/30/20<br/>           Sample Type: 2ND FIT SAMPLE<br/>           Sample Color: PURPLE<br/>           KTD: ASHLEY NUNEZ<br/>           KTD FIT EVAL STATUS: FIT APPROVED by Kohls TD- Follow Below Comments for Corrections. No further sample or documentation is required by Kohls TD in OnePLM. Vendor/CTD to decide if PP is needed in preparation for production. In limited cases, Agent can advise to make PP sample. A QA Reference sample must be available before production begins. Submit TOP sample in Base Size for Core Essential Programs for Kohls TD for Reference</p> <p>PATTERNS: Please attach electronic pattern in One PLM as a .dxf or .dsn format. Fit sample patterns to be uploaded to the Fit Eval Page &amp; Final Approved Fit or PP patterns to be uploaded to the Attachment Page. Pattern should include a 10" X10" square.</p> <p>GENERAL COMMENTS:<br/>           See comments and photos attached.</p> <p>CONSTRUCTION COMMENTS:<br/>           1. Overall construction and workmanship has improved, however please add CPA to maintain for bulk.<br/>           2. Please add CPA for armhole symmetrical, roping/stretching at top of keyhole binding, and CB binding to be centered.</p> <p>FIT COMMENTS:<br/>           1. Overall balance and fit has improve, please maintain.</p> <p>Thank you<br/>           KTD<br/>           Ashley Nunez</p> |                                                                                     |                                                                                       |



# NAVIGATING TECH SPEC REPORT

## TECH SPEC FIT EVAL - ATTACHMENTS

- The fit eval attachments pull from the Attachments Tab of each fit evaluation.
  - FRONT/BACK/SIDE PHOTO:** Photos of fit sample on dress form. Must say "IMAGE" in Attachment No field and be number 1 in sort order in order to for thumbnail image to show.
  - PATTERN:** Digital pattern file used to make fit sample uploaded by CTD.
  - HOME ONLY:** Photos of sample review.

| Overview                      |               | Attachments                                                                                               |               | Change Tracking 2   |  |                      |  |
|-------------------------------|---------------|-----------------------------------------------------------------------------------------------------------|---------------|---------------------|--|----------------------|--|
| Attachments                   |               |                                                                                                           |               |                     |  | ONEPLM DATA LOCATION |  |
| <input type="checkbox"/> Sort | Attachment No | Description                                                                                               | Attached By   | Date Attached       |  |                      |  |
| <input type="checkbox"/>      | 1             | IMAGE<br><br>L R E VER   | JERILYN BOOTH | 2020-06-15 18:23:18 |  |                      |  |
| <input type="checkbox"/>      | 2             | PATTERN<br><br>L R E VER | KALLIE DURANT | 2020-09-19 13:38:17 |  |                      |  |

**KOHL'S**

SP21  
Stage: DEVELOPMENT

WT02A106  
OPEN BACK BANDED  
BOTTOM TANK  
Fit Eval - Spec



**REPORT VIEW**

SP20-WT02A106RD



JAN 21 2020

2<sup>ND</sup> fit sample



COP:VNISON HA)

Vendor: ECLAT



By Marian Chan: (Asst CTD)

Print Date/Time: 09/15/2020 06:45 AM
47 of 72
CONFIDENTIALITY NOTICE: This document is property of Kohl's, Inc.

