	2	209-20			
	Underwear/Panties/				
PERFORMANCE	To be used only after fab	ric testing has been o			
PERFORMANCE LABEL VERIFICATION	TEST METHOD		REQUIREMENT		
Label Review	Care Label 16 CFR 423 Textile Fiber Products Identification Act 16 CFR 303 Wool Product Labeling Act-16 CFR 300 Fur Products Labeling Act – 16 CFR 301 Fur Product Identification Act – 15 U.S.C.69	Fiber Content, Care, Country of Origin, Manufacturers Registration Number, Wool Products Registration Number must meet Federal Standards If label is not sewn to garment, artwork of the proposed care/content label must be provided.			
Tracking Label: Children's product: ALL ages	Consumer Product Safety Improvement Act of 2008 (CPSIA) SEC. 103	Refer to Kohl's Tracking Label Section in the Labeling Guideline Policy. Following information must be provided: Retailer's Name (Kohl's) Style Number/Name Factory Number Date (Month/Year)			
Adult Tracking Label: **If space limitations exist, contact Kohl's Quality Assurance & Product Integrity teams to discuss minimum required information (quality.assurance@kohls.com, product. integrity@kohls.com).**	Kohl's Requirement	Refer to Kohl's Tracking Label Section in the Labeling Guideline Policy. TO BE MARKED AS PASS/FAIL: Kohl's Assigned Factory Number Manufacture Date (Month/Year) UPC #			
Fiber Content [For filled garments, garments with faux fur trim, etc., if previously not tested]	AATCC 20/20A Textile Fiber Products Identification Act 16 CFR 303 Wool Product Labeling Act-16 CFR 300 Fur Products Labeling Act – 16 CFR 301 Fur Product Identification Act – 15 U.S.C.69	One Fiber Only: No Tolerance Two or More Fibers: +/- 3% max deviation from contracted fiber content Functional Fibers i.e. Spandex: +/- 2% max deviation from contracted fiber content			
Flammability	16 CFR 1610	Class 1 Test non-exempt fabrics mus	Class 1 Test non-exempt fabrics must be tested in every color		
Performance Claims Protocol (401)	Refer to Protocol 401		d against the requirements of the Perform	ance Claims Protocol to determine if	
Softlines Regulatory Supplemental Protocol	Refer to Protocol 501	additional testing or labeling is required All samples shall be reviewed against the requirements of the Softlines Regulatory Supplemental Protocol to determine if additional testing or labeling is required.			
CONSTRUCTION QUALITY					
Monofilament Thread (applicable to children only)	Visual	No monofilament thread allowed			
Drawstrings and/or Ties (Children's of ALL ages)	ASTM F 1816-97	Must Comply with Kohl's Safety Requirement where specified			
Fragile Trims	Visual	Sizes 0-5T: Must comply with Kohl's Safety Requirement			
Sharp Points & Sharp Edges	CPSC 16 CFR 1500.48 - 49	Sizes over ST & Adult: Report Actual Findings No sharp points or sharp edges – Refer to Product Safety Policy			
Physical Properties					
Dimensional Change to Home Laundering, Dry	AATCC 135 (3 washes)	KNITS			
Cleaning or Hand Wash	AATCC LP2 (Length X Width)	FIBER CONTENT	FABRIC TYPE	SHRINK	
	Tide ® Powder Detergent	100% COTTON	Jersey Interlock, 1x1 rib, 2x2 rib	6x6	
				6x6	
		CVC & Cotton Rich Stretch	Thermal (waffle) Jersey	6x6 6x6	
			Interlock, 1x1 rib, 2x2 rib	6x6	
			Fleece	6x6	
			French Terry	6x6	
		100% POLY	Thermal (waffle) Jersey	6x6 5x5	
		100/01 01	Interlock	5x5	
			1x1 rib	6x6	
			2x2 rib	6x6	
			Fleece Franch Torry	5x5 5x5	
		POLY/COTTON	French Terry //COTTON Jersey		
			Interlock	5x5 5x5	
		1x1 rib		6x6	
			2x2 rib	6x6	
			Fleece French Terry	5x5 5x5	
		WOVENS	Tier 1 Tier 2		
		Wovens	3x3 2x2		
	Dry Cleaning (1 cycle)	Shrinkage	<u>'</u>	2 x 2	
			All Fabric Types		
A Detection	AATCC/ASTM TS-008 Modified	Allow 1% Growth Only Must meet all applicable Kohl's Appearance Evaluation Requirements			
Appearance Retention		Must meet all applicable to	nl's Appearance Evaluation Requirements		

Seam strength -Knits	ASTM D 3786		Tier 1	Tier 2	Tier 3
		< /= 4.0 oz / sq yd	30	30	30
		> 4.0 oz/ sq yd	35	35	35
		Laces, Mesh	15	15	15
Seam Strength/ Slippage -Wovens	ASTM D 1683	Functional Seams	Tier 1	Tier 2	Tier 3
	Record seam slippage at 1/4" opening of seam	= 3.0 oz/sq yd</td <td>20/15</td> <td>20/15</td> <td>20/15</td>	20/15	20/15	20/15
		3- 6 oz/sq yd	25/15	30/20	30/20
		6.0- 9.0 oz/sq yd	25/20	35/20	35/20
		>9.0 oz / sq yd	40/20	50/20	50/20
Attack as and Character to W	4.C CED 4500 54 52 Dt 5 (C-f O)			30/20	30/20
Attachment Strength* A) Applies to all Rings/Sliders B) Applies to Buttons, Snaps, Small Parts, Belt	16 CFR 1500.51-53 Pt. F (Saf Q)	A) REQUIREMENT (for all garments): No detachment at 25 lbs. DATA ONLY: Report the point at which the trim fails, or if there is no detachment at 50 lbs. B) REQUIREMENT:			
Loops, Zipper Tab, etc. C) Applies to Plastic Hanger Loops		Over 5T - Adult: No detachment at 17 lbs. for 10 seconds Exceptions: Buttons: 20lbs DATA ONLY: Report the point at which the trim fails, or if there is no detachment at 50 lbs.			
D) Over 5T-Adult: Fragile Trims: Beads, Rhinestones, etc		C) REQUIREMENT: No detachment at 5 lbs. DATA ONLY: Report the point at which the trim fails, or if there is no detachment at 50 lbs. D) REQUIREMENT:			
Stratch and Bosquary, Majet Pand and Los Dopping	Kohl's TM-20	5 lbs. for 10 seconds mini	mum		
Stretch and Recovery- Waist Band and Leg Opening	NOTH 3 TIVE 20	Elongation: 85% Min Recovery: 80 % Min			
ANALYTICAL TEST	Mobile TAA F (anh.for Assessed to)	Magazina If Cont. Tout 1 2	naliking managad with the 2		
Formaldehyde	Kohl's TM-5 (only for 4 years and up)		ositive, proceed with step 2		
	JIS L 1041:2000 –	Children over 5T & Adults			
	Sec. 5.3.1 (2) Method B, JIS Water Extraction	Children's 0-5T = 20 ppm r	nax.		
REQUIRED WHERE APPLICABLE AT ADDITIONAL COS					
Nickel Content – as per kohl's safety policy	Kohl's TM-18	Negative			
Kohl's Durability Evaluation *	Kohl's Durability Evaluation Ultra Tide ® Powder Detergent	Fragile trims, heat transfer & screen prints - Must meet all applicable Kohl's Durability Evaluation Requirements			
	1.1T00.00 (. 1 .)	Grade 4 min			
	AATCC 23 for 1 cycle	Grade 4 min			
Colorfastness to Atmospheric Fumes (White Fabrics only) Resistance to Unsnapping/Snapping Buttons (Children's of ALL ages)	ASTM D 4846	Requirement = 1.5-8 lbs.	max.		
only) Resistance to Unsnapping/Snapping Buttons (Children's of ALL ages) TOXICOLOGY TESTING – REQUIRED WHERE APPLICATION OF THE PROPERTY OF T	ASTM D 4846	Requirement = 1.5-8 lbs.	max.		
only) Resistance to Unsnapping/Snapping Buttons (Children's of ALL ages) TOXICOLOGY TESTING — REQUIRED WHERE APPLICATED Lead Content in Surface Coating — Scrapeable in	ASTM D 4846	Requirement = 1.5-8 lbs. Children of ALL Ages 490 ppm (0.009% total we Adults 490 ppm max (0.009% tot	eight)	uirement on Composite Test	ting
only) Resistance to Unsnapping/Snapping Buttons (Children's of ALL ages) TOXICOLOGY TESTING—REQUIRED WHERE APPLICATION OF THE STAPPING APPLICA	ASTM D 4846 BLE AT ADDITIONAL COST CPSC-CH-E1003-09.1	Requirement = 1.5-8 lbs. Children of ALL Ages <90 ppm (0.009% total we Adults <90 ppm max (0.009% tot Refer to Kohl's Product Sa	eight) al weight)	uirement on Composite Test	ting
only) Resistance to Unsnapping/Snapping Buttons (Children's of ALL ages) TOXICOLOGY TESTING - REQUIRED WHERE APPLICA Lead Content in Surface Coating - Scrapeable in each color * Total Lead in Substrate Material * (Accessible components)	ASTM D 4846 BLE AT ADDITIONAL COST CPSC-CH-E1003-09.1 CPSC-CH-E1002-08.1/CPSC-CH-E1001-08.1	Children of ALL Ages <90 ppm (0.009% total we Adults <90 ppm max (0.009% tot Refer to Kohl's Product Sa Children's of ALL ages <100 ppm max (0.010% tot	right) al weight) fety Policy for additional requ		
only) Resistance to Unsnapping/Snapping Buttons (Children's of ALL ages) TOXICOLOGY TESTING - REQUIRED WHERE APPLICA Lead Content in Surface Coating - Scrapeable in each color * Total Lead in Substrate Material * (Accessible components)	ASTM D 4846 BLE AT ADDITIONAL COST CPSC-CH-E1003-09.1	Children of ALL Ages <90 ppm (0.009% total we Adults <90 ppm max (0.009% tot Refer to Kohl's Product Sa Children's of ALL ages <100 ppm max (0.010% to Refer to Kohl's Product Sa Children's toys and childca concentrations of more th	eight) al weight) fety Policy for additional requ otal weight) fety Policy for additional requ are articles, before and after an 0.1% BBP, DBP, DEHP, DIN	uirement on Composite Test	ting I not contain
only) Resistance to Unsnapping/Snapping Buttons (Children's of ALL ages) TOXICOLOGY TESTING — REQUIRED WHERE APPLICATE Lead Content in Surface Coating — Scrapeable in each color * Total Lead in Substrate Material * (Accessible components) Phthalates content	ASTM D 4846 BLE AT ADDITIONAL COST CPSC-CH-E1003-09.1 CPSC-CH-E1002-08.1/CPSC-CH-E1001-08.1 Consumer Product Safety Improvement Act of 2008 / 16 CFR 1307 / CPSC-CH-C1001-09.4 (Mod	Requirement = 1.5-8 lbs. I Children of ALL Ages <90 ppm (0.009% total we Adults <90 ppm max (0.009% tot Refer to Kohl's Product Sa Children's of ALL ages <100 ppm max (0.010% to Refer to Kohl's Product Sa Children's toys and childca concentrations of more th Component testing is allow Compositing up to 3 like in Product manufactured and	eight) al weight) fety Policy for additional requested weight) fety Policy for additional requested policy for additional requested an 0.1% BBP, DBP, DEHP, DIN wed. atterials is allowed. d imported as of April 25, 20:	uirement on Composite Test use and abuse testing, shall P, DIBP, DPENP, DHEXP or D 18 must comply.	ting I not contain CHP individually.
only) Resistance to Unsnapping/Snapping Buttons (Children's of ALL ages) TOXICOLOGY TESTING REQUIRED WHERE APPLICATE Lead Content in Surface Coating — Scrapeable in	ASTM D 4846 BLE AT ADDITIONAL COST CPSC-CH-E1003-09.1 CPSC-CH-E1002-08.1/CPSC-CH-E1001-08.1 Consumer Product Safety Improvement Act of	Requirement = 1.5-8 lbs. Children of ALL Ages <90 ppm (0.009% total we Adults <90 ppm max (0.009% tot Refer to Kohl's Product Sa Children's of ALL ages <100 ppm max (0.010% to Refer to Kohl's Product Sa Children's toys and childconcentrations of more the Component testing is alloo Compositing up to 3 like in Product manufactured and Children's Toys = Defined use by the child when the	eight) al weight) fety Policy for additional requested weight) fety Policy for additional requested weight) fety Policy for additional requested weight, and after an 0.1% BBP, DBP, DEHP, DIN wed. Inaterials is allowed. Indicate the product designated weight wei	uirement on Composite Test use and abuse testing, shall P, DIBP, DPENP, DHEXP or D 18 must comply. ned or intended by the mar	ting I not contain CHP individually.
only) Resistance to Unsnapping/Snapping Buttons (Children's of ALL ages) TOXICOLOGY TESTING — REQUIRED WHERE APPLICATION Lead Content in Surface Coating — Scrapeable in each color * Total Lead in Substrate Material * (Accessible components) Phthalates content Soluble Heavy Metals *	ASTM D 4846 BLE AT ADDITIONAL COST CPSC-CH-E1003-09.1 CPSC-CH-E1002-08.1/CPSC-CH-E1001-08.1 Consumer Product Safety Improvement Act of 2008 / 16 CFR 1307 / CPSC-CH-C1001-09.4 (Mod	Requirement = 1.5-8 lbs. I Children of ALL Ages <90 ppm (0.009% total we Adults <90 ppm max (0.009% tot Refer to Kohl's Product Sa Children's of ALL ages <100 ppm max (0.010% to Refer to Kohl's Product Sa Children's toys and childca concentrations of more the Component testing is allow Compositing up to 3 like mean product manufactured and Children's Toys = Defined a use by the child when the Mercury - 60 ppm	eight) al weight) fety Policy for additional requested weight) fety Policy for additional requested policy for additional requ	uirement on Composite Test use and abuse testing, shall P, DIBP, DPENP, DHEXP or D 18 must comply. ned or intended by the mar	ting I not contain CHP individually.
only) Resistance to Unsnapping/Snapping Buttons (Children's of ALL ages) TOXICOLOGY TESTING — REQUIRED WHERE APPLICATION Lead Content in Surface Coating — Scrapeable in each color * Total Lead in Substrate Material * (Accessible components) Phthalates content	ASTM D 4846 BLE AT ADDITIONAL COST CPSC-CH-E1003-09.1 CPSC-CH-E1002-08.1/CPSC-CH-E1001-08.1 Consumer Product Safety Improvement Act of 2008 / 16 CFR 1307 / CPSC-CH-C1001-09.4 (Mod	Requirement = 1.5-8 lbs. Children of ALL Ages <90 ppm (0.009% total we Adults <90 ppm max (0.009% tot Refer to Kohl's Product Sa Children's of ALL ages <100 ppm max (0.010% to Refer to Kohl's Product Sa Children's toys and childconcentrations of more the Component testing is alloo Compositing up to 3 like in Product manufactured and Children's Toys = Defined use by the child when the	eight) al weight) fety Policy for additional requested weight) fety Policy for additional requested weight) fety Policy for additional requested weight, and after an 0.1% BBP, DBP, DEHP, DIN wed. Inaterials is allowed. Indicate the product designated weight wei	uirement on Composite Test use and abuse testing, shall P, DIBP, DPENP, DHEXP or D 18 must comply. ned or intended by the mar	ting I not contain CHP individually.
only) Resistance to Unsnapping/Snapping Buttons (Children's of ALL ages) TOXICOLOGY TESTING — REQUIRED WHERE APPLICATION Lead Content in Surface Coating — Scrapeable in each color * Total Lead in Substrate Material * (Accessible components) Phthalates content	ASTM D 4846 BLE AT ADDITIONAL COST CPSC-CH-E1003-09.1 CPSC-CH-E1002-08.1/CPSC-CH-E1001-08.1 Consumer Product Safety Improvement Act of 2008 / 16 CFR 1307 / CPSC-CH-C1001-09.4 (Mod	Requirement = 1.5-8 lbs. I Children of ALL Ages <90 ppm (0.009% total we Adults <90 ppm max (0.009% tot Refer to Kohl's Product Sa Children's of ALL ages <100 ppm max (0.010% to Refer to Kohl's Product Sa Children's toys and childca concentrations of more the Component testing is allow Compositing up to 3 like mean product manufactured and Children's Toys = Defined a use by the child when the Mercury - 60 ppm	eight) al weight) fety Policy for additional requested weight) fety Policy for additional requested policy for additional requ	uirement on Composite Test use and abuse testing, shall P, DIBP, DPENP, DHEXP or D 18 must comply. ned or intended by the mar	ting I not contain CHP individually.
only) Resistance to Unsnapping/Snapping Buttons (Children's of ALL ages) TOXICOLOGY TESTING — REQUIRED WHERE APPLICATION Lead Content in Surface Coating — Scrapeable in each color * Total Lead in Substrate Material * (Accessible components) Phthalates content	ASTM D 4846 BLE AT ADDITIONAL COST CPSC-CH-E1003-09.1 CPSC-CH-E1002-08.1/CPSC-CH-E1001-08.1 Consumer Product Safety Improvement Act of 2008 / 16 CFR 1307 / CPSC-CH-C1001-09.4 (Mod	Children of ALL Ages <90 ppm (0.009% total we Adults <90 ppm max (0.009% tot Refer to Kohl's Product Sa Children's of ALL ages <100 ppm max (0.010% to Refer to Kohl's Product Sa Children's toys and childca concentrations of more th Component testing is allo Compositing up to 3 like n Product manufactured and Children's Toys = Defined a use by the child when the Mercury - 60 ppm Antimony - 60 ppm	eight) al weight) fety Policy for additional requested weight) fety Policy for additional requested weight) fety Policy for additional requested an 0.1% BBP, DBP, DEHP, DIN wed. naterials is allowed. d imported as of April 25, 20: as a consumer product design child plays. Required for child Barium - 1000 ppm Cadmium - 75 ppm	uirement on Composite Test use and abuse testing, shall P, DIBP, DPENP, DHEXP or D 18 must comply. ned or intended by the mar	ting I not contain CHP individually.
Resistance to Unsnapping/Snapping Buttons (Children's of ALL ages) TOXICOLOGY TESTING — REQUIRED WHERE APPLICATE AND ADDRESS OF ALL AGES OF ALL AGES OF ALL AGES OF A SCRAPBED IN Each Color * Total Lead in Substrate Material * (Accessible components) Phthalates content Soluble Heavy Metals * Applies to Children's Toys	ASTM D 4846 BLE AT ADDITIONAL COST CPSC-CH-E1003-09.1 CPSC-CH-E1002-08.1/CPSC-CH-E1001-08.1 Consumer Product Safety Improvement Act of 2008 / 16 CFR 1307 / CPSC-CH-C1001-09.4 (Mod	Requirement = 1.5-8 lbs. I Children of ALL Ages <90 ppm (0.009% total we Adults <90 ppm max (0.009% tot Refer to Kohl's Product Sa Children's of ALL ages <100 ppm max (0.010% te Refer to Kohl's Product Sa Children's toys and childca concentrations of more th Component testing is allow Compositing up to 3 like in Product manufactured and Children's Toys = Defined is use by the child when the Mercury - 60 ppm Antimony - 60 ppm Arsenic - 25 ppm	eight) al weight) fety Policy for additional requested weight) fety Policy for additional requested weight fety Policy for additional requested and 0.1% BBP, DBP, DEHP, DIN wed. hat erials is allowed. di imported as of April 25, 20: as a consumer product designicated by the policy for additional requested for chile. Barium - 1000 ppm Cadmium - 75 ppm Chromium - 60 ppm Lead - 90 ppm	uirement on Composite Test use and abuse testing, shall P, DIBP, DPENP, DHEXP or D 18 must comply. ned or intended by the mar	ting I not contain CHP individually.
Resistance to Unsnapping/Snapping Buttons (Children's of ALL ages) TOXICOLOGY TESTING — REQUIRED WHERE APPLICATE Lead Content in Surface Coating — Scrapeable in each color * Total Lead in Substrate Material * (Accessible components) Phthalates content Soluble Heavy Metals * Applies to Children's Toys	ASTM D 4846 BLE AT ADDITIONAL COST CPSC-CH-E1003-09.1 CPSC-CH-E1002-08.1/CPSC-CH-E1001-08.1 Consumer Product Safety Improvement Act of 2008 / 16 CFR 1307 / CPSC-CH-C1001-09.4 (Mod	Children of ALL Ages 90 ppm (0.009% total we Adults 90 ppm max (0.009% tot Refer to Kohl's Product Sa Children's of ALL ages <100 ppm max (0.010% to Refer to Kohl's Product Sa Children's toys and childco concentrations of more th Component testing is allow Compositing up to 3 like n Product manufactured and Children's Toys = Defined a use by the child when the Mercury - 60 ppm Antimony - 60 ppm Arsenic - 25 ppm Selenium - 500 ppm	eight) al weight) fety Policy for additional requested weight) fety Policy for additional requested weight fety Policy for additional requested and 0.1% BBP, DBP, DEHP, DIN wed. hat erials is allowed. di imported as of April 25, 20: as a consumer product designicated by the policy for additional requested for chile. Barium - 1000 ppm Cadmium - 75 ppm Chromium - 60 ppm Lead - 90 ppm	uirement on Composite Test use and abuse testing, shall P, DIBP, DPENP, DHEXP or D 18 must comply. ned or intended by the mar	ting I not contain CHP individually.
only) Resistance to Unsnapping/Snapping Buttons (Children's of ALL ages) TOXICOLOGY TESTING — REQUIRED WHERE APPLICATION Lead Content in Surface Coating — Scrapeable in each color * Total Lead in Substrate Material * (Accessible components) Phthalates content Soluble Heavy Metals * Applies to Children's Toys	ASTM D 4846 BLE AT ADDITIONAL COST CPSC-CH-E1003-09.1 CPSC-CH-E1002-08.1/CPSC-CH-E1001-08.1 Consumer Product Safety Improvement Act of 2008 / 16 CFR 1307 / CPSC-CH-C1001-09.4 (Mod ASTM F 963-17 Lead and Cadmium EPA SW 846 Method # 3050B/3051 (Mod.) / CPSCCH-E1003-	Children of ALL Ages 90 ppm (0.009% total we Adults 90 ppm max (0.009% tot Refer to Kohl's Product Sa Children's of ALL ages <100 ppm max (0.010% to Refer to Kohl's Product Sa Children's toys and childco concentrations of more th Component testing is allow Compositing up to 3 like n Product manufactured and Children's Toys = Defined a use by the child when the Mercury - 60 ppm Antimony - 60 ppm Arsenic - 25 ppm Selenium - 500 ppm	eight) al weight) fety Policy for additional requested weight) fety Policy for additional requested weight fety Policy for additional requested and 0.1% BBP, DBP, DEHP, DIN wed. hat erials is allowed. di imported as of April 25, 20: as a consumer product designicated by the policy for additional requested for chile. Barium - 1000 ppm Cadmium - 75 ppm Chromium - 60 ppm Lead - 90 ppm	uirement on Composite Test use and abuse testing, shall P, DIBP, DPENP, DHEXP or D 18 must comply. ned or intended by the mar	ting I not contain CHP individually.
Resistance to Unsnapping/Snapping Buttons (Children's of ALL ages) TOXICOLOGY TESTING — REQUIRED WHERE APPLICATE Lead Content in Surface Coating — Scrapeable in each color * Total Lead in Substrate Material * (Accessible components) Phthalates content Soluble Heavy Metals * Applies to Children's Toys	ASTM D 4846 BLE AT ADDITIONAL COST CPSC-CH-E1003-09.1 CPSC-CH-E1002-08.1/CPSC-CH-E1001-08.1 Consumer Product Safety Improvement Act of 2008 / 16 CFR 1307 / CPSC-CH-C1001-09.4 (Mod ASTM F 963-17 Lead and Cadmium EPA SW 846	Requirement = 1.5-8 lbs. I Children of ALL Ages <90 ppm (0.009% total we Adults <90 ppm max (0.009% tot Refer to Kohl's Product Sa Children's of ALL ages <100 ppm max (0.010% to Refer to Kohl's Product Sa Children's toys and childconcentrations of more the Component testing is allow Compositing up to 3 like norduct manufactured and Children's Toys = Defined a use by the child when the Mercury - 60 ppm Antimony - 60 ppm Arsenic - 25 ppm Selenium - 500 ppm Washington Children's Saf	eight) al weight) fety Policy for additional requested weight) fety Policy for additional requested weight fety Policy for additional requested and 0.1% BBP, DBP, DEHP, DIN wed. hat erials is allowed. di imported as of April 25, 20: as a consumer product designicated by the policy for additional requested for chile. Barium - 1000 ppm Cadmium - 75 ppm Chromium - 60 ppm Lead - 90 ppm	uirement on Composite Test use and abuse testing, shall P, DIBP, DPENP, DHEXP or D 18 must comply. ned or intended by the mar	ting I not contain CHP individually.
Resistance to Unsnapping/Snapping Buttons (Children's of ALL ages) TOXICOLOGY TESTING — REQUIRED WHERE APPLICATION (Children's Testing — Scrapeable in each color * Total Lead in Substrate Material * (Accessible components) Phthalates content Soluble Heavy Metals * Applies to Children's Toys Lead, Cadmium and Phthalate* Applicable to children product including: - Child car seats	ASTM D 4846 BLE AT ADDITIONAL COST CPSC-CH-E1003-09.1 CPSC-CH-E1002-08.1/CPSC-CH-E1001-08.1 Consumer Product Safety Improvement Act of 2008 / 16 CFR 1307 / CPSC-CH-C1001-09.4 (Mod ASTM F 963-17 Lead and Cadmium. EPA SW 846 Method # 3050B/3051 (Mod.) / CPSCCH-E1003-09.1/ CPSC-CHE1001-08.1	Requirement = 1.5-8 lbs. Children of ALL Ages <90 ppm (0.009% total we Adults <90 ppm max (0.009% tot Refer to Kohl's Product Sa Children's of ALL ages <100 ppm max (0.010% to Refer to Kohl's Product Sa Children's toys and childco concentrations of more th Component testing is allow Compositing up to 3 like n Product manufactured and Children's Toys = Defined a use by the child when the Mercury - 60 ppm Antimony - 60 ppm Arsenic - 25 ppm Selenium - 500 ppm Washington Children's Saf ≤ 90 ppm (lead) ≤ 40 ppm (Cadmium)	eight) al weight) fety Policy for additional requested weight) fety Policy for additional requested weight fety Policy for additional requested and 0.1% BBP, DBP, DEHP, DIN wed. hat erials is allowed. di imported as of April 25, 20: as a consumer product designicated by the policy for additional requested for chile. Barium - 1000 ppm Cadmium - 75 ppm Chromium - 60 ppm Lead - 90 ppm	uirement on Composite Test use and abuse testing, shall P, DIBP, DPENP, DHEXP or D 18 must comply. ned or intended by the mar dren's toys of ALL ages	l not contain CHP individually. nufacturer for a child, for
only) Resistance to Unsnapping/Snapping Buttons (Children's of ALL ages) TOXICOLOGY TESTING — REQUIRED WHERE APPLICATE Lead Content in Surface Coating — Scrapeable in each color * Total Lead in Substrate Material * (Accessible components) Phthalates content Soluble Heavy Metals * Applies to Children's Toys Lead, Cadmium and Phthalate* Applicable to children product including: - Child car seats - Clothing - Cosmetics for children under the age of 12 - Jewelry for children under the age of 12 - Products to help a child with sucking or teething,	ASTM D 4846 BLE AT ADDITIONAL COST CPSC-CH-E1003-09.1 CPSC-CH-E1002-08.1/CPSC-CH-E1001-08.1 Consumer Product Safety Improvement Act of 2008 / 16 CFR 1307 / CPSC-CH-C1001-09.4 (Mod ASTM F 963-17 Lead and Cadmium EPA SW 846 Method # 3050B/3051 (Mod.) / CPSCCH-E1003-	Requirement = 1.5-8 lbs. I Children of ALL Ages <90 ppm (0.009% total we Adults <90 ppm max (0.009% tot Refer to Kohl's Product Sa Children's of ALL ages <100 ppm max (0.010% to Refer to Kohl's Product Sa Children's toys and childconcentrations of more the Component testing is alloo Compositing up to 3 like no Product manufactured and Children's Toys = Defined cuse by the child when the Mercury - 60 ppm Antimony - 60 ppm Arsenic - 25 ppm Selenium - 500 ppm Washington Children's Saf ≤ 90 ppm (lead) ≤ 40 ppm (Cadmium) ≤ 0.1% (DEHP, BBP, DBP, I	eight) al weight) fety Policy for additional requ otal weight) fety Policy for additional requ are articles, before and after an 0.1% BBP, DBP, DEHP, DIN wed. as a consumer product design child plays. Required for child Barium - 1000 ppm Cadmium - 75 ppm Chromium - 60 ppm Lead - 90 ppm e Products Act	uirement on Composite Test use and abuse testing, shall P, DIBP, DPENP, DHEXP or D 18 must comply. ned or intended by the mar dren's toys of ALL ages	l not contain CHP individually. nufacturer for a child, for
only) Resistance to Unsnapping/Snapping Buttons (Children's of ALL ages) TOXICOLOGY TESTING — REQUIRED WHERE APPLICATE Lead Content in Surface Coating — Scrapeable in each color * Total Lead in Substrate Material * (Accessible components) Phthalates content Soluble Heavy Metals * Applies to Children's Toys Lead, Cadmium and Phthalate* Applicable to children product including: - Child car seats - Clothing - Cosmetics for children under the age of 12 - Jewelry for children under the age of 12 - Products to help a child with sucking or teething, to facilitate sleep, relaxation, or the feeding of a	ASTM D 4846 BLE AT ADDITIONAL COST CPSC-CH-E1003-09.1 CPSC-CH-E1002-08.1/CPSC-CH-E1001-08.1 Consumer Product Safety Improvement Act of 2008 / 16 CFR 1307 / CPSC-CH-C1001-09.4 (Mod ASTM F 963-17 Lead and Cadmium EPA SW 846 Method # 3050B/3051 (Mod.) / CPSC-CH-E1003-09.1/ CPSC-CHE1002-08.1 / CPSC-CHE1001-08.1 Phthalate	Requirement = 1.5-8 lbs. I Children of ALL Ages <90 ppm (0.009% total we Adults <90 ppm max (0.009% tot Refer to Kohl's Product Sa Children's of ALL ages <100 ppm max (0.010% to Refer to Kohl's Product Sa Children's toys and childconcentrations of more the Component testing is alloo Compositing up to 3 like no Product manufactured and Children's Toys = Defined cuse by the child when the Mercury - 60 ppm Antimony - 60 ppm Arsenic - 25 ppm Selenium - 500 ppm Washington Children's Saf ≤ 90 ppm (lead) ≤ 40 ppm (Cadmium) ≤ 0.1% (DEHP, BBP, DBP, I	eight) al weight) fety Policy for additional requested weight) fety Policy for additional requested weight fety Policy for additional requested weight fety Policy for additional requested weight for an 0.1% BBP, DBP, DEHP, DIN wed. haterials is allowed. d imported as of April 25, 20: as a consumer product design child plays. Required for child plays. Required for child plays. Required for child plays. Required for child plays. Popp Cadmium - 75 ppm Chromium - 60 ppm Lead - 90 ppm te Products Act DINP, DIDP, DnHP, DnOP, DIBP te performed on below suggested.	uirement on Composite Test use and abuse testing, shall P, DIBP, DPENP, DHEXP or D 18 must comply. ned or intended by the mar dren's toys of ALL ages	l not contain CHP individually. nufacturer for a child, for
only) Resistance to Unsnapping/Snapping Buttons (Children's of ALL ages) (Children's of ALL ages) (Children's of ALL ages) Lead Content in Surface Coating — Scrapeable in each color * Total Lead in Substrate Material * (Accessible components) Phthalates content Soluble Heavy Metals * Applies to Children's Toys Lead, Cadmium and Phthalate* Applicable to children product including: - Child car seats - Clothing - Cosmetics for children under the age of 12 - Jewelry for children under the age of 12	ASTM D 4846 BLE AT ADDITIONAL COST CPSC-CH-E1003-09.1 CPSC-CH-E1002-08.1/CPSC-CH-E1001-08.1 Consumer Product Safety Improvement Act of 2008 / 16 CFR 1307 / CPSC-CH-C1001-09.4 (Mod ASTM F 963-17 Lead and Cadmium EPA SW 846 Method # 3050B/3051 (Mod.) / CPSC-CH-E1003-09.1/ CPSC-CHE1002-08.1 / CPSC-CHE1001-08.1 Phthalate	Requirement = 1.5-8 lbs. I Children of ALL Ages <90 ppm (0.009% total we Adults <90 ppm max (0.009% tot Refer to Kohl's Product Sa Children's of ALL ages <100 ppm max (0.010% to Refer to Kohl's Product Sa Children's toys and childconcentrations of more the Component testing is alloo Compositing up to 3 like no Product manufactured and Children's Toys = Defined cuse by the child when the Mercury - 60 ppm Antimony - 60 ppm Arsenic - 25 ppm Selenium - 500 ppm Washington Children's Saf ≤ 90 ppm (lead) ≤ 40 ppm (Cadmium) ≤ 0.1% (DEHP, BBP, DBP, I	eight) al weight) fety Policy for additional requested weight) fety Policy for additional requested weight fety Policy for additional requested weight for an 0.1% BBP, DBP, DEHP, DIN wed. as a consumer product design child plays. Required for child plays. Required for child plays. Required for child plays. Act of the products Act Barium - 1000 ppm Cadmium - 75 ppm Chromium - 60 ppm Lead - 90 ppm e Products Act DINP, DIDP, DnHP, DnOP, DIBP e performed on below suggested materials	uirement on Composite Test use and abuse testing, shall P, DIBP, DPENP, DHEXP or D 18 must comply. ned or intended by the mar dren's toys of ALL ages	l not contain CHP individually. nufacturer for a child, for
only) Resistance to Unsnapping/Snapping Buttons (Children's of ALL ages) TOXICOLOGY TESTING — REQUIRED WHERE APPLICATE Lead Content in Surface Coating — Scrapeable in each color * Total Lead in Substrate Material * (Accessible components) Phthalates content Soluble Heavy Metals * Applies to Children's Toys Lead, Cadmium and Phthalate* Applicable to children product including: - Child car seats - Clothing - Cosmetics for children under the age of 12 - Jewelry for children under the age of 12 - Products to help a child with sucking or teething, to facilitate sleep, relaxation, or the feeding of a	ASTM D 4846 BLE AT ADDITIONAL COST CPSC-CH-E1003-09.1 CPSC-CH-E1002-08.1/CPSC-CH-E1001-08.1 Consumer Product Safety Improvement Act of 2008 / 16 CFR 1307 / CPSC-CH-C1001-09.4 (Mod ASTM F 963-17 Lead and Cadmium EPA SW 846 Method # 3050B/3051 (Mod.) / CPSC-CH-E1003-09.1/ CPSC-CHE1002-08.1 / CPSC-CHE1001-08.1 Phthalate	Requirement = 1.5-8 lbs. I Children of ALL Ages <90 ppm (0.009% total we Adults <90 ppm max (0.009% tot Refer to Kohl's Product Sa Children's of ALL ages <100 ppm max (0.010% te Refer to Kohl's Product Sa Children's toys and childca concentrations of more th Component testing is allow Compositing up to 3 like in Product manufactured and Children's Toys = Defined is use by the child when the Mercury - 60 ppm Antimony - 60 ppm Arsenic - 25 ppm Selenium - 500 ppm Washington Children's Saf ≤ 90 ppm (lead) ≤ 40 ppm (Cadmium) ≤ 0.1% (DEHP, BBP, DBP, I Note: Actual test would be	eight) al weight) fety Policy for additional requested weight) fety Policy for additional requester articles, before and after an 0.1% BBP, DBP, DEHP, DIN wed. aterials is allowed. d imported as of April 25, 20: as a consumer product designically provided by the second of the secon	uirement on Composite Test use and abuse testing, shall P, DIBP, DPENP, DHEXP or D 18 must comply. ned or intended by the mar dren's toys of ALL ages	l not contain CHP individually. nufacturer for a child, for
only) Resistance to Unsnapping/Snapping Buttons (Children's of ALL ages) TOXICOLOGY TESTING — REQUIRED WHERE APPLICATE Lead Content in Surface Coating — Scrapeable in each color * Total Lead in Substrate Material * (Accessible components) Phthalates content Soluble Heavy Metals * Applies to Children's Toys Lead, Cadmium and Phthalate* Applicable to children product including: - Child car seats - Clothing - Cosmetics for children under the age of 12 - Jewelry for children under the age of 12 - Products to help a child with sucking or teething, to facilitate sleep, relaxation, or the feeding of a	ASTM D 4846 BLE AT ADDITIONAL COST CPSC-CH-E1003-09.1 CPSC-CH-E1002-08.1/CPSC-CH-E1001-08.1 Consumer Product Safety Improvement Act of 2008 / 16 CFR 1307 / CPSC-CH-C1001-09.4 (Mod ASTM F 963-17 Lead and Cadmium EPA SW 846 Method # 3050B/3051 (Mod.) / CPSC-CH-E1003-09.1/ CPSC-CHE1002-08.1 / CPSC-CHE1001-08.1 Phthalate	Requirement = 1.5-8 lbs. I Children of ALL Ages <90 ppm (0.009% total we Adults <90 ppm max (0.009% tot Refer to Kohl's Product Sa Children's of ALL ages - <100 ppm max (0.010% to Refer to Kohl's Product Sa Children's toys and childco concentrations of more th Component testing is allow Compositing up to 3 like n Product manufactured and Children's Toys = Defined a use by the child when the Mercury - 60 ppm Antimony - 60 ppm Antimony - 60 ppm Arsenic - 25 ppm Selenium - 500 ppm Washington Children's Saf ≤ 90 ppm (lead) ≤ 40 ppm (Cadmium) ≤ 0.1% (DEHP, BBP, DBP, I Note: Actual test would be Substances	eight) al weight) fety Policy for additional requested weight) fety Policy for additional requested weight fety Policy for additional requested weight for an 0.1% BBP, DBP, DEHP, DIN wed. as a consumer product design child plays. Required for child plays. Required for child plays. Required for child plays. Act of the products Act Barium - 1000 ppm Cadmium - 75 ppm Chromium - 60 ppm Lead - 90 ppm e Products Act DINP, DIDP, DnHP, DnOP, DIBP e performed on below suggested materials	uirement on Composite Test use and abuse testing, shall P, DIBP, DPENP, DHEXP or D 18 must comply. ned or intended by the mar dren's toys of ALL ages	l not contain CHP individually. nufacturer for a child, for
only) Resistance to Unsnapping/Snapping Buttons (Children's of ALL ages) TOXICOLOGY TESTING — REQUIRED WHERE APPLICATE Lead Content in Surface Coating — Scrapeable in each color * Total Lead in Substrate Material * (Accessible components) Phthalates content Soluble Heavy Metals * Applies to Children's Toys Lead, Cadmium and Phthalate* Applicable to children product including: - Child car seats - Clothing - Cosmetics for children under the age of 12 - Jewelry for children under the age of 12 - Products to help a child with sucking or teething, to facilitate sleep, relaxation, or the feeding of a	ASTM D 4846 BLE AT ADDITIONAL COST CPSC-CH-E1003-09.1 CPSC-CH-E1002-08.1/CPSC-CH-E1001-08.1 Consumer Product Safety Improvement Act of 2008 / 16 CFR 1307 / CPSC-CH-C1001-09.4 (Mod ASTM F 963-17 Lead and Cadmium EPA SW 846 Method # 3050B/3051 (Mod.) / CPSC-CH-E1003-09.1/ CPSC-CHE1002-08.1 / CPSC-CHE1001-08.1 Phthalate	Requirement = 1.5-8 lbs. Children of ALL Ages <90 ppm (0.009% total we Adults <90 ppm max (0.009% tot Refer to Kohl's Product Salon Product Manufactured and Product Manufactured Andrews Salon Product Manufactured Salon Product Salon Product Manufactured Salon Product Ma	eight) al weight) fety Policy for additional requested weight) fety Policy for additional requester articles, before and after an 0.1% BBP, DBP, DEHP, DIN wed. aterials is allowed. d imported as of April 25, 20: as a consumer product designically provided by the second of the secon	uirement on Composite Test use and abuse testing, shall P, DIBP, DPENP, DHEXP or D 18 must comply. ned or intended by the mar dren's toys of ALL ages P, DnPP or DCHP) (individual sted accessible materials.	l not contain CHP individually. nufacturer for a child, for
only) Resistance to Unsnapping/Snapping Buttons (Children's of ALL ages) TOXICOLOGY TESTING — REQUIRED WHERE APPLICATE Lead Content in Surface Coating — Scrapeable in each color * Total Lead in Substrate Material * (Accessible components) Phthalates content Soluble Heavy Metals * Applies to Children's Toys Lead, Cadmium and Phthalate* Applicable to children product including: - Child car seats - Clothing - Cosmetics for children under the age of 12 - Jewelry for children under the age of 12 - Products to help a child with sucking or teething, to facilitate sleep, relaxation, or the feeding of a	ASTM D 4846 BLE AT ADDITIONAL COST CPSC-CH-E1003-09.1 CPSC-CH-E1002-08.1/CPSC-CH-E1001-08.1 Consumer Product Safety Improvement Act of 2008 / 16 CFR 1307 / CPSC-CH-C1001-09.4 (Mod ASTM F 963-17 Lead and Cadmium EPA SW 846 Method # 3050B/3051 (Mod.) / CPSC-CH-E1003-09.1/ CPSC-CHE1002-08.1 / CPSC-CHE1001-08.1 Phthalate	Children of ALL Ages <90 ppm (0.009% total we Adults <90 ppm max (0.009% tot Refer to Kohl's Product Sa Children's of ALL ages <100 ppm max (0.010% to Refer to Kohl's Product Sa Children's toys and childce concentrations of more th Component testing is allo Compositing up to 3 like in Product manufactured and Children's Toys = Defined a use by the child when the Mercury - 60 ppm Antimony - 60 ppm Arsenic - 25 ppm Selenium - 500 ppm Washington Children's Saf ≤ 90 ppm (lead) ≤ 40 ppm (Cadmium) ≤ 0.1% (DEHP, BBP, DBP, I Note: Actual test would be Substances Lead Cadmium Phthalates	eight) al weight) fety Policy for additional required programment of the policy for additional required an 0.1% BBP, DBP, DEHP, DIN wed. atterials is allowed. d imported as of April 25, 20: as a consumer product designing the programment of the policy for child plays. Required for child plays. Popping the products Act DINP, DIDP, DnHP, DnOP, DIBP as performed on below suggested materials as policy control of the policy cont	uirement on Composite Test use and abuse testing, shall P, DIBP, DPENP, DHEXP or D 18 must comply. ned or intended by the mar dren's toys of ALL ages P, DnPP or DCHP) (individual sted accessible materials.	I not contain CHP individually. Individually. Individually.

(*) asterisk = ALL COLORWAYS MUST BE TESTED

**Please refer to Kohl's preferred third party labs for individual and optional testing pricing and samples needed.

PROTOCOL		DATE REVISION / APPROVED BY
VERSION	DESCRIPTION OF CHANGE	·
209-5	1) Formaldehyde – Modified JIS method to Water Extraction. Updated Children 0-4T	Sep 2013/ Vinoth
	req. from 0.05 Absorbency to 20 ppm.	
	2) Lead in Surface Coating – Updated Adult req. from 600ppm to 90 ppm.	
	3) Heavy Metals – Updated year of test method from 2008 to 2011. Test applies to both coating and substrate.	
	4) Incorporated Silver, Gold, Platinum standards.	
	4) Incorporated Silver, Gold, Flatindin Standards.	
209-6	1) Removed pricing for testing/took out Intertek/added approved lab statement	October 6th 2014/Nov. 31 2014/Leah Gross-Hutchison
209-7	1) Removed no samples & TAT/added statement	July 2016/Jackie Deppisch
	2) Removed lining from being called out in fiber content labeling	
209-8	1) Lead, Cadmium and Phthalate in Washington Children's Safe Products Act	August 2016 - Becky Becker
	1) Attachment Strength - Added "(Must test in original state, after 1 wash, and after 5	
	washes)" for sizes 0-5T.	
	2) Fragile Trims - updated size ranges to include 5T	
	3) Formaldehyde - updated size ranges to include 5T	
209-10	4) Zipper Tab Twist - updated size ranges to include 5T	February 2017 - Becky Becker
	1) Updated knit dimensional stability requirements	
209-11	2) pH value requirement update	August 2018 - Becky Becker
200.42	1) Updated Phthalates in each plasticized part/material such as PVC, Vinyl	0.1.0000.0.1.0.1
209-12	2) Added drycleaning requirements back into dimensional stability	October 2018 - Becky Becker
209-13	1) Updated Tracking Label to include Adult tracking requirements	March 2019-Jackie Deppisch
209-14	1) Updated Adult tracking label to be separate & DATA ONLY	March 2019-Jackie Deppisch
	1) Updated hand wash requirement to AATCC LP2	
209-15	2) Updated Phthalates requirement to CPSC-CH-C1001-09.4 (Mod	April 2019 - Becky Becker
209-16	1) Updated attachment strength requirements	Aug 2019 - Elizabeth Armstrong
209-17	1) Revised attachment strength requirements	Aug 2019 - Elizabeth Armstrong
209-18	1) Updated Adult Tracking Label to REQUIREMENT	March 2020- Jackie Deppisch
209-18	1) Removed "Ultra" from Tide detergent	March 2020 - Charlene Swanson
209-19	1) Added test line for all performance claims	March 2022 / Becky Becker
209-20	1) Added reference to Protocol 501	October 2022 / Kevin Makocy