
Kohl's Proprietary Brands Inspectorio Inspection Process Guide

Soft Home | Domestic Import & Factory Direct Suppliers

Quality Assurance July 2023



A powerful inspection & compliance mobile survey technology application and platform for Retailers, Suppliers & 3rd Party Service Providers





KOHLS

• Kohl's Proprietary Brands Product Inspections | Soft Home

Kohl's 3rd Party Inspection Policy	A passing or accepted final random inspection (FRI) completed at the production facility before shipping by an approved 3rd party inspection service for all Kohl's proprietary brand styles / items / programs every 3-6 months based on Kohl's production / order type and initial result*			
Focus	Final Random Inspection (First FRI), to validate outgoing product quality of shipments that are 100% produced and \geq 80% packed			
Conducted	Inspections should be completed by the style / item, order type (direct import - Kohl's, domestic - Vendor) and packing method presented for inspection. Vendor/factory is responsible for selecting PO(s) for inspection			
Style / Order Grouping	Styles / items or Orders may be grouped / combined in 1 inspection if	Final inspections should be booked by the style / item, PO and pack type (Import - Kohl's, Domestic - Vendor / pack type - Ecom, bulk, etc.) ≥1 PO of the same Kohl's brand + same base style program in multiple colors, prints & fabrications with the same ship / Start Factory / X-Factory date		


Production Type	Inspection Shipment		Frequency	Total Final Inspections Every 6 months	Inspector	
New / E-Comm Exclusive / Test Orders	lst	Largest / Bulk	6 months	2	Intertek or SGS	
Replenishment	1st or Largest		3 months	2	Intertek or SUS	
Additional Shipments not inspected by a 3rd Party	Additional shipments / production runs not required for 3rd party final inspection are to be inspected internally following Kohl's AQL (2.5 Major & Minor combined) standard, inspection levels and sampling and defect classification					

Questions | email guality.assurance@kohls.com

*Kohl's reserves the right to add additional inspections as they deem necessary (e.g., failed inspection, previous quality concerns/issues, test, ecom, key styles, etc.)

KOHĽS

Purchase Orders & Inspection Bookings | Soft Home - 3rd Party Inspection



Purchase Orders & Inspection Bookings | Soft Home - 3rd Party Inspection

Step 1: Purchase Orders

Kohl's POs should automatically transmit into Inspectorio

If PO(s) are missing or supplier PO(s) or shipment packing does not correlate to Kohl's PO(s), PO(s) must be created manually or uploaded following Inspectorio's Import Purchase Order process

Corrections need to be made to Kohl's PO(s) before submitting inspection booking to Kohl's

PO	Kohl's or Supplier's PO		
Item ID	Kohl's SKU or UPC Must be a unique ID per style, color and size		
Product Line	Home		
Product Category	Kohl's onePLM Product Type Selection list provided		
Brand, Size, Color	May be missing, please check all are assigned and accurate		
Ordered Qty	May be incorrect, please check accuracy		

Step 2: Inspection Bookings

Create bookings only for PO(s) that require inspection

Same style PO(s) with same ship / X-Factory date should be combined in <u>1</u> First Final Random Inspection booking

Confirm all booking information is complete and correct before submitting to Kohl's

Booking includes a Documentation Review to provide documentation needed for the inspection

Inspection Type	Soft Home First Final R Inspection	andom	
Inspection Booking Form	3P Soft Home with POM 3P Soft Home without POM		
Measurement Chart - POM Code	Kohl's POM Code		
Measurement Chart - Caption	Kohl's POM Description		
	Click on Live Chat or	① Need Help	
	Need Help? for		

Inspectorio Support

KOHĽS

O Live Chat

Inspectorio | Kohl's PO Types and Inspection Bookings

Shipping Model	Importer of Record (IOR)	PO Types & Shipping Terms	Kohl's PO: X-Factory Date	Inspectorio: Ship Begin Date	Transmits to Inspectorio
Domestic	Vendor	ST, EC, RE, IN, VN, FB, VE Vendors ship from a US warehouse location to Kohl's DCs, EFCs, or LFCs.	No	Blank	Yes • If ≥1 Kohl's POs <u>don't</u> correlate to the shipment / packing list to be inspected, • Create the PO(s)
Landed		LD, LE Kohl's picks up vendor freight from a US port location			 If ≧1 Kohl's POs <u>do</u> correlate to the shipment / packing list to be inspected Select all <u>same</u> style POs with <u>same</u> Ship Begin Date and create a combined PO booking
Import	Kohl's	IM, IE, IF Kohl's arranges transportation at an international point of origin	Yes	Start X-Factory Date	Yes • Select all same style POs with same Ship Begin Date and create a combined PO booking

PO(s) can be edited when an inspection booking is created

If POs are missing, email <u>it-pdteam@kohls.com</u>, <u>srilatha.bakayat@kohls.com</u>, <u>carol.matejov@kohls.com</u>, <u>guality.assurance@kohls.com</u>

- Include a list of all missing POs
- You will receive a response within 24 hours





Measurement Charts | Soft Home - 3rd Party Inspection

Primary POMs (Points of Measure) will need to be uploaded by the Vendor

- Vendor fills out standard Excel or .csv template from Inspectorio
- Uploads to Inspectorio for inspection booking

• Click on the **Save POM** button if you want to reuse the same chart for future inspections

Transfer Measurement Charts

This schema allows you to pre-fill points of measurement for your end-users which form a measurement chart for a specific style. At the time of booking your end-users will only have to verify them instead of creating them or uploading them, which avoids human-mistake and accelerates that process.

Attribute	Properties	Description	Example
Style_ID Required, Unique Identifier of the style to which this point of measurement belongs to.		style_1	
POM_Code	Required	Identifier of the point of measurement.	pom1
Caption	Required	Displayed name of the point of measurement.	Multiple form
Tolerance_Lower	Required	A tolerance lower for each dimension that designates the acceptable margin of error, compared to the value set in the column below "Standard_Value".	0.25
Tolerance_Upper	Required	A tolerance upper for each dimension that designates the acceptable margin of error, compared to the value set in the column below "Standard_Value".	3/4
Unit	Required	Unit of measurement. Possible values: INCH, CM, or MM.	INCH
Standard_Value	Required	The value of the expected measurement, without taking into account the tolerance.	4
Size	Required	Size code of the style as it appears on the purchase order.	L



Inspection Results & CAPA | 3rd Party Inspection

