

**\*\* USE IN APPAREL TECH PACKAGES  
STARTING SPRING 2021\*\***

# **POM Fabric Drop Down**



**Global Tech  
Design**

**KOHL'S**

# POM Fabric Drop-Down

## \*REASON\*

TD will no longer be adding the suffix letter(s) to the POM page name

- The fabric drop down will be used on the POM page to identify fabrics from the Kohl's BOM

Style: TDPOMWMSBTTM

Overview Design Intent Constructions Instructions Standards **POM** Samples BOM Attachments Events >> More Actions... Save

PLM Points of Measurement

View Fit Evals Create Fit Eval Add Points of Measure Copy POM Code(s) Change Size Range Change Tolerance Calculate Specification Multi Window POM Report Delete POM Code(s)

Points of Measurement < 1 2 3 4 > Go To R.DNM 76/14/8/2 CTTN/POLY/RAYON/SPAN

Parent Information

Description	Development Stage	Style Status	Technical Designer	Designer
TUMMY CONTROL DENI	TEMPLATE	NEW	LISA JENKINS	DHAMEER TASHI

Image

NO IMAGE ATTACHED

Tolerance Information

Page Sort: 1

Create Date: 01/16/2020

Hide Grading: --Select--

Dress Form 1: KOS-WMS0010-1509

Customer: WOMENS

Size Indicator

POM Page Description: AG DNM LADIES BOTTOMS NUM

Tolerance Model: AG DNM LADIES BOTTOMS NUMERIC

Vendor

Dress Form 2

Business: SPORTSWEAR

Grading Information

Size Range: LADIES (000-20)

Grading Size: 12

Grading Method: UM

Cumulative: IN

Grading Model Name: LADIES

POM Material

Material 1	Material 2
Material 3	Material 4

Search

Material No	Material Name	Position	Supplier Ref No
54482	D 2/1-DENIM 4.7 OZ/YD2		
73020	D 2/1-DENIM 4.7 OZ/YD2		TSC-PTDM-E00079
63788	K 50/50 ANGORA/COTTON CABLE KNIT 110	BODY	
68076	W 98/2 COTTON/SPANDEX CORDUROY 6.6 O		TSC-CDSP-00129

# POM Fabric Drop-Down

How will you know which fabrics will be used for a style?

- BOM will be filled in at time of development hand off

Review the fabrics from the Overview page, Style Handoff Report - fabric is pulled from the BOM of the style

report.do 2 / 7

<b>BOM name</b>	<b>SQUARE INDIGO- RW5</b>		Suffix:	
<b>Style Number</b>	<b>TDPOMWMNSBTTM</b>		Month:	
<b>Style Description</b>	<b>TUMMY CONTROL DENIM BOOT</b>		Meeting Needs:	

  

MATERIALS & TRIMS								Colorways	
Image	Supplier Ref#	Component	Additional Info / Size	Finish / Wash	Position	Supplier / Mill	QTY	AVAILABLE	
		D 76/14/8/2 COTTON/ POLYESTER/ RAYON/ SPANDEX 3/1- DENIM 9.75 OZ/ YD2	SQUARE INDIGO L1733HIN		BODY				
		27L MY & UNION APT 9 JEAN BUTTON UIA JB 4GF-17-1058	27L		CF CLOSURE	MY & UNION LTD.	2.00		
		RIVET	7MM MY&UNION U1A- RV-4GF-7-1062		POCKETS	MY & UNION LTD.	2.00		
		ELASTIC	2 1/2" GOLDEN CEDAR APT 9 ELASTIC BAND GCA1800589		WB FACING	GOLDEN CEDAR ELASTIC WEBBING MFG. CO., LTD.			
		ZIPPER	YKK METAL ZIPPER SIZE 4.5 PER WA73D020		CF CLOSURE	YKK CORPORATION OF AMERICA			

# POM Fabric Drop-Down

Some BOM's may be set up differently

The below version is shown with multiple fabrics on one BOM

Style: TDPOMWOMENSTOP

Overview Design Intent Constructions Instructions Standards POM Samples BOM Attachments Events >>

More Actions... Saved Searches Create Style Save

Style Overview

Smart Copy Request Sample Tech Spec All Tech Spec/Fit Active **Style Handoff Report** Refresh

Style Status & Actors

Images

Style Information

Edit Image Large Image

Style Information

Style No: TDPOMWOMENSTOP

TD Dev Location

**SPRING 2 ADORN**  
**TDPOMWOMENSTOP**  
**TD POM WOMENS TOP**

Suffix:

Month:

Meeting Needs:

Colorways

Image	Supplier Ref#	Component	Additional Info / Size	Finish / Wash	Position	Supplier / Mill	QTY	AVAILABLE
		K 95/5 RAYON/ SPANDEX JERSEY 180 GM2	E1- HEATHERS					
		K 95/5 RAYON/ SPANDEX JERSEY 200 GM2	E1- SOLID/ PRINT E4					
	FS-30-7R+S-1	K 95/5 RAYON/ SPANDEX JERSEY 220 GM2	E1- WHITE			SIRIS (GANGLONG)		
	H10101207	K 62/34/4 POLYESTER/ RAYON/ SPANDEX JERSEY 180 GM2	E2- FAUX HEATHERS			HANG ZHOU HAN YE TEXTILE CO.,LTD		
		THREAD			ALLOVER BODY CONSTRUCTION			
	H10101559	K 95/5 POLYESTER/ SPANDEX JERSEY 200.00 GM2	E3- TIE DYE SUBLIMATION			HANG ZHOU HAN YE TEXTILE CO.,LTD		

Fabrics are listed in the Component section

# POM Fabric Drop-Down

## **\*\* ORDER OF FABRICS ON THE POM PAGE IS IMPORTANT \*\***

- Each POM page has up to 10 Material drop down boxes
- The order you put your fabrications in on the POM page **MUST** be maintained on the Fit Eval page(s).
- Fabric order is Maintained from the POM page when adding a fit eval.
- If you use 1 POM page for multiple fit evals, you will need to review the fabric drop down boxes on the fit eval to ensure accuracy.

Grading Information

Size Range	Grading Size	POM Material	
LADIES (000-20)	10	Material 1	Material 2
Grading Method	UM	K 95/5 RAYON/SPANDEX JERSEY 180 GM2	K 95/5 RAYON/SPANDEX JERSEY 200 GM2
Cumulative	IN	Material 3	Material 4
Grading Model Name	Number Format	K 95/5 RAYON/SPANDEX JERSEY 220 GM2	K 62/34/4 POLYESTER/RAYON/SPANDEX JERS
LADIES	Fraction	Material 5	Material 6
		Material 7	Material 8
		Material 9	Material 10

Search

Material No	Material Name	Position	Supplier Ref No
Equal to	Contains	Contains	Contains
Search	Show All	Reset	

Material No	Material Name	Position	Supplier Ref No
52754	K 62/34/4 POLYESTER/RAY		H10101207
75448	K 90/10 COTTON/POLYESTE		HP-21600
74485	K 95/5 POLYESTER/SPANDE		H10101559
29820	K 95/5 RAYON/SPANDEX JE		
47582	K 95/5 RAYON/SPANDEX JE		
75295	K 95/5 RAYON/SPANDEX JE		SJ-30RAY-47Y2
54371	K 95/5 RAYON/SPANDEX JE		FS-30-7R+S-1
54772	K 95/5 RAYON/SPANDEX JE		

# POM Fabric Drop-Down

## When a fabrication is added after the fit eval was created?

- You will still select the fabrication on the POM Material drop down box & on the fit eval page.
- The location of the fabrication on the POM page Must be maintained on the fit eval.

Style: TDPOMWOMENSTOP



Tolerance Information		Grading Information		POM Material	
Page Sort	POM Page Description	Size Range	Grading Size	Material 1	Material 2
<input type="text"/>	EJRSY.SOLID	LADIES (000-20)	10	K 95/5 RAYON/SPANDEX JERSEY 180 GM2	K 95/5 RAYON/SPANDEX JERSEY 200 GM2
Create Date	Tolerance Model	Grading Method	UM	Material 3	Material 4
01/16/2020	LADIES TOPS ALPHA	Cumulative	IN	K 95/5 RAYON/SPANDEX JERSEY 220 GM2	K 62/34/4 POLYESTER/RAYON/SPANDEX JERS
Hide Grading	Vendor	Grading Model Name	Number Format	Material 5	Material 6
--Select--	<input type="text"/>	LADIES	Fraction	<input type="text"/>	<input type="text"/>
Dress Form 1	Dress Form 2			Material 7	Material 8
WPT0010-1604	<input type="text"/>			<input type="text"/>	<input type="text"/>
Customer	Business			Material 9	Material 10
<input type="text"/>	<input type="text"/>			<input type="text"/>	<input type="text"/>

This fabrication was added AFTER the fit eval was created

## Fit Eval

POM Material	
Material 1	Material 2
K 95/5 RAYON/SPANDEX JERSEY 180 GM2	K 95/5 RAYON/SPANDEX JERSEY 200 GM2
Material 3	Material 4
K 95/5 RAYON/SPANDEX JERSEY 220 GM2	<input type="text"/>
Material 5	Material 6
<input type="text"/>	<input type="text"/>
Material 7	Material 8
<input type="text"/>	<input type="text"/>
Material 9	Material 10
<input type="text"/>	<input type="text"/>

Using the drop down box, fill in the added material in the same location as the POM page



# POM Fabric Drop-Down

## I have 1 POM page, but multiple fit evals?

- You will have selected all fabrics needed on the single POM Material drop down box
- When the fit eval page(s) is created, the fabrics from the POM Material drop down box will appear in the same order.
- Delete unnecessary fabrics for that Fit Eval page but **DO NOT** adjust the location of the fabrics.

Style: TDPOMWOMENSTOP

Overview Design Intent Constructions Instructions Standards **POM** Samples BOM Attachments Events >>

L

**Tolerance Information**

Page Sort

POM Page Description  
RJRSY.SOLID.PRINTED

Tolerance Model  
LADIES TOPS ALPHA

Create Date  
01/16/2020

Hide Grading  
--Select--

Dress Form 1  
KOS-WMS0010-1509

Customer

Vendor

Dress Form 2

Business

**Grading Information**

Size Range  
LADIES (000-20)

Grading Size  
10

Grading Method  
UM

Cumulative  
IN

Grading Model Name  
LADIES

Number Format  
Fraction

**POM Material**

Material 1	Material 2
<input type="text"/>	<input type="text"/>
<input type="text"/>	<input type="text"/>
<input type="text"/>	<input type="text"/>
<input type="text"/>	<input type="text"/>
<input type="text"/>	<input type="text"/>
<input type="text"/>	<input type="text"/>
<input type="text"/>	<input type="text"/>
<input type="text"/>	<input type="text"/>
<input type="text"/>	<input type="text"/>
<input type="text"/>	<input type="text"/>
<input type="text"/>	<input type="text"/>

**Fit Eval**

**POM Material**

Material 1	Material 2
<input type="text"/>	<input type="text"/>
<input type="text"/>	<input type="text"/>
<input type="text"/>	<input type="text"/>
<input type="text"/>	<input type="text"/>
<input type="text"/>	<input type="text"/>
<input type="text"/>	<input type="text"/>
<input type="text"/>	<input type="text"/>
<input type="text"/>	<input type="text"/>
<input type="text"/>	<input type="text"/>
<input type="text"/>	<input type="text"/>
<input type="text"/>	<input type="text"/>

POM Page Description  
RJRSY.PRINTED-LADIES TOPS ALPHA

Use the POM naming convention to identify the Fit Eval page

This fit eval was ONLY for a single fabric. The fabrication location MUST remain the same as the POM page.

# POM Fabric Drop-Down

## POM page name description field limitations

- POM has approximately 23 visible characters/spaces when using the copy function

Style: TDPOMMENSWOVEN

Overview Design Intent Constructions Instructions Standards **POM** Samples BOM Attachments Events >>

▼ PLM Points of Measurement

View Fit Evals Create Fit Eval Add Points of Measure Copy POM Code(s) Change Size Range Change Tolerance Calculate Specification Multi Window POM Report Delete POM Code(s)

▼ Points of Measurement <1 2 > Go To R.OXFORD.CHAMBRAY.DOBBY.POPLIN.TWILL

Aprox. 80 visible characters in the POM drop down bar

NO IMAGE ATTACHED

Aprox. 25 visible characters in the POM Page Description bar

Parent Information

Description	Development Stage	Style Status	Technical Designer	Designer
TDPOMMENSWOVEN	NEW	NEW	AMANDA SMYTH	

Image

Tolerance Information	Grading Information	POM Material
Page Sort	Size Range	Material 1
	MENS TOPS 4	W 97/2/1 COTTON/SPANDEX/POLYESTER OXF...
	Grading Method	Material 3
	Cumulative	W 97/3 COTTON/SPANDEX DOBBY 4.72 OZ/Y...
Create Date	Grading Model Name	Material 5
01/16/2020	MENS TOPS 4 INCH	W 97/3 COTTON/SPANDEX POPLIN 3.9 OZ/Y...

Copy Options

Copy the following from Style No. TDPOMMENSWOVEN

Tech Spec Data

Bill of Material (1)  Points of Measurement (2)

Construction

Standards (1)

Attachment

OK

Points of Measurement

12345678901234567890123...

R.OXFORD.CHAMBRAY.DOB...

OK

Copy

Aprox. 23 visible characters in the POM Copy field

Aprox. 80 visible characters on the POM page description print out

**KOHL'S** **SP20** **TDPOMMENSWOVEN**

Stage: NEW **TDPOMMENSWOVEN**

Points of Measure

**POM Page Description:** R.OXFORD.CHAMBRAY.DOBBY.POPLIN.TWILL

Brand	APT 9	Division	MENS	Customer	MENS	Tech Designer	AMANDA SMYTH	Business	DRESS SHIRTS	Size Indicator	REG							
FORM1	KOS-MMN040H-1604					FORM2												
Grade Table	MENS TOPS 4" 30-52/38T-64T																	
Material 1	W 97/2/1 COTTON/SPANDEX/POLYESTER OXFORD 3.75 OZ/YD2					Material 2	W 97/3 COTTON/SPANDEX CHAMBRAY 3.6 OZ/YD2											
Material 3	W 97/3 COTTON/SPANDEX DOBBY 4.72 OZ/YD2					Material 4	W 97/3 COTTON/SPANDEX POPLIN 3.69 OZ/YD2											
Material 5	W 97/3 COTTON/SPANDEX POPLIN 3.9 OZ/YD2					Material 6	W 97/3 COTTON/SPANDEX TWILL 3.52 OZ/YD2											
Material 7	W 98/2 COTTON/SPANDEX POPLIN 3.78 OZ/YD2					Material 8												
P/S	POM Code	POM Description	TOL (-)	TOL (+)	30-32	34-36	38-40	42-44	46-48	50-52	38-40T	42-44T	46-48T	50-52T	54-56T	58-60T	62-64T	OSFM
	A001-MN-	MENS ALPHA NECK 4" XS(13/13½=30-32)																