KOHL'S PHOTO & VIDEO STYLE GUIDE

KIDS

KOHĽS

Revised July 12, 2024

OBJECTIVE

The purpose of this deck is to establish Kohl's photography standards and to outline specific requirements with regards to vendor-supplied photography.





INDEX

Click, or navigate to categories at right.















Click, or navigate to categories at right.









IMAGE SPECS

Image File Specifications:

- Imagery must be professionally styled, lit, captured, and retouched.
- Photography only. Illustrations or renderings are not acceptable.
- On-Fig File Dimensions: We request that images be cropped square, at a minimum of 3000 x 3000 pixels, (10"x 10" @ 300 PPI) with product filling 85% of frame. 50-200 pixel border around the product (@ no more than ³/₄ of an inch from the edge of the product to the edge of the canvas). Any lifestyle images should also be cropped 3000 x 3000 pixels, (10"x 10" @ 300 PPI), but with no border.
- Off-Fig File Dimensions: We request that images be cropped square, at a minimum of 2000 x 2000 pixels, (10"x 10" @ 200 PPI) with product filling 85% of frame. 50-200 pixel border around the product (@ no more than ³/₄ of an inch from the edge of the product to the edge of the canvas). Any lifestyle images should also be cropped 2000 x 2000 pixels, (10"x 10" @ 200 PPI), but with no border.
- File Color Space: sRGB or Adobe RGB
- Acceptable File Formats: JPEG, TIFF (Other formats will be auto rejected by K-link).
- Product Selection: Accurate path/channel selection of product must be included with every file.
- Background: Unless otherwise specified, background should be white (RGB 255). Certain departments require grounding shadow.
- Accuracy: Image must accurately represent the product.
- Quality: Product must be clear and in focus at 100% magnification. All product imagery is to be captured according to the Kohl's-approved lighting, set and styling guides, and must include appropriate additional views (ALTs)
- No added graphics to any MAIN view. This includes emblems, awards or badges, action graphics, or image insets (unless specifically requested).



IMAGE FILE NAMING REQUIREMENTS

Image File Naming Requirements:

- Vendor name and Kohl's dept. number will now be prepended to filenames automatically upon upload.
- File names should be divided into parts by underscores where applicable (see chart below)
 - Vendor style number
 - Vendor color name
 - Alternate image identifier (ALT1, ALT2, ALT3, etc)
 - Main View:

StyleNumber_ColorName_MAIN

- Additional Views (ALTs): StyleNumber_ ColorName_ALT1 (ALT2, ALT3, etc.)
- Dimensions View: StyleNumber_ColorName_DIMS
- All accurate imagery should be loaded to K-link at the same time upon initial setup. However, if the need arises to replace or append existing imagery, load via K-link with the following file appends:
 - Use "ALT_Add" at the end of your file name to assist in identifying that this product is already live and this is an additional image being added to the product page.
 - Use "ALT_Replace" or "Main_Replace" to indicate we should be overwriting existing imagery.



Product Video Content Requirements:

- Video should be educational, product-focused and speak only to the features and benefits of that specific product. Any visible props should be unbranded and not detract from the main product being sold.
- Video should be sharp, clear and produced by a professional.
- Video should not contain any speech or gestures that may be considered offensive.
- Video should not contain references or links to: websites, pricing, date information, competitors or accessories not sold with that specific product.

File Format and Requirements:

- Video files must be in an uncompressed format.
- File format: .MP4 or .MOV not exceeding 100MB.
- Minimum size of 1280x720 (16:9) aspect ratio is required.

VIDEO SPECS



On figure lighting is bright, crisp, open and front lit.

LIGHTING DIRECTION

Lighting for Omni off-figure product should come from a soft source either left or right to reveal shape and texture while providing a soft grounding shadow.

The images within this style guide are reflective of lighting expectations. How it is achieved may vary, but please note that the end result must match.

All assets are for Omni Channel use and therefore must meet the following usage standards: 2 Years Unlimited Print & Electronic Media for use by Kohl's and Kohl's Affiliates for the life of the product.

It is imperative that ALL propping of on-figure fashion photography MUST be with Kohl's merchandise. This includes all tops, bottoms, shoes and accessories. Use of non-Kohl's merchandise or improper/unmanaged talent usage poses legal risks and will be prohibited.

CASTING REQUIREMENTS

Please refer to the separate guide for "<u>Vendor Casting Diversity Expectations</u>" for all on-figure photography, and adhere to the guidelines detailed therein.

USAGE



Our mission is to deliver engaging, on-brand photo and video content that meets Kohl's brand standards. Kohl's Creative Services and Photo Studio can provide photo and motion assets for our vendor partners.

Benefits to Kohl's Capture:

- Head to toe Kohl's sold product, including prop items
- Seasonally relevant merchandise
- Diverse model casting pool
- Consistent creative that aligns with Kohl's brand style guidelines
- Elevated creative services inclusive of:
 - Optimal talent rates
 - Extensive multi-channel usage
 - Easy asset delivery within Kohl's internal system
 - Consistent taxonomy/metadata

Interested in learning more about Kohl's Creative Services capturing your PDP content?

Please contact <u>Heather.Filippelli@kohls.com</u> for more information.

KOHL'S CONTENT CAPTURE SERVICES



Kohls.com product images serve a dual purpose of item level views, as well as showcasing outfitting opportunities. Below are some examples of acceptable styling nuances that elevate the image without obscuring an accurate sellable view of the item. Please refer to category pages for specific styling notes.



STYLING





TOPS

GENERAL STYLING AND CAPTURE NOTES:

- All products should be styled, lit, and angled as shown in the examples provided.
- On-figure propping should be minimal and align with examples pictured. Propping should complement the product category and should not detract from the featured main product.
- Model casting should follow our Model Casting Guides.

GENERAL RETOUCHING NOTES:

- All layflat products for this category should be blocked out--Product should be placed on pure white backgrounds (RGB 255), with no grounding shadows or surface reflections. Retouch as shown in examples provided.
- All products on model should be blocked out on pure white backgrounds (RGB 255), but with natural grounding shadow held under feet.
 (This may not be visible depending on crop need.)

GENERAL CROPPING NOTES:

-All images should be cropped square and tight to product. Product should proportionally fill at least 85% of frame. Do not leave more than a 50-200px cushion from longest edge of product to frame edge (model/ mannequin cropping should mimic examples shown if applicable).

ALTERNATE IMAGE PLAN:

- -Follow alternate image cadence shown here. If there are additional alternate images needed to cover special details, number sequentially beginning with next alternate image number. -Upload all required, requested, lifestyle, and
- educational imagery for each style at the same time.
- -For educational alternate images, font size should be a minimum of 12 point font with font choice being a simple serifed or non-serifed font. Units of measure and text referenced in imagery must align with copy attributes provided.

GENERAL FILE TECHNICAL SPECIFICATIONS:

- -Minimum of 2000x2000px
- -Flattened TIFF or JPEG (PNG is not accepted) -sRGB color space or Adobe RGB

Accesso

VIDEO:

-Additional video content is encouraged for all items and categories. Suggested video types: educational, fit and features.






















VIDEO -



ALT4 educational (requested)

MAIN -ALT -**ALT2** -**ALT3** -ALT4 -**ALT5** front view back view detail view laydown full bodv educational (required) (required) (required) (required) (required) (requested) THE NEW, UPGRADED BREATHABLE MOISTURE \Leftrightarrow \checkmark EASY CARE STRETCH VAILABLE IN EXTRA SLIM & SLIM PATTERNS & SOLIDS

BIG KIDS TOPS

GENERAL STYLING AND CAPTURE NOTES:

- All products should be styled, lit, and angled as shown in the examples provided.
- If the item features a notable side detail, this must be visible in the main image (angle slightly to depict).
- On-figure/ on-form propping should be minimal and align with examples pictured.
- Propping should complement the product category and should not detract from the featured main product. - Model casting should follow our Model Casting Guides. If mannequins are used, they should be white.
- In general, tops should be untucked to show length and silhouette.
- Tops with roll-tab sleeves should be shown with the sleeves rolled for the main image, and unrolled for the Alt back view.

GENERAL RETOUCHING NOTES:

- All products should be blocked out on pure white backgrounds (RGB 255), but with natural grounding shadow held under feet. (This may not be visible depending on crop need.) Lay flat alternate images should be blocked out. Retouch as shown in examples provided.

GENERAL CROPPING NOTES:

- All images should be cropped square to the product featured on the model/ mannequin. Cropped product on model/mannequin should proportionally fill at least 85% frame. Do not leave more than a 100px cushion from top of models/ manneguins head to top frame edge. (Lay flat should be cropped square and mimic examples shown).

ALTERNATE IMAGE PLAN:

- Follow alternate image cadence shown here. If there are additional alternate images needed to cover special details, number sequentially beginning with next alternate image number.
- Upload all required, requested, lifestyle, and educational imagery for each style at the same time.
- being a simple serif or sans-serif font. Units of measure and text referenced in imagery must align with copy attributes provided.

GENERAL FILE TECHNICAL SPECIFICATIONS:

- Minimum of 3000x3000px
- Flattened TIFF or JPEG (PNG is not accepted)
- sRGB color space or Adobe RGB

VIDEO:

- Additional video content is encouraged for all items and categories. Suggested video types: 360° walk on/walk off, educational, fit and features.





- For educational alternate images, font size should be a minimum of 12 point font with font choice



BOTTOMS

GENERAL STYLING AND CAPTURE NOTES:

- All products should be styled, lit, and angled as shown in the examples provided.
- On-figure propping should be minimal and align with examples pictured. Propping should complement the product category and should not detract from the featured main product.
- Model casting should follow our Model Casting Guides.

GENERAL RETOUCHING NOTES:

- All layflat products for this category should be blocked out--Product should be placed on pure white backgrounds (RGB 255), with no grounding shadows or surface reflections. Retouch as shown in examples provided.
- All products on model should be blocked out on pure white backgrounds (RGB 255), but with natural grounding shadow held under feet.
 (This may not be visible depending on crop need.)

GENERAL CROPPING NOTES:

-All images should be cropped square and tight to product. Product should proportionally fill at least 85% of frame. Do not leave more than a 50-200px cushion from longest edge of product to frame edge (model/ mannequin cropping should mimic examples shown if applicable).

ALTERNATE IMAGE PLAN:

- -Follow alternate image cadence shown here. If there are additional alternate images needed to cover special details, number sequentially beginning with next alternate image number.
- -Upload all required, requested, lifestyle, and educational imagery for each style at the same time.
- -For educational alternate images, font size should be a minimum of 12 point font with font choice being a simple serifed or non-serifed font. Units of measure and text referenced in imagery must align with copy attributes provided.

GENERAL FILE TECHNICAL SPECIFICATIONS:

-Minimum of 2000x2000px

KIDS

-Flattened TIFF or JPEG (PNG is not accepted) -sRGB color space or Adobe RGB

VIDEO:

13

-Additional video content is encouraged for all items and categories. Suggested video types: educational, fit and features.

MAIN -

Skirts

õ

Shorts

Skorts

ants

Δ


front view (required)

ALT -

back view (required) ALT2 detail (requested)

ALT3 on model (requested)
















ALT4 educational (requested)


















BIG KIDS BOTTOMS

GENERAL STYLING AND CAPTURE NOTES:

- All products should be styled, lit, and angled as shown in the examples provided.
- If the item features a notable side detail, this must be visible in the main image (angle slightly to depict).
- On-figure/ on-form propping should be minimal and align with examples pictured.
- Propping should complement the product category and should not detract from the featured main product.
- Model casting should follow our Model Casting Guides. If mannequins are used, they should be white.
- In general, bottoms should be shown with the top softly tucked to show waist detail and pocket trim as needed.

GENERAL RETOUCHING NOTES:

- All products should be blocked out on pure white backgrounds (RGB 255), but with natural grounding shadow held under feet. (This may not be visible depending on crop need.) Lay flat alternate images should be blocked out. Retouch as shown in examples provided.

GENERAL CROPPING NOTES:

- All images should be cropped square to the product featured on the model/ mannequin. Cropped product on model/ mannequin should proportionally fill at least 85% frame. Do not leave more than a 100px cushion from top of models/ mannequins head to top frame edge. (Lay flat should be cropped square and mimic examples shown).

ALTERNATE IMAGE PLAN:

- Follow alternate image cadence shown here. If there are additional alternate images needed to cover special details, number sequentially beginning with next alternate image number. - Upload all required, requested, lifestyle, and educational imagery for each style at the same time. - For educational alternate images, font size should be a minimum of 12 point font with font choice being a simple serif or sans-serif font. Units of measure and text referenced in imagery must align with copy attributes provided.

GENERAL FILE TECHNICAL SPECIFICATIONS:

- Minimum of 3000x3000px
- Flattened TIFF or JPEG (PNG is not accepted)
- sRGB color space or Adobe RGB

VIDEO:

- Additional video content is encouraged for all items and categories. Suggested video types: 360° walk on/walk off, educational, fit and features.





GIRLS DRESSWEAR & **APPAREL SETS**

GENERAL STYLING AND CAPTURE NOTES:

- All products should be styled, lit, and angled as shown in the examples provided.
- On-figure propping should be minimal and align with examples pictured. Propping should complement the product category and should not detract from the featured main product.
- Model casting should follow our Model Casting Guides.

GENERAL RETOUCHING NOTES:

- All layflat products for this category should be blocked out--Product should be placed on pure white backgrounds (RGB 255), with no grounding shadows or surface reflections. Retouch as shown in examples provided.
- All products on model should be blocked out on pure white backgrounds (RGB 255), but with natural grounding shadow held under feet. (This may not be visible depending on crop need.)

GENERAL CROPPING NOTES:

-All images should be cropped square and tight to product. Product should proportionally fill at least 85% of frame. Do not leave more than a 50-200px cushion from longest edge of product to frame edge (model/ manneguin cropping should mimic examples shown if applicable).

ALTERNATE IMAGE PLAN:

- -Follow alternate image cadence shown here. If there are additional alternate images needed to cover special details, number sequentially beginning with next alternate image number. -Upload all required, requested, lifestyle, and
- educational imagery for each style at the same time. -For educational alternate images, font size should be a minimum of 12 point font with font choice being a simple serifed or non-serifed font. Units of measure and text referenced in imagery must align with copy attributes provided.

GENERAL FILE TECHNICAL SPECIFICATIONS:

- -Minimum of 2000x2000px
- -Flattened TIFF or JPEG (PNG is not accepted)
- -sRGB color space or Adobe RGB

VIDEO:

-Additional video content is encouraged for all items and categories. Suggested video types: educational, fit and features.

MAIN front view (required)





Apparel Sets





ALT -

(required)

back view



ALT2 -

ALT3 on model (requested)



detail-requested



pieces separated-required



detail-requested



ALT4 educational (requested)




















BIG GIRLS DRESSES & SETS

GENERAL STYLING AND CAPTURE NOTES:

- All products should be styled, lit, and angled as shown in the examples provided. If the item features a notable side detail, this must be visible in the main image (angle slightly to depict).
- On-figure/ on-form propping should be minimal and align with examples pictured. Propping should complement the product category and should not detract from the featured main product.
- Model casting should follow our Model Casting Guides. If mannequins are used, they should be white.

GENERAL RETOUCHING NOTES:

- All products should be blocked out on pure white backgrounds (RGB 255), but with natural grounding shadow held under feet. (This may not be visible depending on crop need.) Lay flat alternate images should be blocked out. Retouch as shown in examples provided.

GENERAL CROPPING NOTES:

- All images should be cropped square to the product featured on the model/mannequin. Cropped product on model/mannequin should proportionally fill at least 85% frame. Do not leave more than a 100px cushion from top of models/ mannequins head to top frame edge. (Lay flat should be cropped square and mimic examples shown).

ALTERNATE IMAGE PLAN:

- Follow alternate image cadence shown here. If there are additional alternate images needed to cover special details, number sequentially beginning with next alternate image number.
- For educational alternate images, font size should be a minimum of 12 point font with font choice being a simple serif or sans-serif font. Units of measure and text referenced in imagery must align with copy attributes provided.

GENERAL FILE TECHNICAL SPECIFICATIONS:

- Minimum of 3000x3000px
- Flattened TIFF or JPEG (PNG is not accepted)
- sRGB color space or Adobe RGB

VIDEO:

- Additional video content is encouraged for all items and categories. Suggested video types: 360° walk on/walk off, educational, fit and features.



- Upload all required, requested, lifestyle, and educational imagery for each style at the same time.



BOYS DRESSWEAR & APPAREL SETS

GENERAL STYLING AND CAPTURE NOTES:

- All products should be styled, lit, and angled as shown in the examples provided.
- On-figure propping should be minimal and align with examples pictured. Propping should complement the product category and should not detract from the featured main product.
- Model casting should follow our Model Casting Guides.

GENERAL RETOUCHING NOTES:

- All layflat products for this category should be blocked out--Product should be placed on pure white backgrounds (RGB 255), with no grounding shadows or surface reflections. Retouch as shown in examples provided.
- All products on model should be blocked out on pure white backgrounds (RGB 255), but with natural grounding shadow held under feet. (This may not be visible depending on crop need.)

GENERAL CROPPING NOTES:

-All images should be cropped square and tight to product. Product should proportionally fill at least 85% of frame. Do not leave more than a 50-200px cushion from longest edge of product to frame edge (model/ mannequin cropping should mimic examples shown if applicable).

ALTERNATE IMAGE PLAN:

-Follow alternate image cadence shown here. If there are additional alternate images needed to cover specialdetails, number sequentially beginning with next alternate image number. -Upload all required, requested, lifestyle, and educational imagery for each style at the same time. -For educational alternate images, font size should be a minimum of 12 point font with font choice being a simple serifed or non-serifed font. Units of measure and text referenced in imagery must align with copy attributes provided.

GENERAL FILE TECHNICAL SPECIFICATIONS:

-Minimum of 2000x2000px -Flattened TIFF or JPEG (PNG is not accepted) -sRGB color space or Adobe RGB

VIDEO:

-Additional video content is encouraged for all items and categories. Suggested video types: educational, fit and features.

MAIN front view (required)

БС

Multi

.

Suits

Apparel sets

shirts

Dress

Boys Accessories

MAIN -

(required)

tie

ALT -

(required)





pieces separated



pieces separated



back

MAIN bow tie (required)



detail (requested) **ALT3** on model (requested)











MAIN suspender set (required)













ALT4 educational (requested)



(requested)













ALT packaging



INFANT APPAREL & ACCESSORIES

GENERAL STYLING AND CAPTURE NOTES:

- All products should be styled, lit, and angled as shown in the examples provided.
- On-figure propping should be minimal and align with examples pictured. Propping should complement the product category and should not detract from the featured main product.
- Model casting should follow our Model Casting Guides.

GENERAL RETOUCHING NOTES:

- All layflat products for this category should be blocked out--Product should be placed on pure white backgrounds (RGB 255), with no grounding shadows or surface reflections. Retouch as shown in examples provided.
- All products on model should be blocked out on pure white backgrounds (RGB 255), but with natural grounding shadow held under feet. (This may not be visible depending on crop need.)

GENERAL CROPPING NOTES:

-All images should be cropped square and tight to product. Product should proportionally fill at least 85% of frame. Do not leave more than a 50-200px cushion from longest edge of product to frame edge (model/ manneguin cropping should mimic examples shown if applicable).

ALTERNATE IMAGE PLAN:


-Follow alternate image cadence shown here. If there are additional alternate images needed to cover special details, number sequentially beginning with next alternate image number. -Upload all required, requested, lifestyle, and educational imagery for each style at the same time. -For educational alternate images, font size should be a minimum of 12 point font with font choice being a simple serifed or non-serifed font. Units of measure and text referenced in imagery must align with copy attributes provided.

GENERAL FILE TECHNICAL SPECIFICATIONS:

- -Minimum of 2000x2000px
- -Flattened TIFF or JPEG (PNG is not accepted) -sRGB color space or Adobe RGB

VIDEO:

-Additional video content is encouraged for all items and categories. Suggested video types: educational, fit and features.













ALT -

(required)

ALT2 detail (requested)







in package





MOM'S

maril

ME

0





open

ALT3 on model (requested)



(requested)









none

none

none

none



OUTERWEAR

GENERAL STYLING AND CAPTURE NOTES:

- All products should be styled, lit, and angled as shown in the examples provided.
- On-figure propping should be minimal and align with examples pictured. Propping should complement the product category and should not detract from the featured main product.
- Model casting should follow our Model Casting Guides.

GENERAL RETOUCHING NOTES:

- All layflat products for this category should be blocked out--Product should be placed on pure white backgrounds (RGB 255), with no grounding shadows or surface reflections. Retouch as shown in examples provided.
- All products on model should be blocked out on pure white backgrounds (RGB 255), but with natural grounding shadow held under feet. (This may not be visible depending on crop need.)

GENERAL CROPPING NOTES:

-All images should be cropped square and tight to product. Product should proportionally fill at least 85% of frame. Do not leave more than a 50-200px cushion from longest edge of product to frame edge (model/ mannequin cropping should mimic examples shown if applicable).

ALTERNATE IMAGE PLAN:

-Follow alternate image cadence shown here. If there are additional alternate images needed to cover special details, number sequentially beginning with next alternate image number. -Upload all required, requested, lifestyle, and educational imagery for each style at the same time.

-For educational alternate images, font size should be a minimum of 12 point font with font choice being a simple serifed or non-serifed font. Units of measure and text referenced in imagery must align with copy attributes provided.

GENERAL FILE TECHNICAL SPECIFICATIONS:

-Minimum of 2000x2000px -Flattened TIFF or JPEG (PNG is not accepted) -sRGB color space or Adobe RGB

VIDEO:

-Additional video content is encouraged for all items and categories. Suggested video types: educational, fit and features.

MAIN front view

(required)



ALT2 -

detail (requested)

ALT3 -

(requested)





set

pants

Jacket & snowpan

Cold weather

accessories







none

front inner layer

back inner layer









none

none










(requested)















none

none



MAIN -ALT -**ALT2** -**ALT3** -ALT4 -**ALT5** front view back view detail view laydown full body educational (required) (required) (required) (required) (required) (requested) THE NEW, UPGRADED H. BREATHABLE WICKING $\langle \Rightarrow \rangle$ \checkmark STRETCH EASY CARE VAILABLE IN EXTRA SLIM & SLIM, PATTERNS & SOUDS

BIG KIDS OUTERWEAR

GENERAL STYLING AND CAPTURE NOTES:

- All products should be styled, lit, and angled as shown in the examples provided.
- If the item features a notable side detail, this must be visible in the main image (angle slightly to depict).
- On-figure/ on-form propping should be minimal and align with examples pictured.
- Propping should complement the product category and should not detract from the featured main product. - Model casting should follow our Model Casting Guides. If mannequins are used, they should be white.

GENERAL RETOUCHING NOTES:

- All products should be blocked out on pure white backgrounds (RGB 255), but with natural grounding shadow held under feet. (This may not be visible depending on crop need.) Lay flat alternate images should be blocked out. Retouch as shown in examples provided.

GENERAL CROPPING NOTES:

- All images should be cropped square to the product featured on the model/ mannequin. Cropped product on model/mannequin should proportionally fill at least 85% frame. Do not leave more than a 100px cushion from top of models/ mannequins head to top frame edge. (Lay flat should be cropped square and mimic examples shown).

ALTERNATE IMAGE PLAN:

- Follow alternate image cadence shown here. If there are additional alternate images needed to cover special details, number sequentially beginning with next alternate image number.
- Upload all required, requested, lifestyle, and educational imagery for each style at the same time.
- For educational alternate images, font size should be a minimum of 12 point font with font choice being a simple serif or sans-serif font. Units of measure and text referenced in imagery must align with copy attributes provided.

GENERAL FILE TECHNICAL SPECIFICATIONS:

- Minimum of 3000x3000px
- Flattened TIFF or JPEG (PNG is not accepted)
- sRGB color space or Adobe RGB

VIDEO:

- Additional video content is encouraged for all items and categories. Suggested video types: 360° walk on/walk off, educational, fit and features.

VIDEO -360° or fit (requested)





SWIM

GENERAL STYLING AND CAPTURE NOTES:

- All products should be styled, lit, and angled as shown in the examples provided.
- On-figure propping should be minimal and align with examples pictured. Propping should complement the product category and should not detract from the featured main product.
- Model casting should follow our Model Casting Guides.

GENERAL RETOUCHING NOTES:

- All layflat products for this category should be blocked out--Product should be placed on pure white backgrounds (RGB 255), with no grounding shadows or surface reflections. Retouch as shown in examples provided.
- All products on model should be blocked out on pure white backgrounds (RGB 255), but with natural grounding shadow held under feet. (This may not be visible depending on crop need.)

GENERAL CROPPING NOTES:

-All images should be cropped square and tight to product. Product should proportionally fill at least 85% of frame. Do not leave more than a 50-200px cushion from longest edge of product to frame edge (model/ manneguin cropping should mimic examples shown if applicable).

ALTERNATE IMAGE PLAN:

-Follow alternate image cadence shown here If there are additional alternate images needed to cover special details, number sequentially beginning with next alternate image number. -Upload all required, requested, lifestyle, and educational imagery for each style at the same time. -For educational alternate images, font size should be a minimum of 12 point font with font choice being a simple serifed or non-serifed font. Units of measure and text referenced in imagery must align with copy attributes provided.

GENERAL FILE TECHNICAL SPECIFICATIONS:

-Minimum of 2000x2000px -Flattened TIFF or JPEG (PNG is not accepted) -sRGB color space or Adobe RGB

VIDEO:

-Additional video content is encouraged for all items and categories. Suggested video types: educational, fit and features.



ALT -





liner detail

ALT2 -

detail

(requested)



MAIN -



Goggle

11



ALT -

(required)

packaging







ALT3 on model (requested)



















ACTIVE

GENERAL STYLING AND CAPTURE NOTES:

All products should be styled, lit, and angled as shown in the examples provided.
On-figure propping should be minimal and align with examples pictured. Propping should complement the product category and should not detract from the featured main product.
Model casting should follow our Model Casting Guides.

GENERAL RETOUCHING NOTES:

- All layflat products for this category should be blocked out--Product should be placed on pure white backgrounds (RGB 255), with no grounding shadows or surface reflections. Retouch as shown in examples provided.
- All products on model should be blocked out on pure white backgrounds (RGB 255), but with natural grounding shadow held under feet.
 (This may not be visible depending on crop need.)

GENERAL CROPPING NOTES:

-All images should be cropped square and tight to product. Product should proportionally fill at least 85% of frame. Do not leave more than a 50-200px cushion from longest edge of product to frame edge (model/ mannequin cropping should mimic examples shown if applicable).

ALTERNATE IMAGE PLAN:

- Follow alternate image cadence shown here. If there are additional alternate images needed to cover special details, number sequentially beginning with next alternate image number.
 Upload all required, requested, lifestyle, and educational imagery for each style at the same time.
- -For educational alternate images, font size should be a minimum of 12 point font with font choice being a simple serifed or non-serifed font. Units of measure and text referenced in imagery must align with copy attributes provided.

GENERAL FILE TECHNICAL SPECIFICATIONS:

-Minimum of 2000x2000px -Flattened TIFF or JPEG (PNG is not accepted) -sRGB color space or Adobe RGB

VIDEO:

22

KIDS

-Additional video content is encouraged for all items and categories. Suggested video types: educational, fit and features.




MAIN -

S

Bottom

front view








ALT2 detail

detall (requested) ALT3 on model/ active/lifestyle (requested)









ADAPTIVE TOPS

GENERAL STYLING AND CAPTURE NOTES:

-All products should be styled, lit, and angled as shown in the examples provided.

GENERAL RETOUCHING NOTES:

-All products for this category should be blocked out-- Product should be placed on pure white backgrounds (RGB 255), with no grounding shadows or surface reflections. Retouch as shown in examples provided.

GENERAL CROPPING NOTES:

-All images should be cropped square and tight to product. Product should proportionally fill at least 85% of frame. Do not leave more than a 50-200px cushion from longest edge of product to frame edge (model/ mannequin cropping should mimic examples shown if applicable).

ALTERNATE IMAGE PLAN:

-Follow alternate image cadence shown here. If there are additional alternate images needed to cover special details, number sequentially beginning with next alternate image number. -Upload all required, requested, lifestyle, and educational imagery for each style at the same time.

-For educational alternate images, font size should be a minimum of 12 point font with font choice being a simple serifed or non-serifed font. Units of measure and text referenced in imagery must align with copy attributes provided.

GENERAL FILE TECHNICAL SPECIFICATIONS:

-Minimum of 2000x2000px -Flattened TIFF or JPEG (PNG is not accepted) -sRGB color space or Adobe RGB

VIDEO:

-Additional video content is encouraged for all items and categories. Suggested video types: educational, fit and features.



port holes

ALT4 detail (required)



(requested)



crotch snaps





none











none











ADAPTIVE

GENERAL STYLING AND CAPTURE NOTES:

-All products should be styled, lit, and angled as shown in the examples provided.

GENERAL RETOUCHING NOTES:

-All products for this category should be blocked out-- Product should be placed on pure white backgrounds (RGB 255), with no grounding shadows or surface reflections. Retouch as shown in examples provided.

GENERAL CROPPING NOTES:

-All images should be cropped square and tight to product. Product should proportionally fill at least 85% of frame. Do not leave more than a 50-200px cushion from longest edge of product to frame edge (model/ mannequin cropping should mimic examples shown if applicable).

ALTERNATE IMAGE PLAN:

-Follow alternate image cadence shown here. If there are additional alternate images needed to cover special details, number sequentially beginning with next alternate image number. -Upload all required, requested, lifestyle, and educational imagery for each style at the same time.


-For educational alternate images, font size should be a minimum of 12 point font with font choice being a simple serifed or non-serifed font. Units of measure and text referenced in imagery must align with copy attributes provided.

GENERAL FILE TECHNICAL SPECIFICATIONS:

-Minimum of 2000x2000px -Flattened TIFF or JPEG (PNG is not accepted) -sRGB color space or Adobe RGB

VIDEO:

-Additional video content is encouraged for all items and categories. Suggested video types: educational, fit and features.



ALT -



MAIN -

Hoodies

Dresses

Pants



ALT2 -

ALT3 detail (required)



zipper



port holes



tie detail

none



KIDS 24















ALT4 -

detail

(required)

none

VIDEO -







GENDER NEUTRAL

GENERAL STYLING AND CAPTURE NOTES:

- All products should be styled, lit, and angled as shown in the examples provided.
- On-figure propping should be minimal and align with examples pictured. Propping should complement the product category and should not detract from the featured main product.
- Model casting should follow our Model Casting Guides.

GENERAL RETOUCHING NOTES:

- All layflat products for this category should be blocked out–Product should be placed on pure white backgrounds (RGB 255), with no grounding shadows or surface reflections. Retouch as shown in examples provided.
- All products on model should be blocked out on pure white backgrounds (RGB 255), but with natural grounding shadow held under feet. (This may not be visible depending on crop need.)

GENERAL CROPPING NOTES:

-All images should be cropped square and tight to product. Product should proportionally fill at least 85% of frame. Do not leave more than a 50-200px cushion from longest edge of product to frame edge (model/manneguin cropping should mimic examples shown if applicable).

ALTERNATE IMAGE PLAN:

-Follow alternate image cadence shown here. If there are additional alternate images needed to cover special details, number sequentially beginning with next alternate image number. -Upload all required, requested, lifestyle, and educational imagery for each style at the same time. -For educational alternate images, font size should be a minimum of 12 point font with font choice being a simple serifed or non-serifed font. Units of measure and text referenced in imagery must align with copy attributes provided.

GENERAL FILE TECHNICAL SPECIFICATIONS:

-Minimum of 2000x2000px

-Flattened TIFF or JPEG (PNG is not accepted) -sRGB color space or Adobe RGB


VIDEO:

-Additional video content is encouraged for all items and categories. Suggested video types: educational, fit and features.

MAIN -

front view (required)





Tops



back view

ALT2 detail (requested)












ALT3 on model (requested)







BASICS

GENERAL STYLING AND CAPTURE NOTES:

-All products should be styled, lit, and angled as shown in the examples provided.

GENERAL RETOUCHING NOTES:

-All products for this category should be blocked out--Product should be placed on pure white backgrounds (RGB 255), with no grounding shadows or surface reflections. Retouch as shown in examples provided.

GENERAL CROPPING NOTES:

-All images should be cropped square and tight to product. Product should proportionally fill at least 85% of frame. Do not leave more than a 50-200px cushion from longest edge of product to frame edge (model/ mannequin cropping should mimic examples shown if applicable).

ALTERNATE IMAGE PLAN:

-Follow alternate image cadence shown here. If there are additional alternate images needed to cover special details, number sequentially beginning with next alternate image number. -Upload all required, requested, lifestyle, and educational imagery for each style at the same time. -For educational alternate images, font size should be a minimum of 12 point font with font choice being a simple serifed or non-serifed font. Units of measure and text referenced in imagery must align with copy attributes provided.

GENERAL FILE TECHNICAL SPECIFICATIONS:

-Minimum of 2000x2000px

-Flattened TIFF or JPEG (PNG is not accepted) -sRGB color space or Adobe RGB

VIDEO:

-Additional video content is encouraged for all items and categories. Suggested video types: educational, fit and features.

MAIN front view (required)





Underwear

Underwear

Shirt



ALT in package (required)









none

none



SLEEPWEAR

GENERAL STYLING AND CAPTURE NOTES:

- All products should be styled, lit, and angled as shown in the examples provided.
- On-figure propping should be minimal and align with examples pictured. Propping should complement the product category and should not detract from the featured main product.
- Model casting should follow our Model Casting Guides.

GENERAL RETOUCHING NOTES:

- All layflat products for this category should be blocked out--Product should be placed on pure white backgrounds (RGB 255), with no grounding shadows or surface reflections. Retouch as shown in examples provided.
 All products on model should be blocked out
- on pure white backgrounds (RGB 255), but with natural grounding shadow held under feet. (This may not be visible depending on crop need.)

GENERAL CROPPING NOTES:

-All images should be cropped square and tight to product. Product should proportionally fill at least 85% of frame. Do not leave more than a 50-200px cushion from longest edge of product to frame edge (model/ mannequin cropping should mimic examples shown if applicable).

ALTERNATE IMAGE PLAN:

- -Follow alternate image cadence shown here. If there are additional alternate images needed to cover special details, number sequentially beginning with next alternate image number.
- -Upload all required, requested, lifestyle, and educational imagery for each style at the same time.

-For educational alternate images, font size should be a minimum of 12 point font with font choice being a simple serifed or non-serifed font. Units of measure and text referenced in imagery must align with copy attributes provided.

GENERAL FILE TECHNICAL SPECIFICATIONS:

-Minimum of 2000x2000px -Flattened TIFF or JPEG (PNG is not accepted) -sRGB color space or Adobe RGB

VIDEO:

-Additional video content is encouraged for all items and categories. Suggested video types: educational, fit and features.

MAIN front view

(required)

Set

3-4pc Sleep

Set


Sleep (

2pc

Pajamas


Robe

ALT back view (required) ALT2 detail (requested) ALT3 on model (requested)











FASHION ACCESSORIES

GENERAL STYLING AND CAPTURE NOTES:

-All products should be styled, lit, and angled as shown in the examples provided.

GENERAL RETOUCHING NOTES:

-All products for this category should be blocked out--Product should be placed on pure white backgrounds (RGB 255), with no grounding shadows or surface reflections. Retouch as shown in examples provided.

GENERAL CROPPING NOTES:

-All images should be cropped square and tight to product. Product should proportionally fill at least 85% of frame. Do not leave more than a 50-200px cushion from longest edge of product to frame edge (model/ mannequin cropping should mimic examples shown if applicable).

ALTERNATE IMAGE PLAN:

-Follow alternate image cadence shown here. If there are additional alternate images needed to cover special details, number sequentially beginning with next alternate image number. -Upload all required, requested, lifestyle, and educational imagery for each style at the same time. -For educational alternate images, font size should be a minimum of 12 point font with font choice being a simple serifed or non-serifed font. Units of measure and text referenced in imagery must align with copy attributes provided.

GENERAL FILE TECHNICAL SPECIFICATIONS:

-Minimum of 2000x2000px -Flattened TIFF or JPEG (PNG is not accepted) -sRGB color space or Adobe RGB

VIDEO:

-Additional video content is encouraged for all items and categories. Suggested video types: educational, fit and features.

MAIN in package (required)

Sunglasses

Accessories

Hair

Jewelry

Makeup Set

ALT out of package (required)













******** 6 5



none

KIDS 28

none



TOYS/SETS

GENERAL STYLING AND CAPTURE NOTES:

-All products should be styled, lit, and angled as shown in the examples provided.

GENERAL RETOUCHING NOTES:

-All products for this category should be blocked out-- Product should be placed on pure white backgrounds (RGB 255), with no grounding shadows or surface reflections. Retouch as shown in examples provided.

GENERAL CROPPING NOTES:

-All images should be cropped square and tight to product. Product should proportionally fill at least 85% of frame. Do not leave more than a 50-200px cushion from longest edge of product to frame edge (model/ mannequin cropping should mimic examples shown if applicable).

ALTERNATE IMAGE PLAN:

- -Follow alternate image cadence shown here. If there are additional alternate images needed to cover special details, number sequentially beginning with next alternate image number.
- -Upload all required, requested, lifestyle, and educational imagery for each style at the same time.
- -For educational alternate images, font size should be a minimum of 12 point font with font choice being a simple serifed or non-serifed font. Units of measure and text referenced in imagery must align with copy attributes provided.

GENERAL FILE TECHNICAL SPECIFICATIONS:

-Minimum of 2000x2000px

-Flattened TIFF or JPEG (PNG is not accepted) -sRGB color space or Adobe RGB

VIDEO:

29

-Additional video content is encouraged for all items and categories. Suggested video types: educational, fit and features.

MAIN in package (required)



ALT out of package (required)





Board Games

Legos

Active Games

















(requested)



VIDEO with model (requested)











BOOK/FLASH CARD SETS

GENERAL STYLING AND CAPTURE NOTES:

-All products should be styled, lit, and angled as shown in the examples provided.

GENERAL RETOUCHING NOTES:

-All products for this category should be blocked out-- Product should be placed on pure white backgrounds (RGB 255), with no grounding shadows or surface reflections. Retouch as shown in examples provided.

GENERAL CROPPING NOTES:

-All images should be cropped square and tight to product. Product should proportionally fill at least 85% of frame. Do not leave more than a 50-200px cushion from longest edge of product to frame edge (model/ manneguin cropping should mimic examples shown if applicable).

ALTERNATE IMAGE PLAN:

- -Follow alternate image cadence shown here. If there are additional alternate images needed to cover special details, number sequentially beginning with next alternate image number. -Upload all required, requested, lifestyle, and
- educational imagery for each style at the same time. -For educational alternate images, font size should
- be a minimum of 12 point font with font choice being a simple serifed or non-serifed font. Units of measure and text referenced in imagery must align with copy attributes provided.

GENERAL FILE TECHNICAL SPECIFICATIONS:

-Minimum of 2000x2000px -Flattened TIFF or JPEG (PNG is not accepted) -sRGB color space or Adobe RGB

VIDEO:

-Additional video content is encouraged for all items and categories. Suggested video types: educational, fit and features.

MAIN -ALT front open (required) (required) Know Book s **Book Set**

Cards

Flash

Puzzle









ALT2 back view (required)









none







FURNITURE & STORAGE

GENERAL STYLING AND CAPTURE NOTES: -All products should be styled, lit, and angled as shown in the examples provided.

GENERAL RETOUCHING NOTES:

-All products should be on white backgrounds (RGB 255), but with natural grounding shadow intact. Retouch as shown in examples provided.

GENERAL CROPPING NOTES:

-All images should be cropped square and tight to product. Product should proportionally fill at least 85% of frame. Do not leave more than a 50-200px cushion from longest edge of product to frame edge (model/mannequin cropping should mimic examples shown if applicable).

ALTERNATE IMAGE PLAN:

- -Follow alternate image cadence shown here. If there are additional alternate images needed to cover special details, number sequentially beginning with next alternate image number.
- -Upload all required, requested, lifestyle, and educational imagery for each style at the same time.

-For educational alternate images, font size should be a minimum of 12 point font with font choice being a simple serifed or non-serifed font. Units of measure and text referenced in imagery must align with copy attributes provided.

GENERAL FILE TECHNICAL SPECIFICATIONS:

-Minimum of 2000x2000px -Flattened TIFF or JPEG (PNG is not accepted) -sRGB color space or Adobe RGB

VIDEO:

-Additional video content is encouraged for all items and categories. Suggested video types: educational, fit and features.

MAIN angle front (required)

ALT -

lifestyle (requested)



(required)



ALT3 educational (requested)













High Chairs





SINGLE TO DOUBLE... OR TRIPLE!*

side profile

31 KIDS



(requested)



(requested)



dimensions

detai







FURNITURE & STORAGE

GENERAL STYLING AND CAPTURE NOTES: -All products should be styled, lit, and angled as shown in the examples provided.

GENERAL RETOUCHING NOTES: -All products should be on white backgrounds (RGB 255), but with natural grounding shadow intact. Retouch as shown in examples provided.

GENERAL CROPPING NOTES:

-All images should be cropped square and tight to product. Product should proportionally fill at least 85% of frame. Do not leave more than a 50-200px cushion from longest edge of product to frame edge (model/mannequin cropping should mimic examples shown if applicable).

ALTERNATE IMAGE PLAN:

- -Follow alternate image cadence shown here. If there are additional alternate images needed to cover special details, number sequentially beginning with next alternate image number.
- -Upload all required, requested, lifestyle, and educational imagery for each style at the same time.
- -For educational alternate images, font size should be a minimum of 12 point font with font choice being a simple serifed or non-serifed font. Units of measure and text referenced in imagery must align with copy attributes provided.

GENERAL FILE TECHNICAL SPECIFICATIONS:

-Minimum of 2000x2000px -Flattened TIFF or JPEG (PNG is not accepted) -sRGB color space or Adobe RGB

VIDEO:

-Additional video content is encouraged for all items and categories. Suggested video types: educational, fit and features.

MAIN angle front (required)

ALT lifestyle (requested)

ALT2 -

(required)

ALT3 educational (requested)



Seats Cover

ar

Ü







2 Modes of Use

straight





open

ALT4 detail (requested)











